Newfoundland and Labrador

| Nunavut | Nova Scotia Yukon | Prince Edwar Northwest Te | | Newfoundland and Labrador |
|---|--|---|--|---|
| | 18: KDS Holding, LLC dba A+ C | | | |
| | ress: 41041 Black Bayou Road | d, Gonzeles, Louislana, 70737 | United States | |
| A Pipe fittings, including B Flanges: all flanges | of Fittings to be regis couplings, tees, elbows, Y | tered. Circle one Car rs, plugs, unions, plpe car | egory only os, or reducers | Title of the Standard of Construction |
| E Strainers, filters, sepa F Measuring devices, in transmitters G Certified capacity-rate boilers, pressure vess | ible connections, and hose arators, and steam traps actuding pressure gauges, I ad pressure relief devices a sels, piping and fusible plug amponents that do not fall in | level gauges, sight glasse cceptable as primary ove | r pressure protec | 100 |
| N Nuclear components | Class 1 Class 2 C | Class 3 [] , (Meeting CNS | C or ASME requ | lirements) |
| Show Manufacturers | s Name, Trademark, or | Logo as it will appea | r on the prod | Type of Construction Forged |
| | Corporat ocumentation and idea | | al Home to be | ragistared: |
| my knowledge represe ratings, and identificati fittings is regulated by verified by ISO 00012015 b believing it to be true. Signature of Declarer. Declared before me at This 10 day Commissioner of Oath | the quality of the end property the product for which on markings are in account of the product for which on markings are in account of the product of the p | duct do solemnly deck h registration is sough ordance with the herein am which extends to ea as being suitable for th the same force and eff | are that the info i. The dimension named standar ach plant where at purpose and rect as if made | recration and being the person having full authority ormation contained in this form is true to the best of cons, materials of construction, pressure temperatur crists. I further declare that the manufacture of these afabrication occurs in whole or in part and has been it make this solemn declaration conscientiously under oath. PAMELA K ALONSO Jee this previously was 498 Commission is For Life |
| Or Notary Public: (sign | (Affix Official seal to | the right) | | |
| CRN: 0F03890 | This registration m | This space for Regul | en (10) years from | n the date of acceptance. ACCEPTED |
| FID#: 10300 Notes: | | | PROVINCE (| OF PRINCE EDWARD ISLAND TIES, LAND & ENVIRONMENT |
| All Fillings shall be not be compared to the compared to the copy of support of the copy o | egistered in the name of the Ma be supported with two Statutor porting documentation. It be made by the person havin quality of the and product. | y Declaration forms | C.R.N. C | 0F03890.29 Rev2 |
| 4. Quality Control progr | rams shall be resubmitted for viewal. Model 760, 76 obe (3750psi @ 30 | 1 Genie direct | DISPEC | MCColor Section Fillings Rev.2 |

Prince Edward Island

New Brunswick

Nova Scotla

Newfoundland and Labrador

| lunavut | Yukon | | |
|--|--|--|--|
| Manufacturers N | ame; KDS Holding, LLC dba A+ Corpo | oration | |
| | ddress: 41041 Black Bayou Road, Go | | |
| Plant Locations: | | | |
| A Pipe fittings, includ B Flanges: all flange C Valves: all line val | ding couplings, tees, elbows, Ya, p | ed. Circle one Category only olugs, unions, pipe caps, or reducers | Title of the Standard of Construction |
| E Strainers, filters, se Measuring devices transmitters | eparators, and steam traps s, including pressure gauges, level | semblies: all types I gauges, sight glasses, levels, or pressur plable as primary over pressure protection | |
| boilers, pressure v | ressels, piping and fusible plugs g components that do not fall into c | 1 6 5 7 | |
| | | s 3 🗆 , (Meeting CNSC or ASME requirer | ments) |
| Show Manufactur | rers Name, Trademark, or Lo | go as it will appear on the product | Type of Construction Forged a Welded a Wraught a Cast a Other M Describe other: |
| | \L \M." | | Machined |
| l lot of ounnerting | Corporation | ication of the actual items to be re- | |
| | COPE OF CRN, CATA | | Alstaleo. |
| JUSTIN HARVEY, CEO | (see note 3) GM | nployed by KDS Holdings, LLC dba A+ Corpor | elion and being the person having full authority |
| ny knowledge repre- atings, and identific ittings is regulated in rentied by 180 8001,201 | or the quality of the end producesents the product for which reation markings are in accordaby a Quality Control Program to by a Quality Control Program as to by a Quality | of do solemnly declare that the inform agistration is sought. The dimensions ance with the herein named standards which extends to each plant where fa | ation and being the person having full authority ation contained in this form is true to the best at a materials of construction, pressure temperal at a further declare that the manufacture of the brication occurs in whole or in part and has brake this solemn declaration conscientiously deroath. |
| AUSTIM HARVEY, CEO and responsibility for y knowledge repre- stings, and identifice titings is regulated erified by 150 5001.201 elleving it to be true | or the quality of the end product esents the product for which recation markings are in accordated by a Quality Control Program as the and knowing that it is of the | of do solemnly declare that the inform agistration is sought. The dimensions ince with the herein named standards which extends to each plant where fa being suitable for that purpose and in | ation contained in this form is true to the best s, materials of construction, pressure temperal s. I further declare that the manufacture of the obtication occurs in whole or in part and has be make this solemn declaration conscientiously der oath. |
| AUSTIM MARVEY, CEO and responsibility for y knowledge repre- salings, and identifice titings is regulated is erified by 150 5001200 elleving it to be true ignature of Declara beclared before me | or the quality of the end producesents the product for which recation markings are in accordated by a Quality Control Program to by a Quality Control Program as the land knowing that it is of the er. By ElSter, Louisi | it do solemnly declare that the inform agistration is sought. The dimensions ince with the herein named standards which extends to each plant where faceing suitable for that purpose and i resame force and effect as if made un | ation contained in this form is true to the best at materials of construction, pressure tempera s. I further declare that the manufacture of the indication occurs in whole or in part and has beneficially assumed that the solution conscientiously deroath. PAMELA K ALONSO |
| LUSTIM HARVEY, CEO IND responsibility for ly knowledge repre- atings, and identifice titings is regulated is erified by 150 5001200 elleving it to be true elleving it to be true elleving to become | or the quality of the end product esents the product for which recation markings are in accordated by a Quality Control Program as the and knowing that it is of the er. | it do solemnly declare that the inform agistration is sought. The dimensions ince with the herein named standards which extends to each plant where faceing suitable for that purpose and i resame force and effect as if made un | ation contained in this form is true to the best at materials of construction, pressure tempera is. I further declare that the manufacture of this brication occurs in whole or in part and has brake this solemn declaration conscientiously deroath. PAMELA K ALONSO at this by chiotery cross seasons. |
| AUSTIM MARVEY, CEO and responsibility for ny knowledge repre alings, and identifice titings is regulated is entitled by 190 9001200 sellieving it to be true signature of Declare Declared before me | or the quality of the end producesents the product for which recation markings are in accordate by a Quality Control Program is by a Quality Control Program as the land knowing that it is of the er. But by Simon, Louisi day of April Applications of April Applications and Applications and Applications of April Applications and | it do solemnly declare that the informagistration is sought. The dimensions ince with the herein named standards which extends to each plant where facility is same force and effect as if made units of the control of | ation contained in this form is true to the best at materials of construction, pressure tempera s. I further declare that the manufacture of the believation occurs in whole or in part and has brake this solamn declaration conscientiously der oath. PAMELA K ALONSO |
| AUSTIM HARVEY, CEO and responsibility for by knowledge representings, and identifice titings is regulated is erified by 190 9001201 elleving it to be true signature of Declare beclared before me this 10 00 Commissioner of Oc | or the quality of the end produce events the product for which received in accordation markings are in accordation to the control Program of the product as the land knowing that it is of the error of the land knowing that it is of the land of the land knowing that it is of the land | ct do solemnly declare that the inform agistration is sought. The dimensions ince with the herein named standards which extends to each plant where faceing suitable for that purpose and i research force and effect as if made until the same | ation contained in this form is true to the best a materials of construction, pressure tempera a. I further declare that the manufacture of the brication occurs in whole or in part and has brake this solemn declaration conscientiously der oath. PAMELA K ALONSO a this precipitative with the precipitation of the precipitation with the precipit |
| AUSTIN HARVEY, CEO and responsibility for y knowledge represibility for y knowledge represibility for y knowledge represibility for y knowledge represibility in the property of the fillings is regulated in the fillings is regulated in the fillings is regulated by the fillings is regulated by the fillings is regulated by the fillings in the fillings | or the quality of the end produce events the product for which received in accordation markings are in accordation to the control Program of the product as the land knowing that it is of the error of the land knowing that it is of the land of the land knowing that it is of the land | it do solemnly declare that the informagistration is sought. The dimensions ince with the herein named standards which extends to each plant where facility is same force and effect as if made units of the control of | ation contained in this form is true to the best at materials of construction, pressure temperates. I further declare that the manufacture of this brication occurs in whole or in part and has brake this solemn declaration conscientiously der oath. PAMELA K ALONSO of this procedure of the proce |
| AUSTRI HARVEY, CEO and responsibility for y knowledge repre- silings, and identific titings is regulated i erified by 180 8001201 elleving it to be tru ignature of Declara electared before me this 10 0 for Notary Public: (see | or the quality of the end produce events the product for which received in accordation markings are in accordation to the control Program of the product as the land knowing that it is of the error of the error of the land knowing that it is of the error | it do solemnly declare that the informagistration is sought. The dimensions ince with the herein named standards which extends to each plant where faceling suitable for that purpose and i resame force and effect as if made uncompany using the s | ation contained in this form is true to the best a, materials of construction, pressure tempera by the construction of the manufacture of the brication occurs in whole or in part and has been declaration conscientiously der oath. PAMELA K ALONSO This prochiotary Cribist \$85498 Commission is For Life |
| nustrial HARVEY, CEO and responsibility for y knowledge representatings, and identificatings is regulated is entitled by 180 9001201 elleving it to be true ignature of Declaration in the 10 commissioner of Or Notery Public: (see CRN: 0F0388 FID#: 16388 | or the quality of the end produce events the product for which received in accordation markings are in accordation to the control Program of the product as the land knowing that it is of the error of the error of the land knowing that it is of the error | it do solemnly declare that the informagistration is sought. The dimensions ince with the herein named standards which extends to each plant where faceling suitable for that purpose and i resame force and effect as if made uncompany using the s | ation contained in this form is true to the best at materials of construction, pressure temperates. I further declare that the manufacture of this brication occurs in whole or in part and has brake this solemn declaration conscientiously der oath. PAMELA K ALONSO of this procedure of the proce |
| nustrin harder, ceo and responsibility for y knowledge representings, and identific titings is regulated it erified by 180 0001201 elleving it to be true ellevi | or the quality of the end produce events the product for which received in accordation markings are in accordation to the control Program of the product as the land knowing that it is of the error of the error of the land knowing that it is of the error | it do solemnly declare that the inform agistration is sought. The dimensions ince with the herein named standards which extends to each plant where facilities a same force and effect as if made under the same force and effect as if made und | ation contained in this form is true to the best a materials of construction, pressure tempera is. I further declare that the manufacture of the brication occurs in whole or in part and has been nake this solamn declaration conscientiously der oath. PAMELA K ALONSO is this president season is For Life Commission is For Life NOVASCOTIA Sept. 15/23 |
| AUSTIN HARVEY, CEO and responsibility for y knowledge representatings, and identificatings is regulated in entitled by 180 soot 201 elleving it to be true in the second property of th | the quality of the end produce each the product for which received in accordation markings are in accordation markings are in accordation to by a Quality Control Program is by the control Program is as the control Program is a | right) This space for Regulatory Authority use. be revalidated after ten (10) years from it acturer. C.R.N. exteraction is sought. The dimensions ince with the herein named standards which extends to each plant where far a same force and effect as if made under the same force and effect as if made under the control of | ation contained in this form is true to the best, materials of construction, pressure tempera at the manufacture of the best in the construction occurs in whole or in part and has beneficial to conscientiously deroath. PAMELA K ALONSO of this prochlotary Carola \$85498 Commission Is For Life |
| AUSTIM HARVEY, CEO and responsibility for y knowledge repre sellings, and identific litings is regulated it erified by 150 50120 selleving it to be tru signature of Declar Declared before me This 10 0 Commissioner of Or Notery Public: (se CRN: 0F0388 FID#: 16388 Notes: 1. All Fittings shall b 2. Each Category of a 3. The Declaration a responsibility for t | the quality of the end produce events the product for which received in accordation markings are in accordated by a Quality Control Program is be and knowing that it is of the left. AD A | acturer. acture | ation contained in this form is true to the best a materials of construction, pressure tempera a. I further declare that the manufacture of the ibrication occurs in whole or in part and has beneke this solemn declaration conscientiously der oath. PAMELA K ALONSO at this precipitating of the ibrack to take the precipitating of the ibrack to take the ibr |

| New Brunswick Nunavut | Nova Scotia Yukon | Prince Edward Island Northwest Territories | Newfound | lland and Labrador |
|--|---|--|--|---|
| | ame; KDS Holding, LLC dba A+ Co | | | |
| | | , Gonzales, Louisiana, 70737, United States | | |
| Plant Locations: SA Catego A Pipe fittings, includi B Flanges: all flanges C Valves; all line valve | ry of Fittings to be registing couplings, tees, elbows, Ye | tered. Circle one Category only s, plugs, unions, pipe caps, or reducer | s | Title of the Standard of Construction |
| D Expansion joints, fle E Strainers, filters, se F Measuring devices, transmitters | exible connections, and hose a parators, and steam traps including pressure gauges, le | ressure | ME B31.3 | |
| boilers, pressure ve H Pressure retaining of | essels, piping and fusible plugs components that do not fall int | to one of the above categories | | |
| | | lass 3 , (Meeting CNSC or ASME re | | |
| Show Manuracture | Prs Name, Trademark, or | Logo as it will appear on the pro | Forged Cast | |
| | - I | 7 | | chined |
| Liet of supporting | Corporation and iden | on dification of the actual items to | NAME OF TAXABLE PARTY. | CHILIEG |
| Declaration: | | | | |
| my knowledge repres ratings, and identifica fittings is regulated by verified by 150 5001:2015 believing it to be true. Signature of Declarer | the quality of the end product for which ation markings are in accory a Quality Control Program by milkelek a , and knowing that it is of the state | rdance with the herein named stan m which extends to each plant who is being suitable for that purpose a he same force and effect as if made | nformation contained isions, materials of contained dards. I further declare fabrication occur, and I make this solem de under oath. | I in this form is true to the best of construction, pressure temperature are that the manufacture of these is in whole or in part and has been an declaration conscientiously |
| Declared before me a | | Island, USA | | LA K ALONSO |
| 2004 1000 AC 2000 TA | ay of April A | 3-2025 | | tainy Children \$85498 |
| Commissioner of Oat | | 3 | Comm | ission Is For Life |
| Or Notary Public: (sig | (Affix Official seal to the | ne right) | | Ā |
| 0E03890 | | This space for Regulatory Authority ust be revalidated after ten (10) years | | Nouveau K |
| CRN: 01 03890 FID#: 16388 | J.Z 1\G\Z | | DEPT OF BOILER & | JUSTICE PUBLIC SAFETY PRESSURE VESSELACT |
| Notes: | | 0.00 4490.004(0) | RE | GISTRATION ONLY |
| DATE OF THE PROPERTY OF THE PR | registered in the name of the Man Ill be supported with two Statutory | NAMES OF THE PROPERTY OF THE P | 0 | 0F03890,27Re12 |
| and one copy of sup 3. The Declaration sha | pporting documentation. all be made by the person having to equality of the end product. | _ | CRN C | 030 70,21 |
| 4. Quality Control prod Scope: CRN rend 11/2016 drive p | grams shall be resubmitted for vali ewal. Model 760, 761 probe (3750psi @ 300) e probe (3000psi @ 3 | Genie direct F); Model GPSD | CHIEF DATE. | BOILER INSPECTOR ² 9/15/23 |
| CRN expires Jun | ne 16th, 2033 (DGalla | nt) | | |
| | | | □BLRs | □ PVs |
| | | | FITTINGS | □ NUCLEAR COMPONENTS |

New Brunswick

| New Brunswick Nunavut | Nova Scotia Yukon | Prince Edward Northwest Tel | | Newfoundland and Labrador |
|--|--|--|--|--|
| Manufacturers Ad | Me; KDS Holding, LLC dbs A+ Corp Gress: 41041 Black Bayou Road, Go | oration onzales, Louisiana, 70737, | United States | |
| A Pipe fittings, includi B Flanges: all flanges C Valves: all line valve | rv of Fittings to be register ng couplings, tees, elbows, Ys, p es | olugs, unions, pipe cap | egory only s, or reducers | Title of the Standard of Construction |
| D Expansion joints, file E Strainers, filters, se F Measuring devices, transmitters G Certified capacity-re bollers, pressure ve | exible connections, and hose ass parators, and steam traps including pressure gauges, leve sted pressure relief devices accesses, piping and fusible plugs components that do not fall into o | l gauges, sight glasse: plable as primery over | pressure protection o | - ASME B31.3 |
| N Nuclear component | s: Class 1 Class 2 Clas | s 3 🗍 , (Meeting CNS | C or ASME requireme | |
| Show Manufacture | rs Name, Trademark, or Lo | go aş it will appea | r on the product | Type of Construction Forged o Welded o Wrought o Cast o Other a Describe other: |
| | Corporation documentation and identifi | | | Machined |
| Declaration: i JUSTIN HARVEY, CEO and responsibility for my knowledge repres ratings, and identifica fittings is regulated by verified by 18050012018 believing it to be true Signature of Declared Declared before me | the quality of the end production the product for which resistent markings are in accords as a Quality Control Program as a Landknowing that it is of the la | ployed by KDS Hokin it do solemnly decla gistration is sought owhich extends to ea heing suitable for the same force and effe | gs, i.i.C dbs A+ Corporate re that the informat The dimensions, in amed standards. ch plant where fabrat t purpose and I ma act as if made unde | and being the person having full authority for contained in this form is true to the best of materials of construction, pressure temperature I further declare that the manufacture of these ication occurs in whole or in part and has been ske this selemn declaration conscientiously or oath. PAMELA K ALONSO his EACH totally CIDI# 885498 Commission is For Life |
| Or Notary Public: (sig | (Affix Official seal to the | right) | | |
| | P.I | This space for Regula | | sit . |
| OLIA. | 0.2 Rev2 | be revalidated after te | n (10) yeara icam ina New lo Lab | dayon acceptance. Undland rador |
| FID#: 16388 | | | | |
| Notes: | | | Registered OF | 03890.20 Rav 2 |
| All Fillings shall be | registered in the name of the Manufa | clurer. | Date Sept | 18, 2093 |
| | il be supported with two Statutory De pporting documentation, | disration forms | Engineering angli | The state of the s |
| 3. The Declaration sh | all be made by the person having full equality of the end product. | suthortly and | Registered by | willing ! |
| 4. Quality Control pro Scope: CRN rend 11/2018 drive p | grams shall be resubmitted for veilda ewal. Model 760, 761 G robe (3750psi @ 300F) e probe (3000psi @ 300 | enie direct ; Model GPSD | THE BOILER PRE | THORITY OF THE Bect 1.0 - Fittings Rev.2 SURE VESSEL AND AS REGULATIONS |
| CRN expires Jur | e 16th, 2033 (DGallant |) | | |

Newfoundland and Labrador

Prince Edward Island Northwest Territories

New Brunswick

Nunavut

Nova Scotia Yukon

| Manufacturers Name; KDS Holding, LLC dba A+ Corporation | Old |
|---|---|
| Manufacturers Address: 41041 Black Bayou Road, Gonzales, Louislana, 70737, United | 918(62 |
| Plant Locations: SAME AS ABOVE Category of Fittings to be registered. Circle one Category A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or r B Flanges: all flanges | |
| C Valves: all line valves D Expansion Joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps | - ASME B31.3 |
| Measuring devices, including pressure gauges, level gauges, sight glasses, leve transmitters G Certified capacity-rated pressure relief devices acceptable as primary over press | |
| boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories | CMT |
| N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting CNSC or A Show Manufacturers Name, Trademark, or Logo as it will appear on the components of the components of the components of the components of the components. | |
| EAS | Forged a Welded a Wrought a Cast a Other Describe other: |
| Corporation | Machined |
| List of supporting documentation and identification of the actual iter | |
| | |
| and responsibility for the quality of the end product do solemnly declare the my knowledge represents the product for which registration is sought. The ratings, and identification markings are in accordance with the herein name fittings is regulated by a Quality Control Program which extends to each pla | dimensions, materials of construction, pressure temperature at standards. I further declare that the manufacture of these ant where fabrication occurs in whole or in part and has been pose and I make this solemn declaration conscientiously |
| Signature of Declarer: | PAMELA K ALONSO |
| Declared before me at W 6 PISMAY, Louisiana, US A | |
| This 10 day of April ap 2023 | Use this Exactly tary Climit \$85498 |
| Commissioner of Oaths | Commission Is For Life |
| Or Notary Public: (sign) (Affix Official seal to the right) | |
| This space for Regulatory A | authority use |
| This registration must be revalidated after ten (10) CRN: 0F03890.2 Rev2 | years from the date of acceptance. |
| 16388 | BY TO |
| Notes: | BY BY |
| All Fillings shall be registered in the name of the Manufacturer. | 10/ |
| Each Category shall be supported with two Statutory Decisration forms and one copy of supporting documentation. | CRN 0F03890.2Y REV2 |
| The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. | DATE 09/15/2023 |
| Scope: CRN renewal. Model 760, 761 Genie direct 11/2016 drive probe (3750psi @ 300F); Model GPSD Genie membrane probe (3000psi @ 300F) | Sect 1.0 Filtings Rev.2 |
| CRN expires June 16th, 2033 (DGallant) | CROC BRAN |

| New Brunswick Nunavut | Nova Scotia Yukon | Prince Edward Island Northwest Territories | Newfoundland and Labrador |
|--|---|--|--|
| - Company of the Comp | Me; KDS Holding, LLC dba A+ C | The state of the s | |
| | | d, Gonzales, Louislane, 70737, United States | |
| Plant Locations: 8A Categor | v of Fittings to be regis | tered. Circle one Category only 's, plugs, unlons, pipe caps, or reducers | Title of the Standard of Construction |
| B Flanges; all flanges C Valves; all line valve | | | Construction |
| E Strainers, filters, sep (F) Measuring devices, i | xible connections, and hose parators, and steam traps including pressure gauges, t | essembles: sii types evel gauges, sight glasses, levels, or pressu | - ASME B31.3 |
| bollers, pressure ves | sels, piping and fusible plug | cceptable as primary over pressure prolections line line line line line line line lin | on on |
| | | class 3 [], (Meeting CNSC or ASME require Logo as it will appear on the produc | |
| Officer Intelligence | EA | Source It will appear on the product | Forged o Wedded o Wrought o Cast o Other M Describe other: |
| | Corporati | lon | Machined |
| List of supporting | | ntification of the actual items to be re | gistered: |
| | | | |
| my knowledge represe ratings, and identificat littings is regulated by varified by 180 98812814 b | he quality of the end proceeds the product for which ion markings are in account a Quality Control Program (Market Control Program) | duct do solemnly declare that the inform registration is sought. The dimensionard regions with the herein named standards m which extends to each plant where to | |
| Declared before me at | | isiona, ush | PAMELA K ALONSO |
| This <u>(O</u> day Commissioner of Oath Or Notary Public: (sign | | 3 | Commission Is For Life |
| | This registration mu | This space for Regulatory Authority use, ast be revalidated after ten (10) years from the | e data of acceptance. |
| CRN: 0F03890 | .2 Rev2 | | |
| FID#: 16388 | | | |
| Notes: | | | VAA |
| 2. Each Calegory shall | sgistered in the stame of the Man be supported with two Stakstory corling documentation, | nutacturer. Declaration forms | orthwest Territories |
| 3. The Declaration shall | be made by the person having a quality of the end product. | | REGISTERED THE AUTHORITY OF |
| Scope: CRN rene 11/2016 drive pr | ams shall be resubmilled for val wal. Model 760, 761 obe (3750psi @ 300 probe (3000psi @ 3 | Genie direct THE BOI | LER AND PRESSERED-FIRMOR ROV.2 VESSEL ACT. DE03890.2TRevZ |
| CRN expires June | a 16th, 2033 (DGalla | nt) SIGNE | 1 0 |

| lew Brunswick lunavut | | | | | | |
|---|--|---|---|--|--|--|
| Manufacturers Nar | me; KDS Holding, LLC dba A+ C | corporation | | | | |
| Manufacturers Add | iress: 41041 Black Bayou Road | , Gonzeles, Louisiane, 70737, | United States | | | |
| A Pipe fittings, includir B Flanges; all flanges | y of Fittings to be regis ng couplings, tees, elbows, Y | tered. Circle one Cat 's, plugs, unions, pipe ca | egory only ps, or reducers | Title of the Standard of Construction | | |
| E Streiners, filters, sep F Measuring devices, transmitters G Certified capacity-ra bollers, pressure ve- | is ability connections, and hose parators, and steam traps including pressure gauges, is ted pressure relief devices as assets, piping and fuelble plug components that do not fall in | ievel gauges, sight glasse ccaptable as primary ove | r pressure protection | | | |
| N Nuclear component Show Manufacture | s: Class 1 | less 3 [] . (Meeting CNS | SC or ASME requirement on the product | Type of Construction Forged Welded a Wrought a | | |
| | € | • | | Cast D Other S Describe other: | | |
| | Corporat documentation and ide | lon | | Machined | | |
| my knowledge repre ratings, and identific fittings is regulated b | the quality of the end pro- sents the product for which ation markings are in accor- by a Quality Control Progra | educt do solemnty decl ch registration is sough ordance with the herein arn which extends to e | are that the informations in the dimensions in named standards the plant where factors and I in the purpose and I | ation and being the person having full authority ation contained in this form is true to the best of materials of construction, pressure temperate. I further declare that the manufacture of the brication occurs in whole or in part and has be make this solemn declaration conscientiously der oath. | | |
| Signature of Declare Declared before me | at Gelsmar, Lo | ussiona, us A | | PAMELA K ALONSO | | |
| This 10 d | ay of April | 1023 | Use | commission Is For Life | | |
| Commissioner of Oa | iths | | | Commission is 1 of Life | | |
| Or Notary Public: (s | (Affix Official seal to | the right) | (FE) | NUMBER | | |
| | This registration r | This space for Regument be reveiled after | er 10 years from the | he date of acceptation lers and | | |
| CKN. | 0.2 Rev2 | | Nunavut | Pressure Vessels Act | | |
| FID#: 16388 | | | | REGISTERED | | |
| Notes: | e registered in the name of the N | Aenufacturer. | OF | 2200- 1 | | |
| 2. Each Category sh and one copy of s | all be supported with two Statute supporting documentation. | ory Declaration forms | CRN_Date | 1232-120-15 | | |
| The Declaration a responsibility for it. | that be made by the person have the quality of the end product. | | Date | 25-1-12 | | |
| Scope: CRN re | ograms shall be resubmitted for newal. Model 760, 76 probe (3750psi @ 30 ne probe (3000psi @ | OF); Model GPSQ | | Chief Inspector | | |
| | ine 16th, 2033 (DGa | | Territo | rial Registration Fee | | |