

345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel.: 416.734.3300 Fax: 416 231 1626 Toll Free: 1.877.682.8772

www.tssa.org

July 08, 2016

SCOTT ISLIP ROUND ENGINEERING INC 10 SEGWUN RD WATERDOWN ON LOR 2H8 CA

Service Request Type: BPV-Fitting Registration

Service Request No.: 1899700

Your Reference No.: SPS

Registered to: SARNIA PIPING SPECIALTIES LTD

Dear SCOTT ISLIP,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN:

0H18577.5

Main Design No.: R-0633 Rev. 0

Expiry Date:

08-Jul-2026

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

A stamped copy of the approved registration and invoice for engineering services will be mailed to you shortly. Should you have any questions or require further assistance, however, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Kaivan Kia P. Eng., PMP Mechanical Engineer, BPV

Tel.: 416-734-3457 Fax: 416-231-6183 Email: kkia@tssa.org



TECHNICAL STANDARDS & SAFETY AUTHORITY 14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



SPS

STATUTORY DECI Registration of Fi	
RICHARD FELTON, PRESIDENT	
(Name and Position, e.g. President, Plant Manage	er, Chief Engineer)
of SARNIA PIPING SPECIALTIES LTD.	
(Name of Manufacturer)	
Located at 765 EVETT STREET, SARNIA, ONTARIO, N7S 5N3	1-800-355-1740
(Plent Address) do solemnly declare that the fittings listed hereunder, which are subject and Pressure Vessels Regulation, comply with all of the requirements ASME B31.3	
which specifies the dimensions, materials of construction, pressure/temperature or are not covered by the provisions of a recognized North American states as supported by the attached data pressure/temperature ratings and the basis for such ratings, the marking I further declare that the manufacture of these fittings is controlled by a quality s	ure ratings, identification marking the fittings and service; standard and are therefore manufactured to comply with a which identifies the dimensions, material of construction g of the fitting for identification and service.
which has been verified by the following authority, TSSA	
The items covered by this declaration, for which I seek registration, are category H In	nstrument Pipes type fittings. In support of
this application, the following information and/or test data are attached as follows: SCOPE OF CRN, DRAWINGS, REPORTS	
(drawings, calculations, lest reports	is, etc.)
Declared before me at City of Sarnia in the C	County of Lambton
Commissioner for Oaths: Gregory Thomas Bernard	
(Frinted name)	
(Signature)	(Signature of Declarer)
FOR OFFICE USE ON To the best of my knowledge and belief, the application meets the requirements of Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation CSA Standard B51 and is accepted for registration in Category CRN: Registered by: Dated: July 8/16	of the n, and
NOTE: This registration expires on	July 8/16
PV 09553 (06/04) See one sheet of attach	July 8/16 hment Por Scope Ku 1/8/

SARNIA PIPING SPECIALTIES LTD.

765 EVETT STREET SARNIA, ONTARIO CANADA, N7S 5N3

15-Apr-16

Page 1 of 1

SCOPE OF CRN REGISTRATION

Product Description		3	***************************************	Pressure Class	Size Range NPS	Pressure Rating (Note 3)
ANSI 150 Lb. Flanged Pipe Spools	R-0633	ASME B31.3	ASTM A105, A53, A106-B, A587	150 Lb.	1" thru 6"	285 psig at 100 F, 170 psig at 500F

MANUFACTURING LOCATIONS

SARNIA PIPING SPECIALTIES LTD. 765 EVETT STREET SARNIA, ONTARIO N7S 5N3

Note 1: Different ASME B16.5 flange materials can be substituted for ASTM A105 material when they have pressure-temperature ratings that are equal to or less than ASTM A105 pressure temperature ratings. When a flange material of lower rating, compared to ASTM A105, is used the pressuretemperature ratings are limited to the ASME B16.5 ratings of the material used in accordance with ASME B16.5.

Note 2: Alternative pipe materials may be used that have a ASME B31.3 table A-1 allowable stress equal to or greater than 13,600 psi at 100F and 13,600 psi at 500F.

Note 3: Flanges with a pressure class greater than class 150 Lb. may be used but in all cases the pressure-temperature ratings are limited to Class 150 Lb. ASME B16.5 pressure-temperature ratings.

> THIS IS PART OF CRNOH 18574.5 Boilers & Pressure Vessels | Rafety Program | R-0633 | Rev. 0. 718/16 Technical Standards & Safety Authority Boilers & Pressure Vessels