

To:	TSSA	From:	Janet Townsend
Company:	Donaldson Filtration Deutschland Gmbh	Phone:	416-747-4291
Pages:	7	Location:	Toronto
Our File:	ANR-5182	Date:	December 6, 2018

Your File: 2436002

**Subject:** Request for Design Registration

Dear Ms. Francis,

CSA has reviewed the documentation submitted by TSSA on behalf of Donaldson Filtration Deutschland Gmbh

These fittings have been registered by CSA for the Province of Québec. In accordance with an agreement between CSA, the Provinces of Québec and Saskatchewan; this registration is recognized by Quebec and Saskatchewan. These fittings are acceptable for use in these Provinces.

The letters CSA will be applied as a prefix to the CRN indicate which fittings have been registered in this manner. A copy of the stamped Statutory Declaration is attached.

The CRN is CSA-0E20741.56.

A copy of the Statutory Declaration with an original stamp affixed will be forwarded to you along with our invoice by regular mail.

Yours truly

**Janet Townsend**Program Manager
CSA Group

178 Rexdale Blvd. Toronto, ON, M9W 1R3 Canada

www.csagroup.org

Régie du bâtiment Québec EE

## REGISTERED



CRN: CSA-0E 20741.56

Statutory Declaration Registration of Fittings
Registration Process administered by

(a)	Design Qualification	CSA Group per CSA E	351	Donaldson.		
\ <sup>64</sup> / .1	COLTER MARCKS			Editation Solutions		
۱	COLIENTIALIONO	(Name of a	applicant)			
	ENGINEERING MANAGER					
		(Position eg, president, plan	t manager, cnier eng.)			
of _	DONALDSON FILTRATION DEU	ISCHLAND GMBH				
		(name of co				
Loc	aled at BUSSINGSTRASSE 1, I	HAAN, 42781, GERMAN (plant add	Y (ress)			
		× "		-la Anta		
do s	solemnly declare that the fittings listed t					
X	comply with all the requirements of	ANSI/ASME codes as t	o their dimensions, material, ide	ntification & service for which are		
Or	required: 33/.	ep				
_	G	all ANGUACHE and a co	d are therefore constructed to or	mnly with		
	are not covered by the provisions of	ard, and are designed to the	le best current engineering prac	tice, as shown by the supporting		
	test data.	•		•		
(h)	Quality control of Manufactu	re				
	rther declare the manufacture of these		alify control program which come	lies with the requirements of		
I fu	orther declare the manufacture of these of the original theorem.	numgs is controlled by a qui i verified by the following au	thority or authorized agency <u>SC</u>	SS		
	e fittings <sup>2</sup> covered by this declaration, fo					
Ine	e mungs covered by this declaration, re	# WINCH I SEEK TO GIOTIES OF THE				
in s	support of the application, the following	information, calculations an	d/or test data are attached:			
SC	OPE OF CRN REGISTRATION, R	EPORTS DRAWINGS (		***************************************		
De	clared before me at BLOOKIN	GTON	BRE	ENDA JEAN CASE §		
		MINNESOTA	Nota My Con	ary Public-Minnesota mission Expires Jan 31, 2020		
			= www	······································		
The 14TH day of AUGUST AD 20 \$8						
Brinda Case Offer Marker						
A (commissioner for oaths)  Signature of Declarer						
		For Official	Use Only			
١,	rutition is encepted for registra	tion in Category E	in accordance with the B	oilers and Pressure Vessels Act		
The application is accepted for registration in Category in accordance with the Boilers and Pressure Vessels Act and CSA Standard B51.						
This registration must be revalidated after ten (10) years from the date of acceptance.						
This felligitation filest be to ended after ten (197)						
<u>-</u> ا	For the Objection A. BANWATT					
ľ	Registered Number CRN <u>CSA-01</u>	C LUTTI.SU	For the Object Inspector Date CSA	) · · · · · · · · · · · · · · · · · · ·		
-			Group			
_			1.170			

COMMITTATUTORY DECLARATION REGISTRATION OF FITTINGS DOG

Three completed copied of Statutory Declaration form together with three copies of Catalogs, drawings of Bulletins illustrating above fittings shall be submitted.

All fittings are required to be registered in the name of the Manufacturer.

This form shall be completed and signed by the president of highest official in the manufacturing plan where the fitting is produced

**REGISTERED** 



2202 2nd Ave. Regina, SK S4R 1K3

PH (306)798-7112 Toll Free: (866)530-8599 FAX (306)787-9273 Toll Free: (866)760-9255

Email: boilerpermits@tsask.ca

Website: www.tsask.ca

Technical CRN: CSA-0E20741.56
Safety Authority
of Saskatc Remain Process administered by

Statutory Declaration (Registration of Fittings)

TOK 4000

	15K-1008					
I. Declaration Information						
, COLTER MARCKS ,	In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.					
ENGINEERING MANAGER (company title, e.g. vice president, plant manager, chief engineer)	- I Davidson					
(must be in a position of authority in the manufacturing plant where the fitting is produced)	PONAIGSON   Filteration Solutions					
of: DONALDSON FILTRATION DEUTSCHLAND GMBH	(мидиня киндин)					
(name of manufacturer)	, 40704					
Iocated at: BUSSINGSTRASSE 1 HAAN, GERMANY (Plant Address – Apt/Street) (City, Prov)	/ 42781 (Postal Code)					
do solemnly declare that the fittings listed hereinunder, which are subject to the Saskatchewan Boiler and Pressure  Vessel Safety Act (check one)  Comply with the requirements of which specifies the dimensions, (title of recognized North American Standard)  Materials of construction, pressure / temperature ratings and identification marking of the fittings, or						
Are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, materials of construction, pressure / temperature ratings and the basis						
for such ratings, and the marking of the fittings for identification.						
I further declare that the manufacturer of these fittings is controlled by a quality controverified by the following authority, SGS ISO 9001 as being of these fittings to the stated standard. The fittings covered by this declaration, for we FILTERS  In support of this application, the following information, calculations and / or test data SCOPE OF CRN REGISTRATION, REPORTS, DRAWINGS, CALCULATION, CALCULAT	ing suitable for the manufacturer which I seek registration, are a are attached:					
II. Declaration						
DECLARED before me at RLOO MINGTON in the STATE	of MINNESOTA					
this 14TH day of AUGUST . 2018  Brenda Case (print name)  Brenda Case (print name)  Brenda Case (print name)  Notary Public-Minnesota (Signature of Commissioner of Oaths)	Offer Monto					
III. Office Use Only						
To the best of my knowledge and belief, the application meets the requirements of the Boller CSA B51, Clause 4.2, and is accepted for registration in Category	and Pressure Vessel Safety Act and					
CSA- OE 20741.56  Dec + 2018	Sept. 28.2028					
(Registration Number) (Date Registered MM DD YYYY)	(Expiry Date – MM DD YYYY)					
(For the Administration / Chief Inspector)	A.BANWATT					
Group						



345 Caringview Drive Toronto, Ontario M9W 6N9 Tel:: 416.734 3300 Fax: 416.231 1626 Toll Free: 1.877.682.8772

www.tssa.org

September 28, 2018

SCOTT ISLIP **ROUND ENGINEERING INC** 10 SEGWUN RD WATERDOWN ON L8B 0K6

Service Request Type: BPV-Fitting Registration

Service Request No.: 2391352 Your Reference No.: R-0849

Registered to: DONALDSON FILTRATION DEUTSCHLAND GMBH

Dear SCOTT ISLIP,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.:

0E20741.5

Main Design No.:

SANITARY FILTER HOUSINGS - SEE SCOPE OF REGISTRATION

Expiry Date: 28-Sep-2028

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly.

Wendy Du, P.Eng.

Technical Standards & Safety Authority Boilers & Pressure Vessels Safety Program

Tel.: 416-734-3566 Fax: 416-231-6183 Email: wdu@tssa.org ATTACHMENT TO 178 Rexdate Boulevard, Toronto, ON Canada M9W 1R3



# Donaldson Filtration Deutschland GmbH

BUSSINGSTRASSE 1, HAAN, 42781, GERMANY PAGE 1 OF 1

# 

	Min. Test MDMT Design	reserve divorce of trebott	5 Bard / -29°C / R-0849	56 Psig / -29°C / R-0849	PG-EG 0018 220 Psig at 392°F 356 Psig -20°F PG-EG 0032	56 Psig -20°F	56 Psig -20°F
	1	1 20 / Journal of the		g at 392°F 356	g at 392*F 356	g at 392°F 356	g at 392°F 356
	Inlet/Outlet Model No. MAWP at MAWT	0006 15.2 Ba		0018 220 Psi	0018 220 Psi 0032	0018 220 Psi 0032 0072	0018 220 Psi 0032 0072 0144
	tlet Model N	PG-EG (		PG-EG (	PG-EG 0018 PG-EG 0032	PG-EG 0018 PG-EG 0032 PG-EG 0072	PG-EG 0018 PG-EG 0032 PG-EG 0072 PG-EG 0144
	Infet/Out Size	1/2"		3/4"	3/4"	3/4"	3/4" 2" 2-1/2"
	uo	UNS S31603 / 1.4404 / ASTM A269-316L		ASTM A312-316L	UNS S31603 / 1.4404 / ASTM A312-316L UNS S31603 / 1.4404 / ASTM A240-316L	UNS S31603 / 1.4404 / ASTM A312-316L UNS S31603 / 1.4404 / ASTM A240-316L UNS S31603 / 1.4404 / ASTM A479-316L	ASTM A312-316L ASTM A240-316L ASTM A479-316L
	End Connection Material of Construction (Note 4) (Note 5)	531603 / 1.4404 /		531603 / 1.4404 /	531603 / 1.4404 / 531603 / 1.4404 /	531603 / 1.4404 / 531603 / 1.4404 / 531603 / 1.4404 /	531603 / 1.4404 / 531603 / 1.4404 / 531603 / 1.4404 /
	_			SSNO	S S NO	S S S S S S S S S S S S S S S S S S S	S S NO S S NO S S NO
	End Connec (Note 4)	Clamp Ferrul		Buttweld	Buttweld	Buttweld	Buttweld
	Code	Sanitary Filter ASME B31.3, Clamp Ferrule,		ASME B31.1, Buttweld	ASME B31.1, ASME BPE	ASME BPE	ASME BPE
l	reauct Design	Sanitary Filter		Sbuisnou			

Note 1: MAWP = Maximum Allowable Working Pressure, MAWT = Maximum Allowable Working Temperature, MDMT = Minimum Design Metal Temperature.

Note 2: The pressure-temperature ratings shown are the maximum CRN pressure-temperature ratings. In all cases the MAWP may be limited by the seat or seal material or other considerations. Please consult Donaldson literature.

Note 3. Products that are to operate at low temperatures shall conform to the rules of the applicable codes under which they are used.

Note 4: The Inlet/Outlet Clamp Ferrule connection shall be used with a clamp, however the Inlet/Outlet assembly clamp is not part of this CRN. Pressure-Temperature ratings may be limited by the clamp type used in the joint assembly. The clamp used to complete the joint shall have its own CRN and shall have pressure-temperature ratings the same or higher than the product ratings.

Note 5: Material grades 304, 304L and 316 may substitute for grade 316L.



178 Rexutate Boulevard, Tommto, ON Canada M9W 1R3

Technical Standards & Safety Authority Boilers & Pressure Veceols THIS IS PART OF CRN 0E20741.5 Safety Program



Certificate GB18/961049.05

The management system of

# Donaldson Filtration Deutschland GmbH


Büssingstrasse 1, Haan, 42781, Germany

has been assessed and certified as meeting the requirements of

ISO 9001:2015

For the following activities

Design, Manufacturing, Sales and Service of products for purification of compressed air, gases and liquids.



Multiple certificates have been issued for this scope The main certificate is numbered GB18/961049.00

Authorised by



SGS United Kingdom Ltd Rossmore Business Park Ellesmere Port Cheshira CH65 3EN UK 1 +44 (0)151 350-6666 1+44 (0)151 350-6600 www.sps.com

HC SGS 9001 2015 0118

Page 1 of 1













ton concerns a second by the Company subject in the Leasure Commission of Contribution Services accessible at sover a quantification. Contribution Services are subject to the Commission of Indiana. Advantism is the Indiana of Indiana in Indiana actual Contribution of Indiana actual Contribution of Indiana actual Contribution of the Contribution

178 Rexdale Blvd. Toronto, Ontario Canada M9W 1R3 Tel: (416) 747-4000 www.csagroup.org



March 2017

### <u>CRN – Canadian Registration Numbers - Saskatchewan</u>

The Province of Saskatchewan participates with Quebec and the Canadian Standards Association (CSA Group) for the registrations of "Fittings".

Per an agreement with CSA Group in April 1998, Saskatchewan recognizes registrations done by CSA Group and accepts such fittings for use in Saskatchewan.

The letters "CSA" are applied as a prefix to the CRN to indicate which "Fittings" have been registered in this manner. You should inform your clients of this additional marking requirement and that "Fittings" registered by CSA Group are accepted for use in Saskatchewan Canada.