

14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4 Tel.: 416.734.3300

Fax: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

November 06, 2015

SCOTT ISLIP ENDRESS + HAUSER CONDUCTA INC 4123 EAS LA PALMA AVE;SUITE 200 ANAHEIM CA 92807 US

Service Request Type.: BPV-National ACI Central

Service Request No.: 1705902 Your Reference No.: EH-CRN-4

Registered to.: ENDRESS + HAUSER CONDUCTA INC

Dear SCOTT ISLIP,

Please find enclosed the original response from PEI,NS,NB,NFLD,YK,NWT,NU, registered under the CRN No.: 0H17834.59870YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant_ BPV Engineering

Tel.: 416-734-3423 Fax: 416-231-6183 Email:tfrancis@tssa.org

UNAVUT	YUKON	NORTHWEST TERRITORIES	EMI-OUNDENING AND CAOKADOR
MANUFACTURERS NAME:	ENDRESS+HAUSER CONDI	UCTA INC.	
MANUFACTURERS ADDRESS:	4123 LA PALMA AVE., ANAF	HEIM, CA., USA, 92807	
PLANT LOCATIONS:	4123 LA PALMA AVE., ANAH		
		ircle one category only	ITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all tine valves D Expansion joints, flexible con			- ASME SECTION VIII-1 - ASME BJ1.3
E Strainers, filters, separators,	and steam traps		
F Measuring devices, including pressure transmitters	,		
G Certified capacity-rated press bollers, pressure vessels, pig	rure rolluf devices acceptable e: aing and fusible oluge	a primary over pressure protection on	1
Pressure retaining componer		a abova calegories	`
N Nuclear components: Class	1 🗆 Class 2 🗆 Class 3 🔾, (N	Meeting CNSC or ASME requirements)	
SHOW MANUFACTURERS NA	ME, TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
ENDRESS+HAUSER, EH			FORGED WELDED WROUGHT X DESCRIBE OTHER:
LIST OF SUPPORTING DOCU	MENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS TO BE R	EGISTERED:
ODA 460 JOJE DE AMENO EL	CON A COMPONENT DOMA	INGC	
- DESIGN CALCULATIONS	I-CRN-4, COMPONENT DRAW	MINGS	
		•	
	,		Ĭ
DECLARATION:	NCO	. CNDDECCHANGED	· .
MIKE YOUROSKI, QUALITY	of the and product do solar	noly declars that the information contain	peing the person having full authority and need in this form is true and to the best of
my knowledge represents th	ne product for which registra	ition is sought. The dimensions, mater	lais of construction, pressure .
temperature ratings, and ide	ntification markings are in a	accordance with the herein named star	dards. I further declare that the
or in part and has been und	s is regulated by a Quality C	ontrol Program which extends to each as being suitable for	plant where fabrication occurs in whole
declaration conscientiously	believing it to be true, and I	knowing that it is of the same force and	effect as if made under oath.
· · · · · · · · · · · · · · · · · · ·	Soir & State	2	
Signature of Declarer:	utuan T. lastello		
Declared before me at			S SPACE FILE
This day of _	AD	O F	FICIAL BUAL
Commissioner of Oaths or Notary Public: (sign)	* See attack	<u></u>	
		space for Regulatory Authority use	
TI	nis registration must be reva	alidated after ten (10) years from the d	ale-of-acceptance.
CRN: 0H17834.	5	KOVINCE OI	PRINCE EDWARD ISLAND
CRN: 0H1/834.			ent, Labour & Justice
FID#: 14878		C.R.N	417834.59
Notes:		DATE: Se	a) 4 a016
cigor ed liante egnisii liA . I	tared in the name of the Manufa	acturor.	PT
2. Each category shall be : forms and one copy of sup-	supported with two Statutory De porting documentation.	eciaration	nila McCebe
3. The declaration shall be	made by the person having ful	I authority and	ON SERVICES SECTION
responsibility for the quality	r of the end product. a shall be resubmilted for valida	TON EDIDDI	ESSURE VESSEL BRANCH
at a maximum interval of fi		wywii	Sect. 1.0 - Filtings Rev. 1 06/200

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD NORTHWEST TE		NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	ENDRESS+HAUSER C	ONDUCTA INC.		
MANUFACTURERS ADDRESS:	4123 LA PALMA AVE.,	ANAHEIM, CA., USA, 92	807	
PLANT LOCATIONS:	4123 LA PALMA AVE.,	ANAHEIM, CA., USA, 92	807	
CATEGORY OF FITT	NGS TO BE REGISTERE	D, CIRCLE ONE CATE	GORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe filtings, including coupling Flanges: all flanges C Valves: all line valves	ngs, tees, albows, Ys, plug	s, unions, pipe caps, or r	educers	- ASME SECTION VIII-1 - ASME B31.3
D Expansion joints, flexible con		ibiles: all types		
E Strainers, filters, separators, F Measuring devices, including	and steam traps	unas einht nisseas leus	ala or	
pressure transmitters				
G Certified capacity-rated pres		able as primary over pres	sure protection on	
boilers, pressure vessels, pi	ping and fusible plugs nts that do not fall into one	of the above categories		
N Nuclear components: Class				
SHOW MANUFACTURERS NA				TYPE OF CONSTRUCTION
STORY MINISTER STATE				FORGED WELDED WROUGHT X
ENDRESS+HAUSER, EH				CAST O OTHER O
LIST OF SUPPORTING DOC	UMENTATION AND IDEN	TIFICATION OF THE A	TUAL ITEMS TO BE	REGISTERED:
- CPA450-*C*** DRAWING EF - DESIGN CALCULATIONS	H-CRN-4, COMPONENT (DRAWINGS		
			•	
	,			
DECLARATION:	44400			
MIKE YOUROSKI, QUALITY	MGR. (see note 3) empl	eclembly declare that	the information con	d being the person having full authority and tained in this form is true and to the best of
my knowledge represents	the product for which re	oistration is sought.	the dimensions, ma	Iterials of construction, pressure
temperature ratings, and id	ientification markings a	re in accordance with	the herein named s	tandards. I further declare that the
manufacture of these litting	gs is regulated by a Qua	ality Control Program		ich plant where fabrication occurs in whole
or in part and has been ve	rified by SQS (ISO 9001:	2008)		for that purpose and I make this solemn
declaration conscientious	y believing it to be true,	and knowing that it is	of the same force a	and effect as if made under oath.
Signature of Declarer:	Drian Y 100Te			
				AIS SPACE FOR
Declared before me at		_		
This day of	Al	D	0	EFICIAL BEAL
Commissioner of Oaths or Notary Public: (sign) _	* See attr	iched		
		This space for Regulat	nov Authority was	
	This registration must h		•	extate of acceptance.
	This registration must b		E PR	LISTURE
CRN: 0H17834	.5		(E) NO	ea somu (E)
			(0) ru c	4 4 1- 1/2
FID#: 14878			(C) Date 72	epr. 7/15 (~)
			C.R.N. OH	17834.58
Notes:			Dun on	Suite . The
1. All fillings shall be reg	istered in the name of the	Manufacturer.	71	escribed
2. Each category shall be forms and one copy of su	e supported with two Statu	itory Declaration	Signed	onse Lerry
3. The declaration shall	ipponing accumuntation. be made by the person ha	ving full authority and		Lat T
responsibility for the qual	ilty of the end product.		1367	Part (59)
4. Quality control progra	ms shall be resubmitted for	or validation	* & D	1710
at a maximum interval of	five (5) years.		N.	EGUL 31 Sect. 1.0 - Fittings Rev. 1 06/2003

EW BRUNSWICK IUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	ENDRESS+HAUSER	CONDUCTA INC.	
MANUFACTURERS ADDRESS:	4123 LA PALMA AVE.	., ANAHEIM, CA., USA, 92807	
PLANT LOCATIONS:	4123 LA PALMA AVE.	, ANAHEIM, CA., USA, 92807	
CATEGORY OF FITTI	NGS TO BE REGISTER	ED. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conn E Strainers, filters, separators, a	nections, and hose asser	•	- ASME SECTION VIII-1 - ASME B31.3
boilers, pressure vessels, pip Pressure retaining component	ure relief devices accept ing and fusible plugs ts that do not fall into on	table as primary over pressure protection on	
		LOGO AS IT WILL APPEAR ON THE PRODUCT	T TYPE OF CONSTRUCTION
ENDRESS+HAUSER, EH			FORGED WELDED WROUGHT X CAST OTHER DESCRIBE OTHER:
LIST OF SUPPORTING DOCU		TTIFICATION OF THE ACTUAL ITEMS TO BE F	REGISTERED:
my knowledge represents the temperature ratings, and ider manufacture of these fittings or in part and has been verifi	of the end product do see product for which re- entification markings are is regulated by a Qualed by SQS (ISO 9001:2) relieving it to be true,	solemnly declare that the information containg gistration is sought. The dimensions, mater in accordance with the herein named star ality Control Program which extends to each	rials of construction, pressure ndards. I further declare that the I plant where fabrication occurs in whole I that purpose and I make this solemn
	uun 1. www		
Declared before me at			S SPACE FO
This day of	AD) OF	F I Charles
Commissioner of Oaths or Notary Public: (sign)	* See atta	-ched Br	Unswick
This	s registration must be	This space for Regulatory Authority use revalidated after ten (10) years from the second revaluated after the second reval	A PRESURE VESSEL ACT
CRN: 0H17834.5		. Tel	CH17834,57
FID#: 14878 Notes: 1. All fittings shall be register	ed in the name of the M	anufacturer.	THE BOILER INSPECTOR
Each category shall be supported forms and one copy of supported in the declaration shall be more responsibility for the quality of the supported in the s	rting documentation. lade by the person havir		9 74 72015
Quality control programs s at a maximum interval of five	shall be resubmitted for v	L	BLRs Sect. 1.0 - Fittings Rev. 1 06/20
			FITTINGS COMPONENTS

W BRUNSWICK NAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
ANUFACTURERS NAME:	ENDRESS+HAUSER COM	NDUCTA INC.	
ANUFACTURERS ADDRESS.	4123 LA PALMA AVE., AN	IAHEIM, CA., USA, 92807	
LANT LOCATIONS:	4123 LA PALMA AVE., AN		
CATEGORY OF FITTI	NGS TO BE REGISTERED.	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
	nections, and hose assembli and steam traps pressure gauges, level gaug sure relief devices acceptabli	les: all types	- ASME SECTION VIII-1 - ASME B31.3
boilers, pressure vessels, pig Pressure retaining componer	ing and jusicle plugs its that do not fall into one of	f the above categories	
- '		(Meeting CNSC or ASME requirements)	
HOW MANUFACTURERS NA	ME, TRADEMARK, OR LO	30 AS IT WILL APPEAR ON THE PRODU	CT TYPE OF CONSTRUCTION
ENDRESS+HAUSER, EH			FORGED (I) WELDED (I) WROUGHT X CAST (I) OTHER (I) DESCRIBE OTHER:
LIST OF SUPPORTING DOCL	MENTATION AND IDENTI	FICATION OF THE ACTUAL ITEMS TO BE	REGISTERED:
my knowledge represents the	of the end product do so ne product for which regis antification markings are	ed by ENDRESS+HAUSER an lemnly declare that the Information con stration is sought. The dimensions, ma	
manufacture of these fitting or in part and has been ven	ified by SOS (ISO 9001:20)	In accordance with the herein named s by Control Program which extends to ea 08) as being suitable and knowing that it is of the same force a	sch plant where fabrication occurs in what for that purpose and I make this solem
manufacture of these fitting or in part and has been ver declaration conscientiously	ified by SOS (ISO 9001:20)	by Control Program which extends to ea 081 as being suitable and knowing that it is of the same force and th	sch plant where fabrication occurs in what for that purpose and I make this solem
manufacture of these fitting or in part and has been ver declaration conscientiously Signature of Declarer:	ified by SQS (ISO 9001:20) believing it to be true, an	y Control Program which extends to ea 08) as being suitable nd knowing that it is of the same force and USET	ach plant where fabrication occurs in whe for that purpose and I make this soleme and effect as if made under oath.
manufacture of these fitting or in part and has been ver declaration conscientiously Signature of Declarer: Declared before me at	ified by SQS (ISO 9001:20) believing it to be true, an	y Control Program which extends to ea on the same force of the sam	ach plant where fabrication occurs in where for that purpose and I make this solement effect as if made under oath.
manufacture of these fitting or in part and has been ver declaration conscientiously Signature of Declarer: Declared before me at This day of _ Commissioner of Oaths or Notary Public: (sign)	issed by SOS (ISO 9001:20) believing it to be true, ar Widn I. Lastel AD *See attack	y Control Program which extends to ea on the same force of the sam	ach plant where fabrication occurs in who for that purpose and I make this solem and effect as if made under oath. HIS SPACE FOR SPECE FOR SPACE
manufacture of these fitting or in part and has been ver declaration conscientiously Signature of Declarer: Declared before me at This day of _ Commissioner of Oaths or Notary Public: (sign)	ified by SOS (ISO 9001:20) believing it to be true, ar way AD **See attack This registration must be re-	Ly Control Program which extends to each as being suitable as being suitable and knowing that it is of the same force as the same force and the sa	ach plant where fabrication occurs in who for that purpose and I make this solem and effect as if made under oath. HIS SPACE FOR SPECE FOR SPACE

1. All filtings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.

3. The declaration shall be made by the person having full authority and

responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Registered by

UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS PERMANANTAL COMPRESSED GAS PERMANANTAL

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS NEW BRUNSWICK PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR NOVA SCOTIA NORTHWEST TERRITORIES NUNAVUT YUKON ENDRESS+HAUSER CONDUCTAINC. MANUFACTURERS NAME: MANUFACTURERS ADDRESS: 4123 LA PALMA AVE., ANAHEIM, CA., USA, 92807 4123 LA PALMA AVE., ANAHEIM, CA., USA, 92807 PLANT LOCATIONS: TITLE OF THE STANDARD OF CONSTRUCTION CATEGORY OF FITTINGS TO SE REGISTERED, CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers ASME SECTION VIII-1 B Flanges: all flanges **ASME B31.3** C Vatvas: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters O Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting CNSC or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION FORGED | WELDED | WROUGHT X CAST | O OTHER | DESCRIBE OTHER: ENDRESS HAUSER, EH LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: CPA450-*C*** DRAWING EH-CRN-4, COMPONENT DRAWINGS - DESIGN CALCULATIONS **DECLARATION:** MIKE YOUROSKI. QUALITY MGR. (see note 3) employed by ENDRESS+HAUSER __ and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SQS (ISO 9001:2008) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under path. Signature of Declarer: Ullum USE THIS SPACE FOR Declared before me at OFFICIAL OFA: AD This _day of . Commissioner of Oaths * See attached or Notary Public: (sign) _ This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the da OH17834.5 CRN: 14878 FID#:

Nates:

1. All fittings shall be registered in the name of the Manufacturer.

2. Each category shall be supported with two Statutory Declaration

forms and one copy of supporting documentation.

The declaration shall be made by the person having full authority and responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation

at a maximum interval of five (5) years.

Sect. 1.0 · Fittings Rev. 1 06/2003

W BRUNSWICK NAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR	
ANUFACTURERS NAME:	ENDRESS+HAUSER			
ANUFACTURERS ADDRESS:	4123 LA PALMA AVE.	, ANAHEIM, CA., USA, 92807		
LANT LOCATIONS:		ANAHEIM, CA., USA, 92807		
	,	ED, CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION	
3 Flanges: all flanges 2 Valves: all fine valves 5 Expansion jointe, flexible cond 5 Strainers, filters, aeparators, to 6 Measuring devices, including 6 pressure transmitters	nections, and hose asser and alcam traps pressure gauges, level g ture relief dovices accept and and fusible plugs	auges, sight glesses, levels, or able as primary over pressure protection	- ASME SECTION VIII-1 - ASME B31.3	
		□, (Meeting CNSC or ASME required	nents)	
		OGO AS IT WILL APPEAR ON THE		
ENDRESS+HAUSER, EM			FORGED WELDED WRQUART X: CAST OTHER OBSCRIBE OTHER:	
LIST OF SUPPORTING DOCU	MENTATION AND IDE	TIFICATION OF THE ACTUAL ITEMS	TO BE REGISTERED:	
- CPA450-'C" DRAWING EH - DESIGN CALCULATIONS	-CRN-4, COMPONENT	DRAWINGS		
		•		
responsibility for the quality my knowledge represents the temperature ratings, and ide manufacture of these fittings or in part and has been verification conscientlously. Signature of Declarer: Declared before me at This	of the end product do ne product for which re- entification markings a is regulated by a Qu fied by SQS (ISO 9001) believing it to be true,	solemnly declare that the Information is sought. The dimension is not in accordance with the herein natify Control Program which extend as being so and knowing that it is of the same	and being the person having full authority and on contained in this form is true and to the best of ins, materials of construction, pressure amed standards. I further declare that the is to each plant where fabrication occurs in whole uitable for that purpose and I make this solemn force and effect as if made under oath. ETHIS SPACE F.	
or Notary Public: (sign)	, J			
T	nis registration must b	This space for Regulatory Authority at e revalidated after ten (10) years fi	se rom the date of acceptance.	
CRN: 0H17834.			Territories REGISTERED	
FIO#: 14878				63
Notes: 1. All fittings shall be regist 2. Each category shall be; forms and one copy of supp 3. The declaration shall be responsibility for the quality 4. Quality control program	supported with two Statu porting documentation, made by the person have of the end product.	tory Declaration ving full authority and	C.R.N. OH 17834.51 SIGNED 25013 DATE 5211 91 2013	

08-10-12:01:45 ;From:

EW BRUNSWICK UNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD IS NORTHWEST TERM		NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	ENDRESS+HAUSER	CONDUCTA INC.		
MANUFACTURERS ADDRESS	4123 LA PALMA AVE.	, ANAHEIM, CA., USA, 9280)7	
PLANT LOCATIONS:	4123 LA PALMA AVE.	, ANAHEIM, CA., USA, 9280	7	
CATEGORY OF FITT	NGS TO BE REGISTER	ED. CIRCLE ONE CATEGO	RY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Fianges: all flanges C Valves: all line valves	ngs, tees, elbows, Ys, plu	igs, unions, pipe caps, or red	ucers	- ASME SECTION VIII-1 - ASME B31.3
D Expansion joints, flexible con E Strainers, filters, separators,	nections, and hose asse and steam traps	mblies: all types		
F Measuring devices, including pressure transmitters	pressure gauges, level (gauges, sight glasses, levels,	ar	
G Certified capacity-rated pres boilers, pressure vessets, pt		table as primary over pressu	re protection on	
Pressure retaining compone		ne of the above categories		
N Nuclear components: Class				
SHOW MANUFACTURERS NA	ME, TRADEMARK, OR	LOGO AS IT WILL APPEAR	ON THE PRODUCT	TYPE OF CONSTRUCTION
ENDRESS+HAUSER, EH				FORGED WELDED WROUGHT X CAST OTHER D DESCRIBE OTHER:
LIST OF SUPPORTING DOC	JMENTATION AND IDE	NTIFICATION OF THE ACT	UAL ITEMS TO BE I	REGISTERED:
- CPA450-*C*** DRAWING EH - DESIGN CALCULATIONS	1-CRN-4, COMPONENT	DRAWINGS		
			·	
	•			
DECLARATION:	MGR. Gana cota 3) emm	Noved by ENDRESS+HAUS	SER and	being the person having full authority an
responsibility for the quality	of the end product do	solemnly declare that the	e Information conta	ained in this form is true and to the best of
temperature ratings, and id	entification markings a	are in accordance with the	herein named sta	erials of construction, pressure andards. I further declare that the
manufacture of these fitting	s is regulated by a Qu	uality Control Program wh	ich extends to eac	h plant where fabrication occurs in whole
or in part and has been ver	ified by SQS (ISO 9001			or that purpose and I make this solemn and effect as if made under oath.
ý	Erian P. Cost	All Comming what it is on	the same force an	o check as it made and of battle
Signature of Declarer: Declared before me at	ocuen ji lalic		USETH	IS SPACE FOR
This day of				FICIAL SCA.
Commissioner of Oaths or Notary Public: (sign)	45es att			
		This space for Regulator	Asimulity un	NUNAVUT
1	his registration must t	oe revalidated after ten (Operate from the	date of acceptances and
CRN: 0H17834	. 5		Nuñavut	Pressure Vessels Act
FID#: 14878			F	REGISTERED
Mahar			CRN DHI	7834,5N
Notes: 1. All fittings shall be regis	stered in the name of the	Manufacturer,	Date Se P	+ 08, 2015
Each category shall be forms and one copy of sup	porting documentation.		Signed	Took h.
The declaration shall b	e made by the person ha	iving full authority and	Signed	(MIN)
responsibility for the quality 4. Quality control program	ty of the end product. ns shall be resubmitted for	or validation		Chief branector
at a maximum interval of			T '4	Sect. 1.0 - Fittings Rev. 1 06/2
			<u>lerritor</u>	rial Registration Fee