



345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
[www.tssa.org](http://www.tssa.org)

August 30, 2016

SCOTT ISLIP  
ROUND ENGINEERING INC  
10 SEGWUN RD  
WATERDOWN ON L0R 2H8  
CA

Service Request Type.: BPV-National ACI Central  
Service Request No.: 1900888  
Your Reference No.: EH-CRN-17  
Registered to.: ENDRESS + HAUSER CONDUCTA INC

Dear SCOTT ISLIP,

Please find enclosed the original response from PEI, NS, NB, NFLD, YK, NWT, NU registered under the CRN No.: 0F18550.59870YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Joanna Karpinski

Tel. : 416-734-3377  
Fax : 416-231-6183  
Email : [jkarpinski@tssa.org](mailto:jkarpinski@tssa.org)


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>ENDRESS+HAUSER CONDUCTA INC.</b>	
MANUFACTURERS ADDRESS: <b>4123 LA PALMA AVE., ANAHEIM, CA, USA, 92807</b>	
PLANT LOCATIONS: <b>GERMANY, P.R. CHINA, USA</b>	
<p><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers          B Flanges: all flanges          C Valves: all line valves          D Expansion joints, flexible connections, and hose assemblies: all types          E Strainers, filters, separators, and steam traps  <input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters          G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs          H Pressure retaining components that do not fall into one of the above categories          N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	<p><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>- ASME B31.3          - ASME VIII-1</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p><b>Endress+Hauser</b> </p> <p>People for Process Automation</p>	<p><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/>          CAST <input type="checkbox"/> OTHER <input type="checkbox"/>          DESCRIBE OTHER:          METAL AND PLASTIC</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN</p>	

**DECLARATION:**

I **MIKE YOUROSKI, QUALITY MGR** (see note 3) employed by **ENDRESS+HAUSER** and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by **SQS (ISO 9001:2008)** as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Mike Youroski*  
Declared before me at *Anaheim, CA*  
This *7* day of *JUNE* AD *2016*  
Commissioner of Oaths or Notary Public: (sign) *[Signature]*



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OF18550.5  
 FID#: 14878

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

**ACCEPTED**  
**PROVINCE OF PRINCE EDWARD ISLAND**  
**COMMUNITIES, LAND & ENVIRONMENT**  
 C.R.N. OF18550.59  
 DATE: *June 29/16*  
**INSPECTION SERVICES SECTION**  
**BOILER/PRESSURE VESSEL BRANCH**  
 Sect. 1.0 - Fittings Rev. 1 06/2003


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>ENDRESS+HAUSER CONDUCTA INC.</b>	
MANUFACTURERS ADDRESS: <b>4123 LA PALMA AVE., ANAHEIM, CA, USA, 92807</b>	
PLANT LOCATIONS: <b>GERMANY, P.R. CHINA, USA</b>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
<p><b>A</b> Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><b>B</b> Flanges: all flanges</p> <p><b>C</b> Valves: all line valves</p> <p><b>D</b> Expansion joints, flexible connections, and hose assemblies: all types</p> <p><b>E</b> Strainers, filters, separators, and steam traps</p> <p><b>F</b> Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><b>G</b> Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><b>H</b> Pressure retaining components that do not fall into one of the above categories</p> <p><b>N</b> Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	<p><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>- ASME B31.3 - ASME VIII-1</p>
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>	
<p><b>Endress + Hauser</b> </p> <p>People for Process Automation</p>	
<b>TYPE OF CONSTRUCTION</b>	
<p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/>          CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/>          DESCRIBE OTHER: _____          METAL AND PLASTIC</p>	
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>	
- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN	

**DECLARATION:**

I **MIKE YOUROSKI, QUALITY MGR** (see note 3) employed by **ENDRESS+HAUSER** and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by **SQS (ISO 9001:2008)** as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: *Mike Youroski*  
Declared before me at *Anaheim, CA*  
This *7* day of *June* AD *2016*  
Commissioner of Oaths  
or Notary Public: (sign) *[Signature]*



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OF18550.5  
 FID#: 14878

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



Date July 29/16  
 C.R.N. OF18550.58  
 Dwg. as described  
 Signed Yvonne Perry  
 1 of 1  
 Part

Sect. 1.0 - Fittings Rev. 1 06/2003

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: ENDRESS+HAUSER CONDUCTA INC.	
MANUFACTURERS ADDRESS: 4123 LA PALMA AVE., ANAHEIM, CA, USA, 92807	
PLANT LOCATIONS: GERMANY, P.R. CHINA, USA	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps  <input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>- ASME B31.3 - ASME VIII-1</p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center" style="font-size: 2em;">Endress+Hauser </p> <p align="center">People for Process Automation</p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/>                  DESCRIBE OTHER                  METAL AND PLASTIC</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN</p>	

**DECLARATION:**

I, MIKE YOUROSKI, QUALITY MGR (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SQS (ISO 9001:2008) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Mike Youroski*  
 Declared before me at *Anaheim, CA*  
 This *7* day of *June* AD *2016*  
 Commissioner of Oaths or Notary Public: (sign) *[Signature]*



<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of registration.</p> <p>CRN: <u>OF18550.5</u></p> <p>FID#: <u>14878</u></p> <p>Notes:                  1. All fittings shall be registered in the name of the Manufacturer.                  2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.                  3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.                  4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p align="center"><b>DEPT OF PUBLIC SAFETY</b> <b>BOILER &amp; PRESSURE VESSEL ACT</b></p> <p align="center"><b>REGISTRATION ONLY</b></p> <p align="center">CRN <u>OF18550.57</u></p> <p align="center"><i>[Signature]</i></p> <p align="center">EXAMINER: _____                  for                  CHIEF BOILER INSPECTOR</p> <p align="center">DATE: <u>7/29/2016</u></p> <p><input type="checkbox"/> BLRs <input type="checkbox"/> Sect. 1.0 Fittings Rev. 1 05/2003</p> <p><input type="checkbox"/> FITTINGS <input type="checkbox"/> COMPONENTS</p>
---	---


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR


MANUFACTURERS NAME: <b>ENDRESS+HAUSER CONDUCTA INC.</b>	
MANUFACTURERS ADDRESS: <b>4123 LA PALMA AVE., ANAHEIM, CA, USA, 92807</b>	
PLANT LOCATIONS: <b>GERMANY, P.R. CHINA, USA</b>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b>	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps <input checked="" type="radio"/> <b>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</b> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components; Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	<b>TITLE OF THE STANDARD OF CONSTRUCTION</b> - ASME B31.3 - ASME VIII-1
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>	
<b>Endress+Hauser</b>  People for Process Automation	<b>TYPE OF CONSTRUCTION</b> FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: METAL AND PLASTIC
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>	
- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN	

**DECLARATION:**

I **MIKE YOUROSKI, QUALITY MGR** (1001 1001 3) employed by **ENDRESS+HAUSER** and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by **SQS (ISO 9001:2008)** as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Mike Youroski*  
 Declared before me at *Burbank, CA*  
 This *7* day of *JUNE* AD *2016*  
 Commissioner of Oaths  
 or Notary Public: (sign) *[Signature]*

U S L I P O U S  
O T



**WILLIAM E. ZINN**  
 COMM...2121281  
 NOTARY PUBLIC-CALIFORNIA  
 ORANGE COUNTY  
 My Term Exp. August 25, 2019

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F18550.5

FID#: 14878

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Newfoundland  
 Labrador  
 Service NL  
 Registered 0F18550.50  
 Date 16/07/29  
 Engineering and Inspection Services  
 Registered by [Signature]  
 UNDER THE AUTHORITY OF THE  
 PUBLIC SAFETY ACT AND  
 THE BOLDER PROGRAM REGULATIONS  
 COMPRESSED GAS REGULATIONS


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: ENDRESS+HAUSER CONDUCTA INC.	
MANUFACTURERS ADDRESS: 4123 LA PALMA AVE., ANAHEIM, CA, USA, 92807	
PLANT LOCATIONS: GERMANY, P.R. CHINA, USA	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps  <input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>- ASME B31.3 - ASME VIII-1</p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>Endress+Hauser</b>  People for Process Automation</p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/>                  DESCRIBE OTHER:                  METAL AND PLASTIC</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN</p>	

**DECLARATION:**

I MIKE YOUROSKI, QUALITY MGR (990 note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SQS (ISO 9001:2008) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: *Mike Youroski*  
 Declared before me at Anaheim, CA  
 This 7 day of June AD 2016  
 Commissioner of Oaths  
 or Notary Public: (sign) *[Signature]*



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F18550.5  
 FID#: 14878

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



Sect. 1.0 - Fittings Rev. 1 06/2003

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <b>ENDRESS+HAUSER CONDUCTA INC.</b>	
MANUFACTURERS ADDRESS: <b>4123 LA PALMA AVE., ANAHEIM, CA, USA, 92807</b>	
PLANT LOCATIONS: <b>GERMANY, P.R. CHINA, USA</b>	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers          B Flanges: all flanges          C Valves: all line valves          D Expansion joints, flexible connections, and hose assemblies: all types          E Strainers, filters, separators, and steam traps  <input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, level, or pressure transmitters          G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs          H Pressure retaining components that do not fall into one of the above categories          N Nuclear components; Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>- ASME B31.3 - ASME VIII-1</p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <div style="text-align: center; font-size: 2em; font-weight: bold;">Endress+Hauser </div> <p align="center">People for Process Automation</p>	
<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/>          CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/>          DESCRIBE OTHER: _____          METAL AND PLASTIC</p>	
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN</p>	

**DECLARATION:**

I, MIKE YOUROSKI, QUALITY MGR (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SQS (ISO 9001:2008) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Mike Youroski*  
 Declared before me at Anaheim, CA  
 This 7 day of JUNE AD 2016  
 Commissioner of Oaths or Notary Public: (sign) \_\_\_\_\_

U S E T H O  
O F

**WILLIAM E. ZINN**  
 COMM...2121281  
 NOTARY PUBLIC-CALIFORNIA  
 ORANGE COUNTY  
 My Term Exp. August 25, 2019

B C T S

This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OF18550.5  
 FID#: 14878

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

**REGISTERED**  
 UNDER THE AUTHORITY OF  
 THE BOILER AND PRESSURE  
 VESSEL ACT.  
 C.R.N. OF18550.5  
 SIGNED \_\_\_\_\_  
 DATE Aug 03 2016

9/6300

Sect. 109 - Fittings Rev. 1 09/2003


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR


MANUFACTURERS NAME: ENDRESS+HAUSER CONDUCTA INC.	
MANUFACTURERS ADDRESS: 4123 LA PALMA AVE., ANAHEIM, CA, USA, 92807	
PLANT LOCATIONS: GERMANY, P.R. CHINA, USA	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps  <input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>- ASME B31.3 - ASME VIII-1</p>
<p align="center"><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p align="center"><b>Endress+Hauser</b> </p> <p align="center">People for Process Automation</p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input checked="" type="checkbox"/>                  CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/>                  DESCRIBE OTHER:                  METAL AND PLASTIC</p>
<p align="center"><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN</p>	

**DECLARATION:**

I, MIKE YOUROSKI, QUALITY MGR (999 note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SQS (ISO 9001:2008) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Mike Youroski*  
 Declared before me at Anaheim, CA  
 This 7 day of June AD 2016  
 Commissioner of Oaths or Notary Public: (sign) \_\_\_\_\_

USE THIS SPACE FOR NOTARY SEAL


**WILLIAM E. ZINN**  
 COMM...2121281  
 NOTARY PUBLIC CALIFORNIA  
 ORANGE COUNTY  
 My Term Exp. August 25, 2019

This space for Regulatory Authority use only. This registration must be revalidated after ten (10) years from the date of acceptance.

Boilers and Pressure Vessels Act

**REGISTERED**

CRN: 0F18550.5N  
 Date: July 29, 2016  
 Signed: \_\_\_\_\_  
 Chief Inspector

**Territorial Registration Fee**  
 Sect. 1.0 - Fittings Rev. 1/06/2003

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.