

To:	TSSA	From:	Janet Townsend
Company:	Endress & Hauser Conducta Inc.	Phone:	416-747-4291
Pages:	12	Location:	Toronto
Our File:	ANR-4585	Date:	August 29, 2017

Your File: 2089000

#### Subject: <u>Request for Design Registration</u>

Dear Ms. Francis,

CSA has reviewed the documentation submitted by TSSA on behalf of Endress & Hauser Conducta Inc.

These fittings have been registered by CSA for the Province of Québec. In accordance with an agreement between CSA, the Provinces of Québec and Saskatchewan; this registration is recognized by Québec and Saskatchewan. These fittings are acceptable for use in these Provinces.

The letters CSA will be applied as a prefix to the CRN indicate which fittings have been registered in this manner. A copy of the stamped Statutory Declaration is attached.

The CRN is CSA-0F19345.56.

A copy of the Statutory Declaration with an original stamp affixed will be forwarded to you along with our invoice by regular mail.

Yours truly,

Toursel

Janet Townsend Program Manager CSA Group

178 Rexdale Blvd. Toronto, ON, M9W 1R3

- 1	REGISTERED			
<b>Technical</b> <b>Safety Author</b> of Saskatchevva	Registration Process admin	PH: (306)798-7 FAX: (306)787-9 1istered by	2202 2nd Ave, Regina, SK S4R 1K3 112 Toll Free: (866)530-8599 273 Toll Free: (866)760-9255 mail: <u>bollerpermits@tsask.ca</u> Website: <u>www.tsask.ca</u>	
Statutory Dec	CSA Group per CSA B51 Derivation (Registration of Fr	ttings)		
			TSK-1008	
I. Declaration Information		_		
		In this space	e, show facsimile of er's logo or trademark as it will	
QUALITY MANAGER (company title, e.g. vice president, plant mana	ager chief engineer)	appear on t		
(must be in a position of authority in the manufacturing pla			ss+Hauser	
of: ENDRESS+HAUSER CONDUCTA INC.	er)	Peopl	e for Process Automation	
located at: 4123 LA PALMA AVE.	ANAHEIM, CA		92807, USA	
(Plant Address – Apt/Street) do solemnly declare that the fittings listed hereinur Vessel Safety Act (check one)	(City,Prov) nder, which are subject to the S	askatchewan E	(Postal Code) Boiler and Pressure	
Comply with the requirements of ASME B3 (title of reco	ognized North American Standard)	•	the dimensions,	
Materials of construction, pressure / temper			-	
<ul> <li>O Are not covered by the provisions of a recog to comply with</li> </ul>	nized North American standard		ore manufactured ad by the attached	
data which identifies the dimensions, materi				
for such ratings, and the marking of the fittin I further declare that the manufacturer of these fittin verified by the following authority, <u>ISO 9001:2008 S</u> of these fittings to the stated standard. The fittings CATEGORY F - FLOW ASSEMBLY	ngs is controlled by a quality co SQS as	being suitable fo	or the manufacturer	
In support of this application, the following information, calculations and / or test data are attached:				
DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN				
II. Declaration				
DECLARED before me at	_ In the	of		
this day of 	mbil	duri		
(print name) (Signature)				
(Signature of Commissioner of Oaths)	edg ment			
III. Office Use Only To the best of my knowledge and belief, the application r	meets the requirements of the Bail	ar and Procesura	Vassal Safaty Act and	
CSA B51, Clause 4.2, and is accepted for registration in <u>CSA – OF 19345.56</u> (Registration Number)	Category	CSA OL Group (Expiry	4-27-2027 Date - MM DD YYYY)	
	(For the Administratory Chief Inspec			
	CSA Groupe See the attachment fo	r the scope of the reg	TSK-1008 Rev. 10/2012 Page 1 of 1	

ESA Group REGISTERED CRNC5A-OF1934.F.56 Registration Process administered by CSA Group per CSA B51

Technical Review performed per CSA B51 Performed by: ANRIC Enterprises Inc. Signed: ASISWELT Leyeud 24, 2017 Date: \_

# CSA-OF 19 **CALIFORNIA ALL- PURPOSE** CERTIFICATE OF ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California

County of Orange

On 04/12/2017 before me, Laurel Boles (Here insert name and title of the officer)

personally appeared Michael Youroski

who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct. LAUREL BOLES

WITNESS my hand and official seal.

Notary Public Signature

(Notary Public Seal)

#### ADDITIONAL OPTIONAL INFORMATION This form complies with current California statutes regarding notary wording and, DESCRIPTION OF THE ATTACHED DOCUMENT

Statutory Declaration

(Title or description of attached document)

**Rigistration of Fittings** 

(Title or description of attached document continued)

Number of Pages 1 Document Date 04/12/2017

CAPACITY CLAIMED BY THE SIGNER Individual (s)

- Corporate Officer
- (Title) Partner(s) □ Attorney-in-Fact
- Trustee(s)
- Other

INSTRUCTIONS FOR COMPLETING THIS FORM

if needed, should be completed and attached to the document. Acknowledgments from other states may be completed for documents being sent to that state so long as the wording does not require the California notary to violate California notary law.

Commission No. 2180169 NOTARY PUBLIC-CALIFORNIA

ORANGE COUNTY My Comm. Expires JANUARY 16 2021

- · State and County information must be the State and County where the document signer(s) personally appeared before the notary public for acknowledgment.
- Date of notarization must be the date that the signer(s) personally appeared which must also be the same date the acknowledgment is completed.
- The notary public must print his or her name as it appears within his or her commission followed by a comma and then your title (notary public).
- Print the name(s) of document signer(s) who personally appear at the time of notarization.
- Indicate the correct singular or plural forms by crossing off incorrect forms (i.e. he/she/they, is /are ) or circling the correct forms. Failure to correctly indicate this information may lead to rejection of document recording.
- The notary seal impression must be clear and photographically reproducible. Impression must not cover text or lines. If seal impression smudges, re-seal if a sufficient area permits, otherwise complete a different acknowledgment form.
- Signature of the notary public must match the signature on file with the office of the county clerk.
  - Additional information is not required but could help to ensure this acknowledgment is not misused or attached to a different document.
  - Indicate title or type of attached document, number of pages and date.
  - Indicate the capacity claimed by the signer. If the claimed capacity is a corporate officer, indicate the title (i.e. CEO, CFO, Secretary).
- www.NotaryClasses.com 800-873-9865
- · Securely attach this document to the signed document with a staple.

#### ENDRESS+HAUSER CONDUCTA INC. 4123 LA PALMA AVE. ANAHEIM, CA

92807, USA

### THIS IS PART OF CRN OF 19.747.5 Technical Standards & Safety Authority Boilers & Pressure Vessels SCOPE OF CRN REGISTRASTON

30-Mar-17

#### PRODUCT DESCRIPTION

Description	Design Standard	End Connections	Drawings	EH TI Document
CYA680 Flow Assembly	ASME B31.3, ASME B31.1	PROCESS: 1/4" thru 2" ASME BPE, ISO2852, DIN32676 Clamp Ferrule (Note 1) <u>SENSOR</u> : PG13.5	1 402429 71023132 1	TI01295C/07/EN/01.16

#### **PRESSURE - TEMPERATURE RATINGS**

MDMT	MAWP AT 100 F	MAWP AT 266 F	@ #10F1	NOTES
Dependent on Material	230 psig	230 psig		None
ATERIALS OF CON	ISTRUCTION	<u></u>	ATTACHMENT TO	16
		DARD MATERIALS (N	TE 2) CILCULET	NOTES
	Туре	316L S.Steel UNS S3	503 178 Revise Protevant, Toronto, ON Canada M9W 183	Optional materials may be used. See Note 2.

#### MANUFACTURING LOCATIONS

Endress+Hauser Conducta	Endress+Hauser Conducta
70839 Gerlingen incl. manufacturing sites	215021 Suzhou, Endress+Hauser Analytical Instruments Suzhou Co. Ltd.
04736 Waldheim and 64823 Gross-Umstadt, Germany	P.R. China
Endress+Hauser Conducta	
4123 LA Palma Ave., Anaheim, CA	
92807, USA	

Note 1) The ferrule shall be used with a clamp, however the assembly clamp is not part of this CRN. Pressure-Temperature ratings may be limited by the clamp type used in the joint assembly. The clamp used to complete the joint shall have its own CRN and shall have pressure-temperature ratings the same or higher than the ferrule ratings.

Note 2) The following additional alloys of superior or equivalent properties to those listed above are also included in the scope of registration: Type 304 S.Steel UNS S30400, Type 304L S.Steel UNS S30403, Type 316 S.Steel UNS S31600, Type 316L S.Steel UNS S31603, Alloy 20 UNS N08020, Hastelloy C-276 UNS N10276, Hastelloy C22 UNS N06022, Hastelloy B3 UNS N10676, Monel 400 UNS N04400 (Note Monel 400 limited to 100F max.), Inconel 600 UNS N06600, Inconel 625 UNS N06625, Inconel 825 UNS N08825, Duplex S.Steel UNS S31803, Super Duplex UNS S32750, Super Duplex UNS S32760, Titanium Grade 3 UNS R50550 (Note Titanium limited to 247F max.)

Rêgie du bâtiment	
Québec	



CRN: CSA-OF19345.56

# Statutory Declaration Registration of Fittingsistered by

(a) Design Qualification

CSA Group per CSA B51

I <sup>1</sup>	MIKE YOUROSKI				
•	(Name of applicant)				
	(Position eg, president, plant manager, chief eng.)				
of	ENDRESS+HAUSER CONDUCTA INC.				
	(name of company)				
Loc	ated at 4123 LA PALMA AVE., ANAHEIM, CA, USA, 92807				
	(plant address)				
dos	solemnly declare that the fittings listed hereunder, which are subject to the Bollers & Pressure Vessels Act:				
X Or	comply with all the requirements of the ANSI/ASME codes as to their dimensions, material, identification & service for which are required:				
	are not covered by the provisions of the ANSI/ASME codes, and are therefore constructed to comply with code and standard, and are designed to the best current engineering practice, as shown by the supporting test data.				
(b)	Quality control of Manufacture				
l fur ISC	ther declare the manufacture of these fittings is controlled by a quality control program which complies with the requirements of 9001: 2008, and has been verified by the following authority or authorized agency SQS				
The	fittings <sup>2</sup> covered by this declaration, for which I seek registration, are CATEGORY F - FLOW ASSEMBLY				
	upport of the application, the following information, calculations and/or test data are attached: AWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN				
Dec	lared before me at				
In th	e of of				
The	day of AD 2 0 0				
	See attached acknowledgment muchael yourse				
	For Official Use Only				
Th an	e application is accepted for registration in Category in accordance with the Boilers and Pressure Vessels Act d CSA Standard B51.				
	TRANSPORTE: APRIL 27, 2027				
Re	egistered Number CRN <u>CSA-OF19345.56</u> For the Chief Heppertor <u>A.BANWATT</u> Date <u>AUGUST 24, 2017</u>				



<sup>&</sup>lt;sup>1</sup> Three completed copied of Statutory Declaration form together with three copies of Catalogs, drawings of Bulletins illustrating above fittings shall be submitted.

<sup>&</sup>lt;sup>2</sup> All fittings are required to be registered in the name of the Manufacturer.

This form shall be completed and signed by the president of highest concel in the manufacturing plan where the fitting is produced.

Registration Process administered by CSA Group per CSA B51

\*\* \* \*

Technical Review performed per CSA B51 Performed by: ANRIC Enterprises Inc.
Signed: <u>Askratt</u>
Date: August 24, 2017

# CSA-OF 19345 5 **CALIFORNIA ALL- PURPOSE** CERTIFICATE OF ACKNOWLEDGMEN

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached. and not the truthfulness, accuracy, or validity of that document.

State of California

County of Orange

On 04/12/2017 before me, Laurel Boles (Here insert name and title of the officer)

personally appeared Michael Youroski

who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s) is/are subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their authorized capacity(ies), and that by his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct. LAUREL BOLES

WITNESS my hand and official seal.

Notary Public Signature

(Notary Public Seal)

### ADDITIONAL OPTIONAL INFORMATION This form complies with current California statutes regarding notary wording and DESCRIPTION OF THE ATTACHED DOCUMENT

Statutory Declaration

(Title or description of attached document)

**Rigistration of Fittings** 

(Title or description of attached document continued)

Number of Pages 1 Document Date 04/12/2017

#### CAPACITY CLAIMED BY THE SIGNER Individual (s)

- Corporate Officer
- (Title) Partner(s)
- □ Attorney-in-Fact

www.NotaryClasses.com 800-873-9865

- Trustee(s)
- Other

INSTRUCTIONS FOR COMPLETING THIS FORM

Commission No. 2180169 NOTARY PUBLIC CALIFORNIA

ORANGE COUNTY nm. Expires JANUARY 16: 2021

if needed, should be completed and attached to the document. Acknowledgments from other states may be completed for documents being sent to that state so long as the wording does not require the California notary to violate California notary low

- State and County information must be the State and County where the document signer(s) personally appeared before the notary public for acknowledgment.
- Date of notarization must be the date that the signer(s) personally appeared which must also be the same date the acknowledgment is completed.
- The notary public must print his or her name as it appears within his or her commission followed by a comma and then your title (notary public).
- Print the name(s) of document signer(s) who personally appear at the time of notarization.
- Indicate the correct singular or plural forms by crossing off incorrect forms (i.e. he/she/they, is /are ) or circling the correct forms. Failure to correctly indicate this information may lead to rejection of document recording.
- The notary seal impression must be clear and photographically reproducible. Impression must not cover text or lines. If seal impression smudges, re-seal if a sufficient area permits, otherwise complete a different acknowledgment form.
- · Signature of the notary public must match the signature on file with the office of the county clerk,
  - Additional information is not required but could help to ensure this acknowledgment is not misused or attached to a different document.
  - Indicate title or type of attached document, number of pages and date.
  - Indicate the capacity claimed by the signer. If the claimed capacity is a ٠ corporate officer, indicate the title (i.e. CEO, CFO, Secretary).
- Securely attach this document to the signed document with a staple.

ENDRESS+HAUSER CONDUCTA INC. 4123 LA PALMA AVE.		THIS IS PART OF CRN <i>OF19345.5</i>	7. <i>G.</i>
ANAHEIM, CA		Technical Standards & Safety Authority	6177/17
92807, USA		Technical Standards & Safety Authority Boilers & Pressure Vessels	7/2// //
	SCOPE OF	CRN REGISTRAMON	Constant of the States of the

30-Mar-17

#### PRODUCT DESCRIPTION

Description	Design Standard	End Connections	Drawings	EH TI Document
CYA680 Flow Assembly	ASME B31.3, ASME B31.1	PROCESS: 1/4" thru 2" ASME BPE, ISO2852, DIN32676 Clamp Ferrule (Note 1) <u>SENSOR</u> : PG13.5	3000-0090-01, 402429, 71023132, 3000-0010-01, 30000- 0060-01	TI01295C/07/EN/01.16

#### **PRESSURE - TEMPERATURE RATINGS**

MDMT	MAWP AT 100 F	MAWP AT 266 F	@#10F1	NOTES	
Dependent on Material	230 psig	230 psig	ATTACHMENTTO	None	
ATERIALS OF COM	ISTRUCTION		CRNCSA-0F19341	6	
		DARD MATERIALS (NO	0.0	NOTES	
Type 316L S.Steel UNS S31			Constant Rendate Boulavard, Toronko, Univ Canada Mayy 183	Optional materials may be used. See Note 2.	

#### MANUFACTURING LOCATIONS

Endress+Hauser Conducta	Endress+Hauser Conducta
70839 Gerlingen incl. manufacturing sites	215021 Suzhou, Endress+Hauser Analytical Instruments Suzhou Co. Ltd.
04736 Waldheim and 64823 Gross-Umstadt, Germany	P.R. China
Endress+Hauser Conducta	
4123 LA Palma Ave., Anaheim, CA	
92807, USA	

Note 1) The ferrule shall be used with a clamp, however the assembly clamp is not part of this CRN. Pressure-Temperature ratings may be limited by the clamp type used in the joint assembly. The clamp used to complete the joint shall have its own CRN and shall have pressure-temperature ratings the same or higher than the ferrule ratings.

Note 2) The following additional alloys of superior or equivalent properties to those listed above are also included in the scope of registration: Type 304 S.Steel UNS S30400, Type 304L S.Steel UNS S30403, Type 316 S.Steel UNS S31600, Type 316L S.Steel UNS S31603, Alloy 20 UNS N08020, Hastelloy C-276 UNS N10276, Hastelloy C22 UNS N06022, Hastelloy B3 UNS N10676, Monel 400 UNS N04400 (Note Monel 400 limited to 100F max.), Inconel 600 UNS N06600, Inconel 625 UNS N06625, Inconel 825 UNS N08825, Duplex S.Steel UNS S31803, Super Duplex UNS S32750, Super Duplex UNS S32760, Titanium Grade 3 UNS R50550 (Note Titanium limited to 247F max.)



# Certificate

SQS herewith certifies that the company named below has a management system which meets the requirements of the standards specified below.

Endress+Hauser 🖽

**People for Process Automation** 

## Endress+Hauser Conducta GmbH&Co.KG

**Dieselstrasse 24** 70839 Gerlingen Germany

Scope of certification

According to appendix

Field of activity

Research and development, manufacturing and sales of measurement technology for liquid analysis

Normative basis

**ISO 9001:2015** 

ISO 14001:2015 OHSAS 18001:2007 Quality Management System **Environmental Management System** Occupational Health and Safety Management System

Scope(s) 18, 19

Validity 01.04.2017-31.03.2020 Issue 01.04.2017

Reg. no. 10705

X. Edelmann, President SQS

R. Glauser, CEO SQS







Swiss Association for Quality and Management Systems SQS Bernstrasse 103, 3052 Zollikofen, Switzerland



# Appendix



## Endress+Hauser Conducta GmbH & Co. KG **Dieselstrasse 24** 70839 Gerlingen Germany

Central Function	Field of activity	Scope(s)	Norm/Revision	Reg. no.	Validity
Endress+Hauser Conducta GmbH & Co. KG Dieselstrasse 24 / Postfach 100 154 70839 Gerlingen Germany	Research and development, manufacturing and sales of measurement technology for liquid analysis	18, 19	ISO 9001:2015 ISO 14001:2015 OHSAS 18001:2007	10705	01, 04, 2017 31, 03, 2020
Locations	Field of activity	Scope(s)	Norm / Revision	Reg. no.	Validity
Endress+Hauser Conducta GmbH & Co. KG Siemensstraße 2 64823 Groß-Umstadt Germany	Research and development, manufacturing and sales of measurement technology for liquid analysis	18, 19	150 9001:2015 150 14001:2015 OHSAS 18001:2007	10705	01.04.2017 31.03.2020
Endress+Hauser Conducta Waldheim Gewerbegebiet Richzenhain Landsberger Straße 28 04736 Waldheim Germany	Research and development, manufacturing and sales of measurement technology for liquid analysis	18, 19	ISO 9001:2015 ISO 14001:2015 OHSAS 18001:2007	10705	01.04.2017 31.03.2020
Endress+Hauser Conducta, Inc. 4123 East La Palma Ave, Suite 200 Anaheim, CA 92807 United States of America	Research and development, manufacturing and sales of measurement technology for figuid analysis	18, 19	15O 9001:2015 ISO 14001:2015 OHSAS 18001:2007	10705	01.04.2017 31.03.2020
Endress+Hauser Analytical Instruments (Suzhow) Co., Ltd. 491 Su-Hong-Zhong-Lu China-Singapore Industrial Park Suzhou, Jiangsu Province China	Research and development, manufacturing and sales of measurement technology for liquid analysis	18, 19	ISO 9001:2015 ISO 14001:2015 OHSAS 18001.2007	10705	01.04.2017 31.03.2020

V. Eclelu

X. Edelmann, President SQS

R. M.C.L.N. R. Glauser, CEO SQS









Swiss Association for Quality and Management Systems SQS Bernstrasse 103, 3052 Zollikofen, Swiss



March 2017

## <u>CRN – Canadian Registration Numbers - Saskatchewan</u>

The Province of Saskatchewan participates with Quebec and the Canadian Standards Association (CSA Group) for the registrations of "Fittings".

Per an agreement with CSA Group in April 1998, Saskatchewan recognizes registrations done by CSA Group and accepts such fittings for use in Saskatchewan.

The letters "CSA" are applied as a prefix to the CRN to indicate which "Fittings" have been registered in this manner. You should inform your clients of this additional marking requirement and that "Fittings" registered by CSA Group are accepted for use in Saskatchewan Canada.