

345 Carlingview Drive Toronto, Ontario CANADA M9W 6N9 Tel.: 416.734.3300 Fax.: 416.231.1626 Toll Free: 1.877.682.8772 www.tssa.org

February 08, 2018

SCOTT ISLIP ROUND ENGINEERING INC 10 SEGWUN RD WATERDOWN ON L8B 0K6 CA

Service Request Type.: BPV-National MB Service Request No.: 2180120 Your Reference No.: EH-CRN-25 Registered to.: ENDRESS + HAUSER CONDUCTA INC

Dear SCOTT ISLIP,

Please find enclosed the original response from MB, registered under the CRN No.: 0F19699.54.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Joanna Karpinski

Tel.: 416-214-9280 Fax: 416-231-6183 Email:jkarpinski@tssa.org

Putting Public Safety First



×

TECHNICAL STANDARDS & SAFETY AUTHORITY 14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4 Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below •

Endress + Hauser

People for Process Automation

STATUTORY DEC Registration of F		· · · ·
I. MIKE YOUROSKI, QUALITY MANAGER	·····B2	•
(Name and Position, e.g. President, Plant Manag	ger, Chief Engineer)	
of ENDRESS+HAUSER CONDUCTA INC.		
Of(Name of Manufacturer)		
4123 LA DALMA AVE ANAHEIM CA LISA 02807	1-714-577-5600	
Located at 4123 LA PALMA AVE., ANAHEIM, CA, USA, 92807 (Plant Address)	(Telephone No.)	(Fax No.)
do solemnly declare that the fittings listed hereunder, which are subject and Pressure Vessels Regulation, comply with all of the requirements ASME B31.3, ASME B31.1	t to the Technical Standards	. ,
(Title of recognized North American Sta which specifies the dimensions, materials of construction, pressure/temperatu or are not covered by the provisions of a recognized North American st as supported by the attached data pressure/temperature ratings and the basis for such ratings, the marking	ure ratings, identification marking andard and are therefore man a which identifies the dimensions	ufactured to comply with s, material of construction,
I further declare that the manufacture of these fittings is controlled by a quality s which has been verified by the following authority, <u>SQS</u> The items covered by this declaration, for which I seek registration, are category <u>F</u> this application, the following information and/or test data are attached as follows: DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN		type fittings. In support of
(drawings, calculations, test reports	, etc.)	
Declared before me at in the		f
the day of AD 20 See Commissioner for Oaths:	attached acknow	ledgment
(Printed name)		
(Signature)	Michael Yours (Signature of De	Li clarer)
FOR OFFICE USE ON To the best of my knowledge and belief, the application meets the requirements of Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, CSA Standard B51 and is accepted for registration in Category <u>F</u> CRN: <u>FIGE 99.54</u> Registered by: <u>Rabic Lacb</u> Dated: <u>2018</u> /s1/18	the Technical Service and Manitobe REGI	57500 54 57609954 1969954

PV 09553 (06/04)

CALIFORNIA ALL- PURPOSE CERTIFICATE OF ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached. and not the truthfulness, accuracy, or validity of that document.

State of California

County of Orange

On September 8, 2017 before me, Laurel Boles

(Here insert name and title of the officer)


personally appeared Michael Youroski

who proved to me on the basis of satisfactory evidence to be the person(s) whose name(s)(s)are subscribed to the within instrument and acknowledged to me that (he)she/they executed the same in(his)her/their authorized capacity(ies), and that by (his/her/their signature(s) on the instrument the person(s), or the entity upon behalf of which the person(s) acted, executed the instrument.

I certify under PENALTY OF PERJURY under the laws of the State of California that the foregoing paragraph is true and correct.

WITNESS my hand and official seal.

Notary Public Signature



(Notary Public Seal)

ADDITIONAL OPTIONAL INFORMATION

DESCRIPTION OF THE ATTACHED DOCUMENT


TSSA Statutory Declaration

(Title or description of attached document)

Registration of Fittings

(Title or description of attached document continued)

Number of Pages _1 ___ Document Date __09/08/2017



- Individual (s) Corporate Officer
 - (Title)
- □ Partner(s) □ Attorney-in-Fact
- Trustee(s)
- Π
 - Other

INSTRUCTIONS FOR COMPLETING THIS FORM

- This form complies with current California statutes regarding notary wording and, if needed, should be completed and attached to the document. Acknowledgments from other states may be completed for documents being sent to that state so long as the wording does not require the California notary to violate California notary law.
- · State and County information must be the State and County where the document signer(s) personally appeared before the notary public for acknowledgment.
- Date of notarization must be the date that the signer(s) personally appeared which must also be the same date the acknowledgment is completed.
- The notary public must print his or her name as it appears within his or her commission followed by a comma and then your title (notary public).
- Print the name(s) of document signer(s) who personally appear at the time of notarization.
- Indicate the correct singular or plural forms by crossing off incorrect forms (i.e. he/she/they, is /are) or circling the correct forms. Failure to correctly indicate this information may lead to rejection of document recording.
- The notary seal impression must be clear and photographically reproducible. Impression must not cover text or lines. If seal impression smudges, re-seal if a sufficient area permits, otherwise complete a different acknowledgment form.
- · Signature of the notary public must match the signature on file with the office of the county clerk.
 - Additional information is not required but could help to ensure this ٠ acknowledgment is not misused or attached to a different document.
 - ÷ Indicate title or type of attached document, number of pages and date.
 - Indicate the capacity claimed by the signer. If the claimed capacity is a corporate officer, indicate the title (i.e. CEO, CFO, Secretary).
- Securely attach this document to the signed document with a staple.

www.NotaryClasses.com 800-873-9865

ENDRESS+HAUSER		
4123 LA PALMA AVE.	Technical Services Commissioner Manitoba	
ANAHEIM, CA 92807, USA	Manitoba 🗫	
	THIS IS PART OF CRN	
	ØF19699.54	

SCOPE OF CRN REGISTRATION

PRODUCT DESCRIPTION

Description	Design Standard	End Connections	EH TI Document
Memosens COS81D Oxygen Sensor	ASME B31.3, ASME B31.1	PG13.5	TI01201C/07/EN/01.15

PRESSURE - TEMPERATURE RATINGS

MDMT	MAWP AT 230 F	MAWP AT 284 F	NOTES	
14F	188 psia	87 psia	None	

MATERIALS OF CONSTRUCTION

STANDARD MATERIALS (NOTE 1)	NOTES
POLYPHENYLENE SULFIDE PLASTIC, STAINLESS STEEL 1.4435 TYPE 316L UNS S31603	None

MANUFACTURING LOCATIONS

Endress+Hauser Conducta	Endress+Hauser Conducta
70839 Gerlingen incl. manufacturing sites	215021 Suzhou, Endress+Hauser Analytical Instruments Suzhou Co. Ltd.
04736 Waldheim and 64823 Gross-Umstadt, Germany	P.R. China
Endress+Hauser Conducta	
4123 LA Palma Ave., Anaheim, CA	
92807, USA	

Note 1) The following additional alloys of superior or equivalent properties to those listed above are also included in the scope of registration: Type 304 S.Steel UNS S30400, Type 304L S.Steel UNS S30403, Type 316 S.Steel UNS S31600, Type 316L S.Steel UNS S31603, Alloy 20 UNS N08020, Hastelloy C-276 UNS N10276, Hastelloy C22 UNS N06022, Hastelloy B3 UNS N10676, Monel 400 UNS N04400 (Note Monel 400 limited to 100F max.), Inconel 600 UNS N06600, Inconel 625 UNS N06625, Inconel 825 UNS N08825, Duplex S.Steel UNS S31803, Super Duplex UNS S32750, Super Duplex UNS S32760, Titanium Grade 3 UNS R50550 (Note Titanium limited to 247F max.)