UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS NEWFOUNDLAND AND LABRADOR

PRINCE EDWARD ISLAND

| MANUFACTURERS NAME: BAUM Kunststoffe GmbH MANUFACTURERS ADDRESS: Gewerbestr, 25-29, 75217 Birkenfeld-Gräfenhausen, Germany Physicians of the Common | NEW BRUNSWICK NUNAVUT | YUKON | NORTHWEST TERRITORIES | |
|--|---|--|--|---|
| MANUFACTURERS ADDRESS: Gewerbest, 25-29, 752/T Birkenfeld-Grain-Mutter Deep CATEGORY OF PITHAS TO BE RESISTEND. CIRCLE ONE CATEGORY OF PITHAS TO BE RESISTEND. CIRCLE ONE CATEGORY ON THE CATEGORY OF PITHAS TO BE RESISTEND. CIRCLE ONE CATEGORY ON THE CATEGORY OF PITHAS TO BE RESISTEND. CIRCLE ONE CATEGORY ON THE CATEGO | MANUFACTURERS NAM | E: PALIM Kunststoffe Gr | mbH | |
| FLANT IDCATIONS: 75217 Birkenfeld, Germany, province or Ballet PVVI (tell IDS) AVEGORY OF FITNESS OF BE Read STREED. (Riche DNE CATEGORY ON FITNESS) Pipe fithes, including outplings, teos, elbows, Ys, plugs, unions, pipe cape, or reducers If Pipeges: all fanges B Pipeges: all fanges B Stainers, fillers, experiators, and slearn traps B Stainers, fillers, apparators, and slearn traps B Stainers, fillers, f | MANUFACTUREDS AND | RESS: O | 75217 Birkenfeld-Gräfenhaus | sen, Germany |
| PECLARATION: ETAPLE SCADE. BAUM/T-ANSI-1001/E90-ANSI-1003/E45-ANSI-1002/ER-ANSI-1009/CR-ANSI-1010/X-ANSI-1006 BAUM/T-ANSI-1001/E90-ANSI-1003/E45-ANSI-1002/ER-ANSI-1009/CR-ANSI-1010/X-ANSI-1006 BEALTH Scholar BEALTH Sc | | IN DOLL IN COMMON | I province of Baben-Wuller | nberg |
| Ples Ribbas, including couplings, toes, alloway, %s, plugs, unions, pape cape, or resources. Brillanges: U Valves: all fine valves. E Strainers, fliers, separators, and steam brage. Strainers, fliers, separators, and steam brage. E Strainers, fliers, separators, presents related devices exceptable as primary every presents protection on control presents from mitters. Presents devices, including presents related devices exceptable as a primary every presents protection on control presents related and table plugs. Presents related years, plents and fastile plugs. Presents related years, plents and fastile plugs. Presents related years, plught and fastile plught. Presents related years, plught and fastile plugs. Presents related years, plught and fastile plught. Presents related years, plught an | CATEGORY OF | FITTINGS TO BE REGISTERED. OI | COLL OILE STILL STREET | TITLE OF THE BIANDARD OF TENBRISHETTEN |
| B Fingles 2 barrages a largenge of Calvest at 18 in a street. Discarding the control of the con | Called Mahan Including t | couplings, tees, elbows, Ys, plugs, unio | ns, pipe caps, of reducers | |
| C Values: all fine valves E Stain-in, flacible connections, and hose assemblies: all types E Stain-in, flacible, facible connections, and shart hose. E Stain-in, flacin, separators, and shart hose. E Stain-in, flacin, separators, and shart hose assemblies: all types E Stain-in, flacin, separators, and shart hose assemblies: all types B Research proteins, including pressure grades, loveling pressure proteins and stainles plugs the meaning components that do not fall into one of the above catagories H Pressure values weekls, plotting and stainles plugs H Pressure values and stainles plugs | TA Planges: all flanges | indpinigo, to only | | |
| E Stalence, filent, specially presented process, including presented gradues, sychical gauges, sight glasses, sevice of the sevi | | ly connections, and hose assembles: | all types | |
| Mesenting devices, including pressure galleges, level gases, saying larger pressure preloction on pressure prelocition on pressure prelocition on continued and product of the shower detegorities. Pressure vessels, pitting and fusible pluge in the pressure retaining components: Class 1 Close 2 Class 3 Cl. (Moeting AECS or ASME equirements). Noticent components: Class 1 Close 2 Class 3 Cl. (Moeting AECS or ASME equirements). Noticent components: Class 1 Close 2 Class 3 Cl. (Moeting AECS or ASME equirements). Noticent components: Class 1 Close 2 Class 3 Cl. (Moeting AECS or ASME equirements). PROPERTY OF SUPPORTING DECUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: BAUM/T-ANSI-1001/ES0-ANSI-1003/E45-ANSI-1002/ER-ANSI-1009/CR-ANSI-1010/X-ANSI-1006 ### Class ACTUAL ITEMS TO BE REGISTERED: BECLARATION: Frank Escher. Pressure and the quality of the end product do solemnity declare that the information contained in this form is true and to the best of solemnity and tendination markings are in accordance with the herdinance, mariefals of construction, pressure with the herdinance, mariefals of construction, pressure in product for which registration is sought. The dimensions, mariefals of construction, pressure in presents the product for which registration is sought. The dimensions, mariefals of construction, pressure in a product for which registration is sought. The dimensions, mariefals of construction, pressure in a coordance with the herdin mered standards. I further eclare that the impretation ratings are in accordance with the herdinance, mariefals of construction, pressure in production of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication cocurs in whole an abeliance of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication cocurs in whole are in a coordance with the herdinance of the extended production. All things shall be supported with two Statutory Deckardion. All things shal | D Expansion joints, tlaxion | ators, and steam traps | ish sinned levels Of | ASTM F1545-97 (2007) |
| biblies, pressure vestes, pully and to not fall into one of the above categories Pressure retaining components that do not fall into one of the above categories Pressure retaining components class 1 I Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear components: Class 1 I Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear components: Class 1 D Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear Components: Class 1 D Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear Class 1 D Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear Class 1 D Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear Class 3 D Class 2 D. (Meeting AECB or ASME requirements) N Nuclear Class 3 D. (Meeting AECB o | . K Messuring devices, inci | Millia biesenia Aankoni 1940; seesee - | aignt gleases, levels, or | |
| biblies, pressure vestes, pully and to not fall into one of the above categories Pressure retaining components that do not fall into one of the above categories Pressure retaining components class 1 I Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear components: Class 1 I Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear components: Class 1 D Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear Components: Class 1 D Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear Class 1 D Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear Class 1 D Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear Class 2 D Class 3 D. (Meeting AECB or ASME requirements) N Nuclear Class 3 D Class 2 D. (Meeting AECB or ASME requirements) N Nuclear Class 3 D. (Meeting AECB o | pressure transmitters | pressure relief devices acceptable as | brimary over presente brotection on | |
| No Nuclear components: Class 1 Class 2 D Class 3 T (indesting) (in | bollers, pressure vesse | is, piping and idainte plage | shove categories | |
| BAUM/T-ANSI-1001/E90-ANSI-1003/E45-ANSI-1002/ER-ANSI-1009/CR-ANSI-1010/X-ANSI-1006 ### ALL Colculations Frank Escher. | | | | STORY OF CONTRACTION |
| BAUM/T-ANSI-1001/E90-ANSI-1003/E45-ANSI-1002/ER-ANSI-1009/CR-ANSI-1010/X-ANSI-1006 # all Color Lations BECLARATION: Erank Escher. Secondary imployed by Baum Kunstst. GmbH and being the person having full authority and facility in the quality of the end product do solemnly declare that the information contained in this form is true and to the best of seponability for the quality of the guality of the gual | N Nuclear components: | NAME, TRADEMARK, OR LOGO A | S IT WILL APPEAR ON THE PRODUCT | FORGED WILDED V WROUGHT |
| ECLARATION: Frank Escher. Seponability for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of seponability for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of seponability for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of seponability for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of seponability for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of seponability for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of seponations, meterials of construction, pressure by knowledge represents the product for which registration is sought. The dimensions, meterials of construction, pressure by knowledge and the information contained in this form is true and to the best of seponations, meterials of construction, pressure by knowledge and the information contained in this form is true and to the best of seponations, meterials of construction, pressure by knowledge and the information contained in this form is true and to the best of construction, pressure by knowledge and the information contained in this form is true and to the best of construction, pressure by knowledge and in making and in the fight of the application conscientions believing it to be true, and knowledge and pressure force and effect as if made under path, and the pressure for the pressure of the fight of the end product of the pressure of the manufacturer. A separation of the quality of the end product. A continued to the fight of the end product of the pressure and the pressure and the fight of the end product. A continued to the fight of the end product of the pressure and the pressure and to the fight of the en | SHOW WAND! AS I SITUAL | | | CAST TO DINGR W |
| BAUM/T-ANSI-1001/E90-ANSI-1003/E45-ANSI-1002/ER-ANSI-1009/CR-ANSI-1010/X-ANSI-1006 # all colorate si) employed by Baum Kunstst. GmbH and being the person having full authority and first personal being the person having full authority and sponsibility for the quality of the end product do solemnity declare that the information contained in this form is true and to the best of sponsibility for the quality of the end product do solemnity declare that the information contained in this form is true and to the best of sponsibility for the quality of the end product for which registration is sought. The dimensions, materials of construction, pressure by knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure by knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure by knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure that the information contained in this form is true and to the best of the best of construction, pressure by knowledge represents the product for which registration markings are in accordance with the herein named standards. I further declare that the information contained in this form is true and to the best of submitted to the same force each plant where fabrication cours in whole antiform the submitted for wall knowing that it is of the same force and effect as if made under path. Public (sign) Use This Special Form the distinction of the same force and effect as if made under path. Public (sign) This registration must be revalidated after ton (10) years from the distinction cours and one copy of supporting decumentation. All filtings shell be registered in the name of the Manufacturer. | | | • | |
| BAUM/T-ANSI-1001/E90-ANSI-1003/E45-ANSI-1002/ER-ANSI-1009/CR-ANSI-1010/X-ANSI-1006 # all colorate si) employed by Baum Kunstst. GmbH and being the person having full authority and first personal being the person having full authority and sponsibility for the quality of the end product do solemnity declare that the information contained in this form is true and to the best of sponsibility for the quality of the end product do solemnity declare that the information contained in this form is true and to the best of sponsibility for the quality of the end product for which registration is sought. The dimensions, materials of construction, pressure by knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure by knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure by knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure that the information contained in this form is true and to the best of the best of construction, pressure by knowledge represents the product for which registration markings are in accordance with the herein named standards. I further declare that the information contained in this form is true and to the best of submitted to the same force each plant where fabrication cours in whole antiform the submitted for wall knowing that it is of the same force and effect as if made under path. Public (sign) Use This Special Form the distinction of the same force and effect as if made under path. Public (sign) This registration must be revalidated after ton (10) years from the distinction cours and one copy of supporting decumentation. All filtings shell be registered in the name of the Manufacturer. | | | | |
| BAUM/T-ANSI-1001/E90-ANSI-1003/E45-ANSI-1002/ER-ANSI-1009/CR-ANSI-1010/X-ANSI-1006 # all color Lations Frank Escher. [reaches] employed by Baum Kunstst, GmbH and being the person having full authority and separability for the quality of the end product do solemniy declare that the information contained in this form is true and to the beet of separative rettings, and identification mixings are in accordance with the herein named standards. I further declare that the imperature ratings, and identification mixings are in accordance with the herein named standards. I further declare that the imperature ratings, and identification occurs in whole approach these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole acciration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under path. Ignature of Declarer: D-75305 Neuenbürg | BAUM | · | TO BE DEC | ISTERED: |
| BAUM/T-ANSI-1001/E90-ANSI-1003/E45-ANSI-1002/ER-ANSI-1009/CR-ANSI-1010/X-ANSI-1006 # all color Lations Frank Escher. [reaches] employed by Baum Kunstst, GmbH and being the person having full authority and separability for the quality of the end product do solemniy declare that the information contained in this form is true and to the beet of separative rettings, and identification mixings are in accordance with the herein named standards. I further declare that the imperature ratings, and identification mixings are in accordance with the herein named standards. I further declare that the imperature ratings, and identification occurs in whole approach these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole acciration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under path. Ignature of Declarer: D-75305 Neuenbürg | LIST OF SUPPORTING D | OCUMENTATION AND IDENTIFICAT | ION OF THE ACTUAL ITEMS TO BE GET | , Ligher |
| sponsibility for the quality of the end product do soleminy declare that the internal solution is sought. The dimensions, materials of construction, pressure by knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure by knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure by knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure by knowledge represents the product for which registration cocurs in whole an underties that the impression of the series of these filtrings and independent of the series of the series force and effect as if made under path. The path of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and effect as if made under path. The sector of the series force and if the series of the series o | BAUM/T-ANSI-10 | 01/E90-ANSI-1003/E45-AN | NSI-1002/ER-ANSI-1009/CR | -ANSI-1010/X-ANSI-1006 + all colculations |
| Ignature of Declarer: D-75305 Neuenbürg D-75305 Neuenbürg D-75305 Neuenbürg OFFICIAL SEAL This opace for Regulatory Authority and Interpretation must be revalidated after ten (10) years from the december of the Interpretation of the Interpretation of the Manufacturer. OFFICIAL SEAL OFFICIAL SEAL OFFICIAL SEAL This opace for Regulatory Authority and Interpretation of the Interpretation of the Manufacturer. OFFICIAL SEAL OFFICIA | responsibility for the qual my knowledge represents temperature ratings, and | Ity of the end product do solemnly s the product for which registration identification markings are in accoluded to the contraction of the contr | is sought. The dimensions, materials reduce with the herein named standard of Program which extends to each place. | of construction, pressure ds. I further declare that the nt where fabrication occurs in whole |
| D-75305 Neueridurg this 30 day of July AD 2010 OFFICIAL SEAL AD 2010 OFFICIAL SEAL OFFICIAL | deciaration conscientious | ly believing it to be true, sharping | <i>(</i> | THE ACCIDENCE |
| D-75305 Neueridurg this 30 day of July AD 2010 OFFICIAL SEAL AD 2010 OFFICIAL SEAL OFFICIAL | Classium of Declarati | il to the | | TO B THE |
| his 30 day of July AD 2010 OFFICIAL SEAL commissioner of Oaths r Notery Public: (sign) (Affix Official seal to the right) This opace for Regulatory Authority us This registration must be revalidated after ten (10) years from the description. CRN: DA1003.0 FID#: 28.01 Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. Overline registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. Overline registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration 3. The declaration shall be made by the person having full authority and signed product. Overline registered in the name of the Manufacturer. C.FI.N. SigneDiameter (C.F.) SIGNEDIAMETER (C.F.) DATE (MINIOR TO A.C. SEAL ACT. C.FI.N. SigneDiameter (C.F.) SIGNEDIAMETER (C.F.) DATE (MINIOR TO A.C. SEAL ACT. C.FI.N. SigneDiameter (C.F.) DATE (MINIOR TO A.C. SEAL ACT. C.FI.N. SigneDiameter (C.F.) DATE (MINIOR TO A.C. SEAL ACT. C.FI.N. SigneDiameter (C.F.) DATE (MINIOR TO A.C. SEAL ACT. SEAL ACT. C.FI.N. SigneDiameter (C.F.) DATE (MINIOR TO A.C. SEAL ACT. S | | D-75305 Neuenbürg | | 3.5 470 (= 1.5 / 1. |
| commissioner of Oaths r Notary Public: (sign) (Affix Official seal to the right) This opace for Regulatory Authority us This registration must be revelldated after ten (10) years from the december of the revelldated after ten (10) years from the december of the december of the revelldated after ten (10) years from the december of the december of the revelldated after ten (10) years from the december of the december of the revelldated after ten (10) years from the december of the december of the revelldated after ten (10) years from the december of the december of the revelldated after ten (10) years from the december of the december of the revelldated after ten (10) years from the december of the december of the revelldated after ten (10) years from the december of the december of the revelldated after ten (10) years from the december of the december of the following tensor of the december of t | | 0040 | OFFI | CIA,L SEAL |
| (Affix Official seal to the right) This space for Regulatory Authority us This registration must be revalidated after ten (10) years from the decemence. This registration must be revalidated after ten (10) years from the decemence. This registration must be revalidated after ten (10) years from the decemence. This registration must be revalidated after ten (10) years from the decemence. This registration must be revalidated after ten (10) years from the decemence. This registration must be revalidated after ten (10) years from the decemence. This registration must be revalidated after ten (10) years from the decemence. This registration must be revalidated after ten (10) years from the decemence. This registration must be revalidated after ten (10) years from the decemence. This registration must be revalidated after ten (10) years from the decemence. This registration from the decemence. This registration must be revalidated after ten (10) years from the decemence. This registration from the decemence. This registration must be revalidated after ten (10) years from the decemence. This registration from the decemence. This registration must be revalidated after ten (10) years from the decemence. This registration from the decemence. This registration must be revalidated after ten (10) years from the decemence. This registration from the dece | 1111 | | · | |
| This opece for Regulatory Authority under the description of the Manufacturer. 2801 Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. A Duelly control programs shall be reautomitted for validation This opace for Regulatory Authority und the declaration from the declaration must be revealed after ten (10) years from the declaration is removed. REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.Fl.N. SIGNED MARKET MARKE | Commissioner of Oaths | 12 | | |
| This epace for Reguletory Authority us This registration must be revelldated after ten (10) years from the declaration. This registration must be revelldated after ten (10) years from the declaration that the register ten (10) years from the declaration. REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. One live control programs shall be reauthorited for validation. DATE (Lab. 2013) 11 | or Notary Public: (Sign) | Affiv Official seal to the fight) | | <u> </u> |
| CRN: 0A1003.0 FID#: 2801 Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Ovelby control programs shall be reaubmitted for validation Northwest RegistereD UNIDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.FI.N. SIGNED MANUFACTURE DATE MANUFACTURE PATE MANUFACT | | | for Regulatory Authority un | contence. |
| CRN: 0A1003.0 FID#: 2801 Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Ovelby control programs shall be reaubmitted for validation Northwest RegistereD UNIDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.FI.N. SIGNED MANUFACTURE DATE MANUFACTURE PATE MANUFACT | | This registration must be revalidate | ed after ten (10) years iron the o | |
| Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Ovelby control programs shall be resubmitted for validation REGISTERED LINDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.Fl.N. SIGNED DATE DATE DATE | | 0 | V45 | \$ 150.00 |
| Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.Fl.N. 9IGNED DATE DATE | CRN: <u>0A1003</u> | <u>. U</u> | | ries |
| Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Overlay control programs shall be resubmitted for validation. DATE LINDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.FI.N. SIGNED DATE DATE | =in#+ 2801 | | REGISTE | RED \ |
| Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation. 5. THE BOILER AND PRESSURE VESSEL ACT. C.FI.N. 9. SIGNED AND PRESSURE DATE (1997) 1997 1997 1997 1997 1997 1997 1997 | FIDIR. | | | N i |
| at a maximum Interval of five (5) years. | Each category shall be forme and one copy of sur The declaration shall be responsibility for the quality control program | Supported Supporting documentation. The made by the person having full author y of the end product. In shall be resubmitted for validation | on THE BOILER AND VESSEL OF C.Fl.N. SIGNED | PRESSURE |
| | at a maximum interval of fi | ve (5) yea/s. | | |