



345 Carlingview Drive
Toronto, Ontario
CANADA M9W 6N9
Tel.: 416.734.3300
Fax.: 416.231.1626
Toll Free: 1.877.682.8772
www.tssa.org

August 30, 2018

SCOTT ISLIP
ROUND ENGINEERING INC
10 SEGWUN RD
WATERDOWN ON L8B 0K6
CA

Service Request Type.: BPV-National MB
Service Request No.: 2293206
Your Reference No.: R-0881
Registered to.: LESLIE CONTROLS INC

Dear SCOTT ISLIP,

Please find enclosed the original response from MB, registered under the CRN No.: 0E20210.54.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant_ BPV Engineering
Tel.: 416-734-3423
Fax: 416-231-6183
Email :tfrancis@tssa.org



Inspection and Technical Services Manitoba

500 - 401 York Avenue
Winnipeg Manitoba R3C 0P8
T (204) 945-3373
F (204) 948-2309
www.firecomm.gov.mb.ca/codes_steam_pressure.html

August 17, 2018

TSSA
345 Carlingview Drive
Toronto, ON
M9W 6N9

Attn: Tanya Francis

REGISTRATION OF VALVES AND FITTINGS

Manufacturer: Leslie Controls Inc.

The design(s) for the following Valves/Fittings has been received by us and has been examined and accepted for registration in the Province of Manitoba as follows.

DRAWING / CATALOGUE	CRN	FILE
Traps & Mounting Blocks - See Scope of Registration	0E20210.54	38933

An invoice covering survey and registration fees is enclosed.

NOTE:

- *CRN registered under reciprocal agreement & is conditional based on compliance with the notes set by the original issuing Jurisdiction: TSSA*
- *See attached stamped "this is part of CRN" for scope of registration.*
- *This registration expires April 2, 2028.*

This registration is valid until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

The registration of this design does not relieve the manufacturer, the owner or his agent of the responsibility for the design or construction of a fitting in accordance with the applicable Acts, Codes and Standards. Inspection and Technical Services assumes no responsibility by registering designs, examining plans and/or inspecting equipment or facility.

Yours truly,

Rabie Harb, E.I.T.
Design Surveyor
Office of the Fire Commissioner
Inspection and Technical Services Manitoba
508 - 401 York Avenue
Winnipeg, Manitoba, R3C 0P8
Phone: 204-945-3373
Email: rabie.harb@gov.mb.ca



TECHNICAL STANDARDS & SAFETY AUTHORITY
 14th Floor, Centre Tower
 3300 Bloor Street West
 Toronto, Ontario
 Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

**Leslie Controls
 Nicholson**

**STATUTORY DECLARATION
 Registration of Fittings**

I, JULIAN MILLARES, ENGINEERING MANAGER
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of LESLIE CONTROLS INC.
(Name of Manufacturer)

Located at 12501 TELECOM DR., TAMPA, FLORIDA, 33637, U.S.A. 813-978-1000
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of ASME B16.34, ASME B31.1, ASME B31.3

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001 which has been verified by the following authority, ABS QUALITY EVALUATIONS

The items covered by this declaration, for which I seek registration, are category E type fittings. In support of this application, the following information and/or test data are attached as follows:
SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS


(drawings, calculations, test reports, etc.)

Declared before me at Tampa, Florida in the State of Florida
 the 26th day of January AD 2018

Commissioner for Oaths:

Cynthia Ann Veschio
(Printed name)

Cynthia Ann Veschio
(Signature)



Julian Millares
(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category "E"

CRN: 0E20210.54

Registered by: Rabie Harb

Dated: 2018/08/17

NOTE: This registration expires on April 2, 2028



Leslie Controls Nicholson

LESLIE CONTROLS INC.
12501 TELECOM DR.
TAMPA, FLORIDA
33637, USA

02-Mar-18

PAGE 1 OF 1

SCOPE OF CRN REGISTRATION

Product Description	Design Code	Size Range	End Connection Inlet/Outlet	Material Specification	MAWP at MAWT (psig)	MDMT (F)	Report Number
UMT450 Traps	ASME B31.1, ASME B31.3.	N/A	Universal Mount (Swival)	Type 304 Stainless Steel ASTM A351-CF8	450 psig at 600°F	-20°F	R-0881
UMTTD Traps	ASME B31.1, ASME B31.3.	N/A	Universal Mount (Swival)	Type 304 Stainless Steel ASTM A351-CF8	450 psig at 650°F	-20°F	R-0881
UMTC Mounting Blocks	ASME B31.1, ASME B31.3.	1/2" thru 3/4"	NPT or Socketweld	Type 304 Stainless Steel ASTM A351-CF8	450 psig at 650°F	-20°F	R-0881
UMTCY Mounting Blocks	ASME B31.1, ASME B31.3.	1/2" thru 1"	NPT or Socketweld	Type 304 Stainless Steel ASTM A351-CF8	450 psig at 650°F	-20°F	R-0881

