

14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4 Tel.: 416.734.3300

Fax: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

November 27, 2014

SCOTT ISLIP ROUND ENGINEERING INC 10 SEGWUN RD WATERDOWN ON LOR 2H8 CA

Service Request Type.: BPV-National ACI Central

Service Request No.: 1466346

Your Reference No.: GUNTNER 300-0000282905 Registered to.: GUNTNER DE MEXICO S.A. DE C.V.

Dear SCOTT ISLIP,

Please find enclosed the original response from PEI,NS,NB,NFLD,YK,NWT,NU, registered under the CRN No.: 0H16813.59870YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant_ BPV Engineering

Tel.: 416-734-3423 Fax: 416-231-6183 Email:tfrancis@tssa.org

EWBRUNSWICK UNÁVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	GUNTNER DE MEXICO, S.	A. DE C.V.	
MANUFACTURERS ADDRESS:	Av. Rogello Gonzalez Cabal	lero No. 1000, Perque Industrial Stiva	
PLANT LOCATIONS:	Aeropuerto, 66600 Apadaco	, N.L., Mexico	
CATEGORY OF FIFTIN	GS TO BE REGISTERED.	CIRCLE ONE CATEGORY DNLY	TITLE DE THE STANDARD OF CONSTRUCTION
A Pipe filtinga, including coupling B Flanges: all flanges C Valves: all flan valves D Expansion joints, flexible conn E Strainers, filters, separators, a F Measuring devices, including pressure transmitters G Certifled capacity-rated pressure boilers, pressure vessels, pipi	ections, and hose assembles nd steem traps pressure gauges, level gauges ure (ellef dovices acceptable)	s: all types	ASME SECTION VIII-1
Pressure cotaining component	te that do not fall into one of the	he above categories	
N Nuclear components: Class 1	Class 2 Class 3 Cl.	(Meeting CNSC or ASME requirements)	
SHOW MANUFACTURERS NAM	GÜNTNER	AS IT WILL APPEAR ON THE PRODUC	FORGED X WILDED X WROUGHT XC CAST D GTHER D DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENT OF SUPPORT OF SUPPORTING DOCUMENT OF SUPPORT OF SUPPO	MENTATION AND IDENTIFIC	PATION OF THE ACTUAL ITEMS TO BE	REGISTERED:
my knowledge represents the temperature ratings, and ide manufacture of these fittings or in part and has been variful declaration conscientiously: Signature of Declarer: Declared before me at	of the end product do sole a product for which registr hitication markings are in its regulated by a Quality led by 150 9901 believing lyb be true, and	ation is sought. The dimensions, mat accordance with the herein named at Control Program which extends to each as being suitable to knowing that it is of the same force at th	andards, I further declare that the ch plant where fabrication occurs in whole or that purpose and I make this solemn and effect as if made under oath.
This 26th day of Commissioner of Oaths or Notary Public: (sign)	Movember so		LANETTA X THORSEN: Y Public - State of Illinois Ommission expires:02/02/16
TH		validated after ten (10) years from the	date of acceptance.
CRN: 0H16813	.5		ACCEPTED OF PRINCE EDWARD ISLAND MENT, LABOUR & JUSTICE
Notes: 1. Ail fittings shall be regist	ered in the name of the Many supported with two Statutory D porting documentation. made by the person having the	Declaration	0H16813.59 Sept 12/14

10:42:55 a.m. 09-12-2014

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWIC	k
NUNAVUT	

NOVA SCOTIA

4. Quality control programs shall be resubmitted for validation

at a maximum Interval of live (5) years.

PRINCE EDWARD ISLAND

NEWFOUNDLAND AND LABRADOR

Sect. 1.0 - Fittings Rev. 1 06/2003

NAVUT	YUKON	NORTHWEST TERRITORIES	
IANUFACTURERS NAME:	GUNTNER DE MEXICO, S.A	, DE C.V.	
	Av. Rogello Gonzalez Caballe	ero No. 1000, Parque Industrial Stiva	
LANT LOCATIONS:	Aeropuerto, 66600 Apadaco,	N.L., Mexico	
CATEGORY OF FITTI Pipe filtings, including coupling Flanges: all flanges Valves: all fine valves Expansion joints, flexible cone Strainers, filters, separators, filters, including pressure transmitters	gs, leas, albows, Ys, plugs, un nections, and hose assemblies and sleam traps	: all types	ITTE OF THE STANDARD OF CONSTRUCTION ASME SECTION VIII-1
boilers, pressure vessels, pig Pressure retaining componen	oing and fusible pluga ats that do not fall into one of th	es primary over pressure protection on ne above categories Meeting CNSC or ASME requirements)	
HOW MANUFACTURERS NA	ME, TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	GÜNTNER		FORGED XI WELDED XI WROUGHT XI CAST D. OTHER D. DESCRIBE OTHER:
LIST OF SUPPORTING DOC	IMENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS TO BE R	CIETEDED:
responsibility for the quality my knowledge represents t temperature ratings, and id manufacture of these fitting or in part and has been ver	of the end product do sole the product for which registrentification markings are in a large to by a Quality of the by ISO 9001	knowing that it is of the same force and	ned in this form is true and to the best lals of construction, pressure idards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn I effect as if made under oath.
Declared before me at	November AD _	1013' USETHI	OFFICIAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SE
1		a space for Regulatory Authority use validated after ten (10) years from the d	ate of acceptance.
CRN: 0H1681:	3.5	Date Sept	TA VISS
2. Each category shall be forms and one copy of su	e made by the person having t	Sinced 4.75	0 28 29 0 5 Row. PDM(15. 06.30)

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON

PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: GUNTNER DE MEXICO, S.A. DE C.V. MANUFACTURERS ADDRESS: Av. Rogelio Gonzalez Caballero No. 1000, Parque Industrial Stiva PLANT LOCATIONS: Aeropuerto, 66600 Apadaco, N.L., Mexico CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs P Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting CNSC or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT FORGED X WELDED X WROUGHT X: CAST □ OTHER □ DESCRIBE OTHER:
PLANT LOCATIONS: Aeropuerto, 66600 Apadaco, N.L., Mexico CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs O Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting CNSC or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT FORGED X WELDED X WROUGHT X: OTHER OF CONSTRUCTION
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs M Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT FORCED X: WROUGHT X: CAST D D THER DEVIATION FORCED X: WROUGHT X:
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, ipping and fusible plugs P Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting CNSC or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION FORGED X WELDED X WROUGHT X: Cast □ Class 2 □ Class 3 □
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs P Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting CNSC or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT FORGED X WELDED X WROUGHT X:
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting CNSC or ASME requirements) SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT TYPE OF CONSTRUCTION FORGED X: WROUGHT X: COST. □ OTHER □.
FORGED X: WELDED X: WROUGHT X:
FORGED X WELDED X WROUGHT X
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
HEAT EXCHANGER - DRAWING 300-0000282905 - DESIGN CALCULATIONS
DECLARATION: [IAN RUNSEY, V.P. PRODUCT MANAGEMENT], employed by
This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of square only
CRN 0H16813.5
FID#. 2474 EXAMINER: Krun Curr
Notes 1. Ail fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

W BRUNSWICK INAVUT			
MAY 51	YUKON YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	IEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	GUNTNER DE MEXICO,	, S.A. DE C.V.	
MANUFACTURERS ADDRESS:	Av. Rogello Gonzalez Ca	aballero No. 1000, Parque Industrial Stiva	
PLANT LOCATIONS:	Aeropuerto, 66600 Apad	·	
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible con E Strainers, filters, separators, a	gs, tees, albows, Ys, plugs nections, and hose assemb and steam traps	olles: all types .	ITLE OF THE STANDARD OF CONSTRUCTION ASME SECTION VIII-1
boilers, pressure vessels, pip Pressure retaining componen	ure relief devices acceptaining and fusible plugs that do not fall into one	of the above dategories	
		(Meeting CNSC or ASME requirements) DGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
-	GUNTNER		FORGED X WELDED X WROUGHT XC CAST C) OTHER C) DESCRIBE OTHER:
HEAT EXCHANGER - DRAWING 300-0000282905 - DESIGN CALCULATIONS	MENTATION AND IDENT	TIFICATION OF THE ACTUAL ITEMS TO BE R	EGISTERED:
	5		
responsibility for the quality my knowledge represents the temperature ratings, and ide manufacture of these fitting or in part and has been vent	of the end product do a ne product for which reg entification markings are a is regulated by a Qual fied by ISO 9001	yed by GUNTNER DE MEXICO, S.A. DE C.Y. and to demniy declare that the information contal jistration is sought. The dimensions, mater in accordance with the herein named startlity Control Program which extends to each as being suitable for and knowing that it is of the same force and	ned in this form is true and to the best ials of construction, pressure idards, I further declare that the plant where fabrication occurs in who that purpose and I make this solemn
responsibility for the quality my knowledge represents the temperature ratings, and idemanufacture of these fitting or in part and has been very	of the end product do a ne product for which reg entification markings are a is regulated by a Qual fied by ISO 9001	ofemnly declare that the information contal patration is sought. The dimensions, mater in accordance with the herein named star lity Control Program which extends to each as being suitable for and knowing that it is of the same force and ST BIVA. IL USE THE ANTO NOTARY	ned in this form is true and to the best ials of construction, pressure idards, I further declare that the plant where fabrication occurs in who that purpose and I make this solemn
responsibility for the quality my knowledge represents the temperature ratings, and idemanufacture of these fitting or in part and has been verification conscientiously. Signature of Declarer: Declared before me at This 2644 day of Commissioner of Oaths or Notary Public: (sign)	of the end product do a see product for which regarding for which regarding are as a regulated by a Qualified by ISO 9901 believing life be true, a life of the control of	ofemnly declare that the information contal pistration is sought. The dimensions, mater a in accordance with the herein named star lity Control Program which extends to each as being suitable for and knowing that it is of the same force and ST 13 U.S. T.L. U.S. T.H. J.D.L. J.L. ANTU NOTARY MY COM	ned in this form is true and to the best itals of construction, pressure itals of construction, pressure itals of construction, pressure itals of construction occurs in who plant where fabrication occurs in who that purpose and I make this solemn it effect as if made under oath. OFFICIAL SEALS FOR AND AND THE AND THE VITTLE OF ILLINOIS IMPOSION EXPIRES:02/02/16
responsibility for the quality my knowledge represents the temperature ratings, and idemanufacture of these fitting or in part and has been verification conscientiously. Signature of Declarer: Declared before me at This 2644 day of Commissioner of Oaths or Notary Public: (sign)	of the end product do a see product for which regarding for which regarding are as is regulated by a Qualified by ISO 9901 believing it to be true, a second of the product	ofemnly declare that the information contal patration is sought. The dimensions, mater a in accordance with the herein named star lity Control Program which extends to each as being suitable for and knowing that it is of the same force and star is a suitable for and knowing that it is of the same force and suitable for and knowing that it is of the same force and suitable for and knowing that it is of the same force and suitable for and knowing that it is of the same force and suitable for and knowing that it is of the same force and suitable for and knowing that it is of the same force and suitable for and knowing that it is of the same force and suitable for an arrangement of the same force and suitable for a suita	ned in this form is true and to the best ials of construction, pressure adards. I further declare that the plant where fabrication occurs in who that purpose and I make this solemn teffect as if made under oath. OFFICIAL SEALS FOR ANETTA V. THORSEN PUBLIC - STATE OF ILLINOIS IMISSION EXPIRES:02/02/16 Newformalland Labrador
responsibility for the quality my knowledge represents the temperature ratings, and idemanufacture of these fitting or in part and has been verification conscientiously. Signature of Declarer: Declared before me at This 2644 day of Commissioner of Oaths or Notary Public: (sign)	of the end product do a see product for which regarding for which regarding are as is regulated by a Qualified by ISO 9901 believing it to be true, a second of the product	ofemnly declare that the information contal pistration is sought. The dimensions, mater a in accordance with the herein named star lity Control Program which extends to each as being suitable for and knowing that it is of the same force and ST 13 U.S. T.L. U.S. T.H. J.D.L. J.L. ANTU NOTARY MY COM	ned in this form is true and to the best ials of construction, pressure adards. I further declare that the plant where fabrication occurs in who that purpose and I make this solemn teffect as if made under oath. OFFICIAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SE

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: GUNTNER DE MEXICO, S.A. DE C.V.	
MANUFACTURERS ADDRESS: Av. Rogello Gonzalez Caballero No. 1000, Parque Industrial Stiva	
PLANT LOCATIONS: Aeropuerto, 66600 Apadaco, N.L., Mexico	
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY	ITLE OF THE STANDARD OF CONSTRUCTION ASME SECTION VIII-1
A Pipe filtings, including couplings, leas, albows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges	
C Valves: all line valves	
D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps	
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or	
pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on	
boilers, pressure vessels, piping and fusible plugs	
Pressure retaining components that do not fall into one of the above categories	
N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting CNSC or ASME requirements)	
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
OLINTAIED	FORGED X WELDED X WROUGHT X: CAST CI OTHER CI DESCRIBE OTHER:
GUNTNER	besoning officer,
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE RI	EGISTERED:
MANAGE AND THE WASHINGTON TO THE WASHINGT AND THE WASHINGT IN	
HEAT EXCHANGER	
- DRAWING 300-0000282905 - DESIGN CALCULATIONS	
	•
,	
DECLARATION: IAN RUNSEY, V.P. PRODUCT MANAGEMENT) artiployed by GUNTNER DE MEXICO, S.A. DE C.V. and be and be a superior of the superior of	peing the person having full authority and
responsibility for the quality of the end product do solemnly declare that the information contain	red in this form is true and to the hest of
my knowledge represents the product for which registration is sought. The dimensions, mater	lals of construction, pressure
temperature ratings, and identification markings are in accordance with the herein named stan	dards. I further declare that the
manufacture of these fittings is regulated by a Quality Control Program which extends to each or in part and has been verified by ISO 9001 as being suitable for	that purpose and I make this solemn
declaration conscientiously believing lyto be true, and knowing that it is of the same force and	
Signature of Declarer:	······
Declared before me at /// WATKINCREST /3/Va. 4L USE THI	OFFICIAL SEAL STATES
This 264 day of NOVINIOU AD 2013	ANETTA KTHORSEN
Commissioner of Oaths MY COM	PUBLIC - STATE OF ILLINOIS
or Notary Public: (sign)	
This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the	ne of acceptance.
TEN.	TOFY
CRN: 0H16813.5	340
W/ 1/	2
FIO#: 2474	11013/57
	H16217 11
Notes:	- 11 / N
All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration	4147/
forms and one copy of supporting documentation.	13/
The declaration shall be made by the person having full authority and	
responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation	ERS EX.
at a maximum interval of five (5) years.	Sect. 1.0 - Fittings Rev. 1 06/200

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	GUNTNER DE MEX	ICO, S.A. DE C.V.	
MANUFACTURERS ADDRESS	Av. Rogello Gonzale.	z Caballero No. 1000, Parque Industrial Stiva	
PLANT LOCATIONS:	Aeropuerto, 68600 A	padaco, N.L., Mexico	
CATEGORY OF FITTI	NGS TO BE REGISTE	RED, CIRCLE ONE CATEGORY ONLY	ASME SECTION VIII-1
B Flanges; all flanges C Valves: all line valves D Expansion joints, flexible con E Strainers, filters, separators, a Measuring devices, including pressure transmitters	nections, and hose ass and steam traps pressure gauges, level ure relief devices acce	emblios: all types I gauges, sight glasses, levels, or eptable as primary over pressure protection on	ASME SECTION VIII-1
Pressure retaining component	is that do not fall into o	~	1 .
		3 D, (Meeting CNSC or ASME requirements)	
SHOW MANUFACTURERS NAM	GÜNTNE	RLOGO AS IT WILL APPEAR ON THE PRODUC	TYPE OF CONSTRUCTION FORGED X WELDED X WROUGHT X CAST D OTHER O DESCRIBE OTHER.
LIST OF SUPPORTING DOCUM	MENTATION AND IDE	NTIFICATION OF THE ACTUAL ITEMS TO BE	REGISTERED:
my knowledge represents the temperature ratings, and iden manufacture of these fittings? or in part and has been verified declaration conscientiouslyb.	the end product do product for which re lifection markings a regulated by a Quited by ISO 9001.	solemnly declare that the information containagistration is sought. The dimensions, materials in accordance with the herein named startality Control Program which extends to each	rials of construction, pressure ndards. I further declere that the I plant where fabrication occurs in whole r that purpose and I make this solemn
Declared before me at This 26 H day of Commissioner of Oaths or Notary Public: (sign)	WATHINORE November as	- C NUINKY	OFFICIAL SEAL SANETTA V THORSEN DUBLIC - STATE OF ILLINOIS MISSION EXPIRES 02/102/18
This	registration must be	This space for Regulatory Authority us revalidated after ten (10) years from the da	te of the ceptain.
CRN: 0H16813.5	5		Northwest Ferritories
Notes: 1. All filtings shall be registere: 2. Each category shall be supplorms and one copy of support 3. The declaration shall be ma responsibility for the quality of the Quality control programs shall a maximum interval of five (5)	ooded with two Statutor ng documentation. de by the person havin the end product. all be resubmitted for v	under THE BO constructorer, ry Declaration g full authority and SIGNED	REGISTERED THE AUTHORITY OF POLICE AND PRESSURE VESSEL ACT. OHIGH 13.5 L Sect. 1.0 - Fillings Rev. 1 06/2003

10-14-14;20:59 ;From:

To:ACI Central ;8678730117

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIE	NEWFOUNDLAND AND LABRACOR
MANUFACTURERS NAME:	GUNTNER DE MEXIC	O, S.A. DE C.V.	
MANUFACTURERS ADDRESS:	Av. Rogelio Gonzalez	Caballero No. 1000, Parque Industri	ni Stiva
PLANT LOCATIONS:	Aeropuerto, 66600 Apa	······································	
A Pipe fittings, including coupling Flanges: all flanges C Valves: all flanges D Expansion joints, flexible cond E Strainers, flitters, separators, and the fitting devices, including pressure transmitters C Certified capacity-rated pressure pressure vessels, pipe Pressure tetaining components	gs, tees, elbows, Ys, plu nections, and hose asset and steam traps pressure gauges, level g sure cellef devices accep bing and fusible plugs ate that do not fall into on	igs, unions, pipe caps, or reducers mblies: all types gauges, sight glasses, levels, or table as primary over pressure prote	ASME SECTION VIII-1
SHOW MANUFACTURERS NA	ME, TRADEMARK, OR GÜNTNE	logo as it will appear on th R	E PRODUCT IYPE OF CONSTRUCTION FORGED XI WELDED XI WROUGHT XI CAST II OTHER II OESCRIBS OTHER:
LIST OF SUPPORTING DOCU HEAT EXCHANGER - DRAWING 300-0000282905 - DESIGN CALCULATIONS	IMENTATION AND IDE	NTIFICATION OF THE ACTUAL ITS	MS TO BE REGISTERED:
my knowledge represents the temperature ratings, and ide manufacture of these fittings or in part and has been veri	of the end product do be product for which re ontification markings a s is regulated by a Qu fied by ISO 9901	adiamnly declare that the informagistration is sought. The dimenure in accordance with the herein lality Control Program which extends as being and knowing that it is of the same of BIVA.	S.A. DE C.Y and being the person having full authority an attention contained in this form is true and to the best of sions, materials of construction, pressure named standards. I further declare that the nots to each plant where fabrication occurs in whole suitable for that purpose and I make this solemn he force and effect as if made under oath. E.T. H. I CEFICIAL SEAL S. F. C. ANTUANETTA V. THORSEN. INOTARY PUBLIC STATE OF ILLINOIS MY COMMISSION EXPIRES:020216
CRN: 0H16813 FID#: 2474 Notes: 1. All fittings shall be regist 2. Each category shall be soforms and one copy of supp 3. The declaration shall be	ered in the name of the supported with two Status porting documentation, made by the person has	tory Declaration Ving full authority and	Boilers and Pressure Vessels Act REGISTERED RN OH 16813.5 N REGISTERED REGISTERED
responsibility for the quality 4. Quality control programs	s shall be resubmitted fo	or validation S	Chief haspeatonings Ray 1 06/2

Territorial Registration Fee