



345 Carlingview Drive
Toronto, Ontario
CANADA M9W 6N9
Tel.: 416.734.3300
Fax.: 416.231.1626
Toll Free: 1.877.682.8772
www.tssa.org

July 20, 2018

SCOTT ISLIP
ROUND ENGINEERING INC
10 SEGWUN RD
WATERDOWN ON L8B 0K6
CA

Service Request Type.: BPV-National AB
Service Request No.: 2323720
Your Reference No.: R-0785A/B
Registered to.: PREVOST

Dear SCOTT ISLIP,

Please find enclosed the original response from AB, registered under the CRN No.: 0C20336.52.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant_ BPV Engineering
Tel. : 416-734-3423
Fax : 416-231-6183
Email : tfrancis@tssa.org

June 28, 2018

Attention: Tanya Francis
TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO, ON M9W 6N9

Email: tfrancis@tssa.org

The design submission, tracking number 2018-03814, originally received on June 13, 2018 was surveyed and accepted for registration as follows:

CRN : 0C20336.52 **Accepted on:** June 28, 2018
Reg Type: NEW DESIGN **Expiry Date:** May 09, 2028
Drawing No. : SCOPE ATTACHED TO STATUTORY DECLARATION FORM AB-41
Fitting type: PPS1 RSIF, PPS1 RSIM & PPS1 RS1 VALVE SERIES
Design registered in the name of : PREVOST

The registration is conditional on your compliance with the following notes:

TSSA SR# 2323720

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction are ASME B31.1 and ASME B31.3.

- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.*
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.*
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,

Zana Radisavljevic

RADISAVLJEVIC, ZANA, P. Tech. (Eng.)
DOP Cert. No. D00003136

**STATUTORY DECLARATION
Registration of Fittings**

I, CAROLYNE DE-GERMOND, GENERAL MANAGER
(name of applicant) (position title) (must be in a position of authority)
of PREVOST
(name of manufacturer)
located at Parc d'activites economiques des Glaisins, 15 Rue du Pre Faucon,
74940 ANNECY-LE-VIEUX, France
(plant address)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- ☒ comply with the requirements of ASME B31.1, ASME B31.3 which specifies the dimensions, (title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or
☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached _____
(title of code of construction or other applicable document)
data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, IQNet ISO 9001:2008 as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

CATEGORY C VALVES

(brief description of fittings)

In support of this application, the following information, calculations and/or test data are attached:

SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS

DECLARED before me at Greenville in the state of South Carolina
(city) (province or state)
this fifth day of March, 2018
(Month) (Year)

(print) Callie Sharon
(a Commissioner of Oaths or Notary Public)

(sign) Callie Sharon
(a Commissioner of Oaths or Notary Public)

Caroline De-Germond
(signature of applicant) X

For ABSA Office Use Only:

NOTES: see acceptance letter notes. 2p.

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category C

Registration Number: 0 C 2 0 3 3 6 . 5 2

J. C. F. MAJSAVLJEVIC
(Signature of the Administrator/SCO)

Date Registered: JUN 28 2018

Expiry Date: May 9, 2028

PREVOST

Parc d'activites economiques des Glaisins
15 Rue du Pre Faucon
74940 ANNECY-LE-VIEUX
France



27-Feb-18

Page 1 of 1

SCOPE OF CRN REGISTRATION

Part No.	Part Description	End Connections	Size Range	Material Specification	Design Code	CRN MAWP at MAWT (Note 1,2,3)	MDMT	Design Report #
PPS1 RSIF	Female threaded valve	Pipe x NPT	16mm thru 50mm	Aluminum ASTM B179 AA No. 384.0-384.1 Die Casting meeting ASTM B85, Copper Alloy BS EN 12164/5 CW617N	ASME B31.3	232 psig at 176F	- 4F	R-0785B
PPS1 RSIF	Female threaded valve	Pipe x NPT	63mm thru 80mm					
PPS1 RSIM	Male threaded valve	Pipe x NPT	16mm thru 50mm					
PPS1 RSI	Valve	Pipe x Pipe	16mm thru 50mm					
PPS1 RSI	Valve	Pipe x Pipe	63mm thru 80mm					

Note 1: MAWP = Maximum Allowable Working Pressure, MAWT = Maximum Allowable Working Temperature, MDMT = Minimum Design Metal Temperature.

Note 2: The pressure-temperature ratings shown are the maximum CRN pressure-temperature ratings. In all cases the MAWP or MAWT may be limited by other considerations. Please consult Prevost literature.

Note 3: The CRN pressure-temperature ratings are valid when the Prevost fittings are installed on Aluminum UNS A96063 with the following minimum nominal wall thickness:

16mm OD x 1.30mm wall
20mm OD x 1.30mm wall
25mm OD x 1.40mm wall
32mm OD x 1.50mm wall
40mm OD x 1.80mm wall
50mm OD x 2.00mm wall
63mm OD x 2.00mm wall
80mm OD x 2.40mm wall

ABSA	
SAFETY CODES ACT - PROVINCE OF ALBERTA	
REGISTRATION OF FITTINGS	
0 C 2 0 3 3 6 . 5 2	
REGISTRATION NO.	_____
DWG. NO. or CAT. NO.	Scope of reg.
TYPE OF FITTINGS	Valves
JUN 28 2018	INITIALS <i>Zana</i>
Date	ZANA RADISAVLJEVIC, DESIGN SURVEYOR