



345 Carlingview Drive  
Toronto, Ontario  
CANADA M9W 6N9  
Tel.: 416.734.3300  
Fax.: 416.231.1626  
Toll Free: 1.877.682.8772  
[www.tssa.org](http://www.tssa.org)

April 03, 2019

SCOTT ISLIP  
ROUND ENGINEERING INC  
10 SEGWUN RD  
WATERDOWN ON L8B 0K6  
CA

Service Request Type.: BPV-National ACI Central  
Service Request No.: 2477360  
Your Reference No.: R-0965  
Registered to.: ENDRESS + HAUSER CONDUCTA INC

Dear SCOTT ISLIP,

Please find enclosed the original response from PEI,NS,NB,NFLD,YK,NWT,NU, registered under the CRN No.:  
0H20949.59870YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail  
[customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number  
provided above.

Yours truly,

Tanya Francis  
Administrative Assistant\_ BPV Engineering  
Tel. : 416-734-3423  
Fax : 416-231-6183  
Email : [tfrancis@tssa.org](mailto:tfrancis@tssa.org)

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <b>ENDRESS+HAUSER CONDUCTA INC.</b>	
Manufacturers Address: <b>SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX</b>	
Plant Locations: <b>SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX</b>	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only.</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  <input checked="" type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p><b>ASME B31.3</b> <b>ASME B31.1</b></p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center" style="font-size: 2em;"><b>Endress+Hauser</b> </p>	
<p align="center"><b>Type of Construction</b></p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other: _____</p>	
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN</p>	

**Declaration:**

I LEONARD AMBROSINI, GENERAL MANAGER (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SQS (ISO 9001) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Declared before me at \_\_\_\_\_

This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Use this space for the Official Seal

Commissioner of Oaths  
Or Notary Public: (sign) See attached acknowledgment

(Affix Official seal to the right)


<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0H20949.5</u></p> <p>FID#: <u>14878</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>11/2016</p>	<p><b>ACCEPTED</b></p> <p><b>PROVINCE OF PRINCE EDWARD ISLAND</b> <b>COMMUNITIES, LAND &amp; ENVIRONMENT</b></p> <p>C.R.N. <u>0H20949.59</u></p> <p>DATE: <u>18/19</u></p> <p></p> <p><b>INSPECTION SERVICES SECTION</b> <b>BOILER/PRESSURE VESSEL BRANCH</b></p> <p align="right"><small>Section 111 - Fittings Rev.2</small></p>
--	--

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

<b>Manufacturers Name:</b> ENDRESS+HAUSER CONDUCTA INC.	
<b>Manufacturers Address:</b> SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
<b>Plant Locations:</b> SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
<b>Category of Fittings to be registered. Circle one Category only:</b> <b>A</b> Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers <b>B</b> Flanges: all flanges <b>C</b> Valves: all line valves <b>D</b> Expansion joints, flexible connections, and hose assemblies: all types <b>E</b> Strainers, filters, separators, and steam traps <b>F</b> Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters <b>G</b> Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <b>H</b> Pressure retaining components that do not fall into one of the above categories <b>N</b> Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	<b>Title of the Standard of Construction</b>  ASME B31.3 ASME B31.1
<b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b>	
<b>Endress+Hauser</b> 	
<b>List of supporting documentation and identification of the actual items to be registered:</b>	
- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN	
<b>Type of Construction</b> Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:	

**Declaration:**

I LEONARD AMBROSINI, GENERAL MANAGER (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SCS (ISO 9001) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at \_\_\_\_\_

This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Use this space for the Official Seal

Commissioner of Oaths  
Or Notary Public: (sign) See attached acknowledgment

(Affix Official seal to the right)


This space for Regulatory Authority use.  
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OH20949.5

FID#: 14878


Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.



Date: Jan 18 / 19  
C.R.N. OH20949.58  
Dwg. as described  
Signed Yvonne Perry  
1 of 1  
Part

11/2016 Sect 1.0 - Fittings Rev.2

<b>Manufacturers Name:</b> ENDRESS+HAUSER CONDUCTA INC.	
<b>Manufacturers Address:</b> SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
<b>Plant Locations:</b> SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input checked="" type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p>ASME B31.3 ASME B31.1</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p style="text-align: center;"><b>Endress+Hauser</b> </p>	<p><b>Type of Construction</b></p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input checked="" type="checkbox"/>          Cast <input type="checkbox"/> Other <input type="checkbox"/>          Describe other:</p>
<p><b>List of supporting documentation and Identification of the actual items to be registered:</b></p> <p>- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN</p>	

**Declaration:**

I LEONARD AMBROSINI, GENERAL MANAGER (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SQS (ISO 9001) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at \_\_\_\_\_


This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Commissioner of Oaths

Or Notary Public: (sign) See attached acknowledgment

(Affix Official seal to the right)

Use this space for the Official Seal



**Brunswick**  
 DEPT OF JUSTICE PUBLIC SAFETY  
 BOILER & PRESSURE VESSEL ACT

This space for Regulatory Authority use.  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0H20949.5


FID#: 14878

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

REGISTRATION ONLY

CRN 0H20949.57

  
 CHIEF BOILER INSPECTOR  
 DATE 1/18/2019

BLRs       PVs

FITTINGS       NUCLEAR COMPONENTS

Sect 1.0, Fittings Rev 2


11/2016

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>ENDRESS+HAUSER CONDUCTA INC.</u>	
Manufacturers Address: <u>SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX</u>	
Plant Locations: <u>SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX</u>	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p>ASME B31.3 ASME B31.1</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p style="text-align: center;"><b>Endress+Hauser</b> </p>	
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN</p>	

**Declaration:**

I LEONARD AMBROSINI, GENERAL MANAGER (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at \_\_\_\_\_


This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Use this space for the Official Seal

Commissioner of Oaths

Or Notary Public: (sign) See attached acknowledgment

(Affix Official seal to the right)


<p>This space for Regulatory Authority use.</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p>	
CRN: <u>OH20949.5</u>	<p>Newfoundland Labrador Service NL</p> <p>Registered <u>OH20949.50</u> Date <u>19/01/21</u> Engineering and Inspection Services Registered by </p> <p>UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS Sect 1.0 Fittings Rev.2</p>
FID#: <u>14878</u>	
<p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol>	
<p>11/2016</p>	

New Brunswick  
Nunavut

Nova Scotia  
Yukon


Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: ENDRESS+HAUSER CONDUCTA INC.	
Manufacturers Address: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
Plant Locations: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input checked="" type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p>ASME B31.3 ASME B31.1</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p style="text-align: center;"><b>Endress+Hauser</b> </p>	<p><b>Type of Construction</b></p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input checked="" type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN</p>	

**Declaration:**

I LEONARD AMBROSINI, GENERAL MANAGER (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by SQS (ISO 9001) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at \_\_\_\_\_

This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Use this space for the Official Seal

Commissioner of Oaths

Or Notary Public: (sign) See attached acknowledgment

(Affix Official seal to the right)

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.


CRN: 0H20949.5


FID#: 14878

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2016



GOVERNMENT OF YUKON  
BY   
CRN 0H20949.5Y  
DATE 01/18/2019  
Sect 1.0 - Fittings Rev.2  
BOILERS BRANCH


STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick  
Nunavut

Nova Scotia  
Yukon


Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

<b>Manufacturers Name:</b> ENDRESS+HAUSER CONDUCTA INC.	
<b>Manufacturers Address:</b> SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
<b>Plant Locations:</b> SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input checked="" type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p>ASME B31.3 ASME B31.1</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p style="text-align: center;"><b>Endress+Hauser</b> </p>	<p><b>Type of Construction</b></p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input checked="" type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN</p>	

**Declaration:**

I, LEONARD AMBROSINI, GENERAL MANAGER (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 


Declared before me at \_\_\_\_\_

This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Commissioner of Oaths  
Or Notary Public: (sign) See attached acknowledgment

Use this space for the Official Seal

(Affix Official seal to the right)

<p><b>CRN:</b> <u>0H20949.5</u></p> <p><b>FID#:</b> <u>14878</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p>11/2016</p>	<p>This space for Regulatory Authority use.</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p style="text-align: right;">96300</p> <div style="border: 2px solid black; border-radius: 50%; padding: 10px; text-align: center;"> <p>Northwest Territories</p> <p><b>REGISTERED</b></p> <p>UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT</p> <p>C.R.N. <u>0H20949.5</u></p> <p>SIGNED <u></u></p> <p>DATE <u>Jan 27/2019</u></p> </div> <p style="text-align: right;">Sect 1.0 - Fittings Rev.2</p>
---	--



New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: ENDRESS+HAUSER CONDUCTA INC.

Manufacturers Address: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX

Plant Locations: SEE ATTACHED WORLDWIDE LOCATIONS APPENDIX

**Category of Fittings to be registered. Circle one Category only**

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1  Class 2  Class 3  , (Meeting CNSC or ASME requirements)

**Title of the Standard of Construction**

ASME B31.3  
ASME B31.1

Show Manufacturers Name, Trademark, or Logo as it will appear on the product

Endress+Hauser 

**Type of Construction**

Forged  Welded  Wrought   
Cast  Other   
Describe other:

List of supporting documentation and identification of the actual items to be registered:

- DRAWINGS, CALCULATIONS, REPORTS, SCOPE OF CRN

**Declaration:**

I LEONARD AMBROSINI, GENERAL MANAGER (see note 3) employed by ENDRESS+HAUSER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by sas (ISO 9001) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at \_\_\_\_\_

This \_\_\_\_\_ day of \_\_\_\_\_ AD \_\_\_\_\_

Use this space for the Official Seal

Commissioner of Oaths

Or Notary Public: (sign) See attached acknowledgment

(Affix Official seal to the right)

CRN: 0H20949.5

FID#: 14878

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

11/2016


This space for Regulatory Authority use.  
This registration must be revalidated after ten (10) years from the date of acceptance.

NUNAVUT  
Boilers and  
Pressure Vessels Act

REGISTERED

CRN: 0H20949.5N

Date: Jan 18, 2019

Signed:   
Chief Registrar

Sect 1.0 - Fittings Rev.2

Territorial Registration Fee