

345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel.: 416,734,3300 Fax: 416,231,1626 Toll Free: 1,877,682,8772

www.tssa.org

June 13, 2019

SCOTT ISLIP ROUND ENGINEERING INC 10 SEGWUN RD WATERDOWN ON L8B 0K6 CA

Service Request Type: BPV-Fitting Registration

Service Request No.: 2607460
Your Reference No.: R-1075

Registered to: AQSEPTENCE GROUP INC

Dear SCOTT ISLIP,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.: 0H21497.5

Main Design No.: Dwg. No. D000860382 Rev. B, Cylindrical screen with fittings

Expiry Date: 13-Jun-2029

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Mark Valcic P. Eng. Engineer Specialist BPV Tel.: 416-734-3494

Fax: 416-231-1626 Email: mvalcic@tssa.org



TECHNICAL STANDARDS & SAFETY AUTHORITY

14th Floor, Centre Tower

3300 Bloor Street West

Toronto, Ontario

Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



STATUTORY DECLA Registration of Fittin	RATION
, Glen Swanson, Head of HSEQ (Quality Assurance)	
(Name and Position, e.g. President, Plant Manager, Ch	olef Engineer)
of Aqseptence Group, Inc.	
(Name of Manufacturer)	
ocated at 1950 Old Highway 8 NW, New Brighton, Minnesota, 55112, USA	1-651-636-3900
(Plant Address)	(Telephone No.) (Fax No.)
do solemnly declare that the fittings listed hereunder, which are subject to the and Pressure Vessels Regulation, comply with all of the requirements of ASME B31.3	e Technical Standards and Safety Act, Boiler
Which specifies the dimension of the Community of the Com	
which specifies the dimensions, materials of construction, pressure/temperature rat	ings, identification marking the fittings and service;
production portation ratings and the basis for such ratings, the marking of the	n identifies the dimensions, material of construction if fitting for identification and service.
further declare that the manufacture of these fittings is controlled by a quality system	n meeting the requirements of ISO 9001:2015
which has been verified by the following authority, bsi he litems covered by this declaration, for which I seek registration, are category H - SCRE	
is application, the following information and/or test data are attached as follows: COPE OF CRN REGISTRATION, REPORTS, DRAWINGS, CALCULATIONS	type fittings. In support of
(drawings, calculations, lest reports, etc.)	- · · · · · · · · · · · · · · · · · · ·
eclared before me at <u>Hyseptence Group</u> in the <u>STA</u> e <u>21st</u> day of <u>May</u> AD 20_19 commissioner for Oaths: NICOLE Mane Roaman	NICOLE MARIE ROGMAN Notary Public State of Minnesota My Commission Expires January 31, 2020
VICOU WILL ROGMAN (Signature)	2 M2
(Signature)	(Signature of Declarer)
the best of my knowledge and belief, the application meets the requirements of the chnical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and A Standard B51 and is accepted for registration in Category	Technical Standards and Safety Authority Boilers and Pressure Vessels Safety Program
N: 0HU491.5	REGISTERED
gistered by: TANKE VALCIC, P.ENG.	C.R.NUIJUTIT. 3
TE: This registration expires on June 13, 2019	Signed: JUNE 13, 2019
OTE: This registration expires on JUNE 19 100 09 OSANONIE: SEE THE MIACHMENT FOR THE SCO	20 state of the st
THE SOUTH THE STATE OF THE SOUTH STATE SOU	A CHECINIMION!
o Sr	free

NEW BRIGHTON, MINNESOTA AQSEPTENCE GROUP, INC. 1950 OLD HIGHWAY 8 NW 55112, USA



PAGE 1 0F 1

SCOPE OF CRN REGISTRATION

Product Description	Drawing Number	Design Code	Material	Installs	MAWP at MAWT	Design
			The same		(B.5.4)	1 lodon
Cylindrical	D000860382	ASME B31.3.	1.3. Alloy C276 ASTM B575 4" CL. 150 100/FV psig at 278.6F	4" CL. 150	100/FV psig at 278.6F	R-1075
Screen	Rev. B		UNS 10276	Flange		

Note 1: MAWP = Maximum Allowable Working Pressure, MAWT = Maximum Allowable Working Temperature.

Note 2: For low temperature operation the products shall conform to the rules of the applicable codes under which they are used.

