



the pressure equipment safety authority

9410 - 20 Ave N.W.
Edmonton, Alberta, Canada T6N 0A4
Tel: (780) 437-9100 / Fax: (780) 437-7787

November 10, 2019

Attention: Tanya Francis
TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO, ON M9W 6N9

The design submission, tracking number 2019-05467, originally received on August 06, 2019 was surveyed and accepted for registration as follows:

CRN : 0C21559.52 **Accepted on:** November 10, 2019
Reg Type: NEW DESIGN **Expiry Date:** July 08, 2029
Drawing No. : SCOPE OF REGISTRATION Rev 04SEP19
Fitting type: VALVE
Design registered in the name of : LESLIE CONTROLS INC.

The registration is conditional on your compliance with the following notes:

As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction are ASME B31.1, ASME B31.3 and B16.34.

- *This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.*
- *This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.*
- *Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3388 or fax (780) 437-7787 or e-mail Liu@absa.ca.

Sincerely,

LIU, XING, P. Eng.
DOP Cert. No. D00008861

STATUTORY DECLARATION Registration of Fittings

I, JULIAN MILLARES, ENGINEERING MANAGER of LESLIE CONTROLS INC. located at 12501 TELECOM DR., TAMPA, FLORIDA, 33637, U.S.A.



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- comply with the requirements of ASME B31.1, B31.3, ASME B16.34 which specifies the dimensions, materials of construction, pressure/temperature ratings and identification marking of the fittings, or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached (title of code of construction or other applicable document) data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, ABS QUALITY EVALUATIONS as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are CATEGORY C - PRESSURE REDUCING VALVES (brief description of fittings)

In support of this application, the following information, calculations and/or test data are attached: SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS

DECLARED before me at Tampa in the State of Florida this 25th day of June, 2019

(print) Cynthia Ann Vesco (a Commissioner of Oaths or Notary Public) (sign) Cynthia Ann Vesco (a Commissioner of Oaths or Notary Public)



(signature of applicant) Julian Millares

For ABSA Office Use Only:

NOTES: To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category Registration Number: 0C21559.52 Date Registered: 2019-11-10 Expiry Date: 2029-07-08

LESLIE CONTROLS INC.
 12501 TELECOM DR.
 TAMPA, FLORIDA
 33637, USA



LESLIE
CONTROLS, INC.
 A subsidiary of CIRCOR International, Inc.

04-Sep-19

PAGE 1 OF 1

SCOPE OF CRN REGISTRATION

Product Description	Flange Class	Body Material Specification	Design Code	Size Range	End Connection Inlet/Outlet	MAWP at MAWT (Note 2)	MDMT (F)	Report Number
Series GP Pressure Reducing Valves	N/A	ASTM A216-WCB Carbon Steel, ASTM A351-CF8M Stainless Steel	ASME B16.34 ASME B31.1 ASME B31.3	1/2", 3/4", 1", 1-1/2", 2"	NPT	300 psig at 600°F	-20°F	R-1109A
Series GP Pressure Reducing Valves	150	ASTM A216-WCB Carbon Steel, ASTM A351-CF8M Stainless Steel	ASME B16.34 ASME B31.1 ASME B31.3	1/2", 3/4", 1", 1-1/2", 2", 3", 4"	CL150 Flanged per ASME B16.5	150 psig at 566°F	-20°F	R-1109A
Series GP Pressure Reducing Valves	300	ASTM A216-WCB Carbon Steel, ASTM A351-CF8M Stainless Steel	ASME B16.34 ASME B31.1 ASME B31.3	1/2", 3/4", 1", 1-1/2", 2", 3", 4"	CL300 Flanged per ASME B16.5	300 psig at 600°F	-20°F	R-1109A

Note 1: MAWP = Maximum Allowable Working Pressure, MAWT = Maximum Allowable Working Temperature, MDMT = Minimum Design Metal Temperature.

Note 2: The pressure-temperature ratings shown are the maximum CRN pressure-temperature ratings. In all cases the MAWP may be limited by the seat or seal material or other considerations. Please consult Leslie Controls, Inc.

Note 3: For temperatures below -20F products shall conform to the rules of the applicable codes under which they are used.

ASDA
 SAFETY CODES ACT - PROVINCE OF ALBERTA
 REGISTRATION OF FITTINGS
 REGISTRATION NO. 0021559.52
 DWG. NO. or CAT. NO. Scope of CRN Reg
 TYPE OF FITTINGS Valve
 Date 2019-1-10 INITIALS dl
 XING LIU, P.Eng.
 DESIGN SURVEY ENGINEER