


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Tylok International, Inc.	
Manufacturers Address: 1061 East 260th St., Euclid, Ohio, 44132-2877	
Plant Locations: Same as Above	
<b>Category of Fittings to be registered. Circle one Category only</b>	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	<b>Title of the Standard of Construction</b>  - ASME B31.3 - ASME B31.1
<b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b>	
	<b>Type of Construction</b> Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:
<b>List of supporting documentation and identification of the actual items to be registered:</b>	
- GP SERIES BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS	


**Declaration:**

I LUKE DIFRANCO, ENGINEER (see note 3) employed by TYLOK INTERNATIONAL, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 SAI GLOBAL as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Luke D. Franco  
 Declared before me at 1061 East 260th St. Euclid OH 44132  
 This 30<sup>th</sup> day of September AD 2022  
 Commissioner of Oaths: Elizabeth Kirby  
 Or Notary Public: (sign) Elizabeth Kirby  
 (Affix Official seal to the right)



**ELIZABETH KIRBY**  
 Notary Public, State of Ohio  
 My Commission Expires  
 September 8, 2027

This space for Regulatory Authority use.	
CRN: <u>0C15691.5 Rev1</u> FID#: <u>2428</u> Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Scope: CRN renewal, SS-GP4, SS-GP6, SS-GP8, SS-GP12, SS-GP16 Ball Valves, Sizes to 1", 2000psi @ 100F; 100psi @ 400F addition of MNPT process connections. No change to design conditions. CRN expires Dec. 21st, 2032 (DGallant)	This registration must be revalidated after ten (10) years from the date of acceptance:  <b>ACCEPTED</b> PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT C.R.N. <u>0C15691.59 Rev1</u> DATE: <u>FEB 17/23</u>  INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Tylok International, Inc.	
Manufacturers Address: 1081 East 260th St., Euclid, Ohio, 44132-2877	
Plant Locations: Same as Above	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>- ASME B31.3 - ASME B31.1</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  </div>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- GP SERIES BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:**

I LUKE DIFRANCO, ENGINEER (see note 3) employed by TYLOK INTERNATIONAL, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 SAI GLOBAL as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Luke DiFranco

Declared before me at 1081 East 260th St. Euclid OH 44132

This 30th day of September AD 2022

Commissioner of Oaths

Or Notary Public: (sign) Elizabeth Kirby  
 (Affix Official seal to the right)



**ELIZABETH KIRBY**  
 Notary Public, State of Ohio  
 My Commission Expires  
 September 8, 2027

This space for Regulatory Authority use.


This registration must be revalidated after ten (10) years from the date of acceptance

CRN: OC15691.5 Rev1

FID#: 2428

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation. Scope: CRN renewal. SS-GP4, SS-GP6, SS-GP8, SS-GP12, SS-GP16 Ball Valves. Sizes to 1". 2000psi @ 100F; 100psi @ 400F. 11/2018 addition of MNPT process connections. No change to design conditions. CRN expires Dec.21st, 2032 (DGallant)




**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: Tylok International, Inc.	
Manufacturers Address: 1061 East 260th St., Euclid, Ohio, 44132-2877	
Plant Locations: Same as Above	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>- ASME B31.3 - ASME B31.1</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <div align="center">  </div>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- GP SERIES BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:**

I LUKE DIFRANCO, ENGINEER (see note 3) employed by TYLOK INTERNATIONAL, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001: 2015 SAI GLOBAL as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Luke DiFranco*  
 Declared before me at 1061 East 260th St. Euclid OH 44132  
 This 30<sup>th</sup> day of September AD 2022  
 Commissioner of Oaths  
 Or Notary Public: (sign) *Elizabeth Kirby*  
 (Affix Official seal to the right)



<p align="center">This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0C15691.5 Rev1</u>                  FID#: <u>2428</u>                  Notes:                  1. All Fittings shall be registered in the name of the Manufacturer.                  2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.                  3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.                  4. Quality Control programs shall be resubmitted for validation.                  Scope: CRN renewal. SS-GP4, SS-GP6, SS-GP8, SS-GP12, SS-GP16 Ball Valves. Sizes to 1". 2000psi @ 100F; 100psi @ 400F                  11/2016 addition of MNPT process connections. No change to design conditions. CRN expires Dec.21st, 2032 (DGallant)</p>	<p align="center">DEPT. OF JUSTICE PUBLIC SAFETY BOILER &amp; PRESSURE VESSEL ACT</p> <p align="center">REGISTRATION ONLY CRN <u>0C15691.57 Rev1</u></p> <p align="center"><u><i>Don A...</i></u> CHIEF BOILER INSPECTOR DATE <u>2/17/23</u></p> <p align="right">Sect 1.0 - Fittings Rev.2</p> <p><input type="checkbox"/> BLRs    <input type="checkbox"/> PVs  <input checked="" type="checkbox"/> FITTINGS    <input type="checkbox"/> NUCLEAR COMPONENTS</p>
---	---


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Tylok International, Inc.	
Manufacturers Address: 1061 East 260th St., Euclid, Ohio, 44132-2877	
Plant Locations: Same as Above	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>- ASME B31.3 - ASME B31.1</p>
Show Manufacturers Name, Trademark, or Logo as it will appear on the product	
	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
List of supporting documentation and identification of the actual items to be registered:	
- GP SERIES BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS	

**Declaration:**

I LUKE DIFRANCO, ENGINEER (see note 3) employed by TYLOK INTERNATIONAL, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 SAI GLOBAL as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Luke D. Franco*  
 Declared before me at 1061 East 260<sup>th</sup> St. Euclid OH 44132  
 This 30<sup>th</sup> day of September AD 2022  
 Commissioner of Oaths  
 Or Notary Public: (sign) *Elizabeth Kirby*  
 (Affix Official seal to the right)



**ELIZABETH KIRBY**  
 Notary Public, State of Ohio  
 My Commission Expires  
 September 8, 2027

<p>CRN: <u>0C15691.5 Rev1</u></p> <p>FID#: <u>2428</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation. Scope: CRN renewal. SS-GP4, SS-GP6, SS-GP8, SS-GP12, SS-GP16 Ball Valves. Sizes to 1". 2000psi @ 100F: 100psi @ 400F  <small>11/2018 addition of MNPT process connections. No change to design conditions. CRN expires Dec.21st, 2032 (DGallant)</small></li> </ol>	<p align="center">This space for Regulatory Authority use.</p> <p align="center">Newfoundland Labrador</p> <p>Registered <u>0C15691.50 Rev1</u>              Date <u>Feb 20 2023</u>              Engineering and Inspection Services              Registered by <u><i>[Signature]</i></u></p> <p align="center">UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS</p> <p align="right">Sect 1.0 - Fittings Rev.2</p>
---	---


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Tylok International, Inc.		
Manufacturers Address: 1061 East 260th St., Euclid, Ohio, 44132-2877		
Plant Locations: Same as Above		
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>- ASME B31.3 - ASME B31.1</p>	
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <div style="text-align: center;">  </div>		<p align="center"><b>Type of Construction</b></p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- GP SERIES BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>		

**Declaration:**

I LUKE DIFRANCO, ENGINEER (see note 3) employed by TYLOK INTERNATIONAL, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001: 2015 SAI GLOBAL as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Luke D. Franco*  
 Declared before me at 1061 EAST 260<sup>th</sup> St. Euclid OH 44132  
 This 30<sup>th</sup> day of September AD 2022  
 Commissioner of Oaths  
 Or Notary Public: (sign) *Elizabeth Kirby*  
 (Affix Official seal to the right)



**ELIZABETH KIRBY**  
 Notary Public, State of Ohio  
 My Commission Expires  
 September 8, 2027

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0C15691.5 Rev1</u> FID#: <u>2428</u> Notes:	<div style="border: 1px solid black; border-radius: 50%; padding: 10px; text-align: center;"> <p>GOVERNMENT OF YUKON</p> <p>BY <u><i>[Signature]</i></u></p> <p>CRN <u>0C15691.5Y REV1</u></p> <p>DATE <u>20/02/2023</u></p> <p>BOILER BRANCH</p> </div> <p align="right">Sect 1.0 - Fittings Rev.2</p>
<p>1. All Fittings shall be registered in the name of the Manufacturer.</p> <p>2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</p> <p>3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</p> <p>4. Quality Control programs shall be resubmitted for validation.                  Scope: CRN renewal. SS-GP4, SS-GP6, SS-GP8, SS-GP12, SS-GP16 Ball Valves. Sizes to 1". 2000psi @ 100F; 100psi @ 400F                  11/2016 addition of MNPT process connections. No change to design conditions. CRN expires Dec.21st, 2032 (DGallant)</p>	


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Tylok International, Inc.	
Manufacturers Address: 1061 East 260th St., Euclid, Ohio, 44132-2877	
Plant Locations: Same as Above	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves; all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>- ASME B31.3 - ASME B31.1</p>
Show Manufacturers Name, Trademark, or Logo as it will appear on the product	
	
Type of Construction Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:	
List of supporting documentation and identification of the actual items to be registered: - GP SERIES BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS	


**Declaration:**

I LUKE DIFRANCO, ENGINEER (see note 3) employed by TYLOK INTERNATIONAL, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 SAI GLOBAL as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Luke DiFranco*  
 Declared before me at 1061 East 260th St. Euclid OH 44132  
 This 30th day of September AD 2022  
 Commissioner of Oaths  
 Or Notary Public: (sign) *Elizabeth Kirby*  
 (Affix Official seal to the right)



**ELIZABETH KIRBY**  
 Notary Public, State of Ohio  
 My Commission Expires  
 September 8, 2027

This space for Regulatory Authority use.	
This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0C15691.5 Rev1</u>	
FID#: <u>2428</u>	
Notes:	
<ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation. Scope: CRN renewal, SS-GP4, SS-GP6, SS-GP8, SS-GP12, SS-GP18 Ball Valves. Sizes to 1". 2000psi @ 100F; 100psi @ 400F addition of MNPT process connections. No change to design conditions. CRN expires Dec.21st, 2032 (DGallant)</li> </ol>	
 REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. Sect 1.0 - Fittings Rev.2 C.R.N <u>0C15691.5T Rev1</u> SIGNED <u><i>Zane Perulian</i></u> DATE <u>Feb 20/23</u> <u>65,00</u>	


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: Tylok International, Inc.		
Manufacturers Address: 1061 East 260th St., Euclid, Ohio, 44132-2877		
Plant Locations: Same as Above		
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>- ASME B31.3 - ASME B31.1</p>	
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <div align="center">  </div>		<p align="center"><b>Type of Construction</b></p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- GP SERIES BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>		

**Declaration:**

I LUKE DIFRANCO, ENGINEER (see note 3) employed by TYLOK INTERNATIONAL, INC. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 SAI GLOBAL as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Luke DiFranco*  
 Declared before me at 1061 East 260th St. Euclid OH 44132  
 This 30th day of September AD 2022  
 Commissioner of Oaths  
 Or Notary Public: (sign) *Elizabeth Kirby*  
 (Affix Official seal to the right)



ELIZABETH KIRBY  
 Notary Public, State of Ohio  
 My Commission Expires  
September 8, 2027

<p>CRN: <u>0C15691.5 Rev1</u></p> <p>FID#: <u>2428</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation. Scope: CRN renewal. SS-GP4, SS-GP6, SS-GP8, SS-GP12, SS-GP16 Ball Valves. Sizes to 1". 2000psi @ 100F; 100psi @ 400F addition of MNPT process connections. No change to design conditions. CRN expires Dec.21st. 2032 (DGallent)</li> </ol>	<p align="center">This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p align="center"><b>REGISTERED</b></p> <p>CRN <u>0C15691.5N Rev1</u>          Date <u>2023-02-17</u>          Signed _____          Chief Inspector</p> <p align="right">Sect 1.0 - Fittings Rev.2  <b>Territorial Registration Fee</b></p>
---	---