

January 15, 2020

14th Floor, Centre Tower 3300 Bloor Street West Toronto, Ontario Canada M8X 2X4 Tel.: 416.734.3300 Fax: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

SCOTT ISLIP ROUND ENGINEERING INC 10 SEGWUN RD WATERDOWN ON L8B 0K6 CA

Service Request Type.: BPV-National ACI Central

Service Request No.: 2723818 Your Reference No.: R-1155

Registered to.: QINGDAO DIXON VALVE & FITTING CO., LTD

Dear SCOTT ISLIP,

Please find enclosed the original response from PEI, NS, NB, NFLD, YK, NWT, NU, under the CRN No.: 0C21934.59870YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Cecylia Garbacz Administrative Assistant\_ BPV Engineering

Tel.: 416-734-3328 Fax: 416-231-6183 Email:cgarbacz@tssa.org

Newfoundland and Labrador

Prince Edward Island

New Brunswick

Nova Scotia

Nunavut	Yukon	Northwest Ten	itories	
Manufacturers N	lame: QINGDAO DIXON VAL	VE & FITTING CO., LTD.		yprocess and the same of the s
		8, Helyd Road, Huangdao District, Cl	ngdao City, Shandong Province	s, P.R. China
Plant Locations:	SAME AS ABOVE		·	
A Pipe fittings, inclu B Flanges; ali flang © Valves: ali line va D Expansion jointa, E Strainers, filters, s F Measuring device transmittets G Certified cepecity-	iding couplings, tees, elbownes es elves flaxible connections, and he separators, and steem traps e, including pressure gauge	s, level gauges, sight glasses, s acceptable as primary over p	, or reducers	Title of the Standard of Construction  - ASME, API and MSS Codes
H Pressure retaining	g components that do not fa	If into one of the above catego ☐ Class 3 ☐ , (Meeting CNSC		
		or Logo as it will appear		Type of Construction
	OS&B	O O O O O O O O O O O O O O O O O O O		Forged : Welded :: Wrought B Cast B. Other :: Describe other:
List of supporting	documentation and id	ientification of the actual	Remarks be resistered	<u>d:</u>
- BUTTERFLY REPORTS	Y AND CHECK VA	LVES SCOPE OF X	本意	, CALCULATIONS,
		N.	20023100	
Deciaration:   BIAN CHANGGING, CHIEF!	FNGINFER (man make	as amplesed by Qingdao Dixo		d being the person having full authority
and responsibility for my knowledge repre- ratings, and identifica- fittings is regulated by vertified by 150 5001: 201	r the quality of the end prisents the product for whation markings are in accopy a Quality Control Program, and knowing that it is control Program.	roduct do solemnly declare ich registration is sought, cordance with the herein na ram which extends to each	that the information co The dimensions, materi amed standards. I furth plant where fabrication purpose and I make thi	intained in this form is true to the best of ials of construction, pressure temperature fer declare that the manufacture of these n occurs in whole or in part and has been a solemn declaration conscientiously
•	et Ding dan	7		
This 16 de	av of Arau	AD 2019	Use this sr	pace for the Official Seal
Commissioner of Oa		· ····		
Or Notary Public: (sig	gn) 14666	<u> </u>		
-	(Affix Official seal to			
	This registration	This space for Regulato must be revalidated after ten (		goceptence.
CRN: 0C2193	-	co reresidado ester terr	•••	CEPTED
15072			PROVINCE OF PRI	INCE EDWARD ISLAND
FID#: 15872			COMMUNITIES. L	AND & ENVIRONMENT
Notes: SELES	3 114 116 134 136 0	wherfy value s	C.R.N. OC	31934.59
	l be supported with two Statuto sporting documentation.	ry Declaration forms	DATE: Nov	20
3. The Declaration she	sporting documentation. all he made by the person having quality of the end product.	ng full authority and	N	MCC1
	rama shall be resubmitted for v	validation.	INSPECTION S	ERVICES SECTION
11/2016			BOILER/PRESSU	RE VESSEL BRANCH
	OCT.31,2019.	- D,G.		
	•			

New	Brunswick
Muna	No st

Nova Scotla Yukon Prince Edward Island Northwest Territories Newfoundland and Labrador

Manufacturers Name: QINGDAO DIXON VALVE & FITTING CO., LTD.		
Manufacturers Address; South Door, No. 2738, Halid Road, Huangdao District, Q	ingdae City, Shundong Province	p, P.R. China
Plant Locations: SAME AS ABOVE  Category of Fittings to be registered. Circle one Cate	noni only	This of the Standard of
A Pipe fittings, including couplings, tees, elbows, Ya, plugs, unions, pipe capi B Flanges: all flanges (C) Valves: all line valves		Title of the Standard of Construction
D Expansion loints, flexible connections, and hose assemblies: all types		ASME ADJ and
E Strainers, filters, separators, and steam traps  F Measuring devices, including pressure gauges, level gauges, sight glasses	lavala or ataccura	- ASME, API and MSS Codes
pausuiges Livesakuig gaviesi umunig hissoria Asndes' iasei Bandes' sidur Aissoca	, lavaia, or pressure	M33 Codes
G Certified capacity-rated pressure relief devices acceptable as primary over boilers, pressure vessels, piping and fusible plugs	pressure protection on	
H Pressure retaining components that do not fall into one of the above category	ories	
N Nuclear components: Class 1 🗆 Class 2 🗀 Class 3 🗇 (Meeting CNSC	or ASME requirements)	
Show Manufacturers Name, Trademark, or Logo as it will appear	on the product	Type of Construction
OS&B DIXINVAL		Forged a Welded a Wrought B Cast B Other p Describe other:
List of supporting documentation and identification of the actua	Memsta be enlatere	d:
- BUTTERFLY AND CHECK VALVES SCOPE OF	SOM HOLDINGS	, CALCULATIONS,
REPORTS	本篇	, oneodernono,
	1021	
	2010023191	
and responsibility for the quality of the end product do solemnly decising knowledge represents the product for which registration is acught, atings, and identification mandings are in accordance with the herein in titings is regulated by a Quality Control Program which extends to each entitled by 150 con: 2019 COC as being suitable for that telleving it to be true, and knowing that it is of the same force and effectively in the same force and	The dimensions, materi named standards. I furth h plant where fabrication numbes and I make thi	als of construction, pressure temperature per declare that the manufacture of these n occurs in whole or in part and has bee as solarm declaration conscientiously
Ignature of Declarer:		
eclared before me at		
nis <u>16</u> day of <u>Any</u> AD <u>70 19</u>	Use this sp	pace for the Official Seal
ommissioner of Oaths r Notary Public: (sign) 14/5/14		
(Affix Official seal to the right)		
This space for Regulate		-
This registration must be revalidated after ten	(10) years from the date of	Lacceptance.
CRN: 0C21934.5	GR & PRES	Lacesptance. SURE VESS
FID#: 15872	NOVA SO	DITA / VE
Idea: SERIES 25 CAECKYALVES	Date Nov.	29/19
All Fittings shall be registered in the name of the Manufacturer.	CRN. OCAL	934.58
Each Category shall be supported with two Stabutory Declaration forms		scribed
and one copy of supporting documentation.  The Declaration shall be made by the person having full authority and	Signed Tupon	· Perry
responsibility for the quality of the end product.		1
Quality Control programs shell be resubmitted for validation.	ACT & REG	$ \lambda$
11/2016 B. C.D.C.C. A. T.O. A. A. D. C.	REG	ULAL
RNEXPIRES OCT.31,2019-D.G.		

New Brunswick Nunavut Nova Scotia Yukon Prince Edward Island Northwest Territories Newfoundland and Labrador

Manufacturers Name; QINGDAO DIXON VALVE & FITTING CO., LTD.	
Manufacturers Address; South Door, No. 2738, Haixi Road, Huangdao District, Qingdao	City, Shandong Province, P.R. China
Plant Locations: SAME AS ABOVE	
Category of Fittings to be registered. Circle one Category  A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or n  B Flanges: all flanges  C Valves: all line valves	r only Title of the Standard of Construction
D Expansion joints, flexible connections, and hose assemblies: all types	- ASME, API and
E Strainers, filters, separators, and steam traps  F Measuring devices, including pressure gauges, level gauges, sight glasses, level	
transmitters  G Certified capacity-rated pressure relief devices acceptable as primary over pressiboilers, pressure vessels, piping and fusible plugs  H Pressure retaining components that do not fall into one of the above categories	
	CONF
N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or A Show Manufacturers Name, Trademark, or Logo as it will appear on t	
OS&B DIXONYAL	Forged
List of supporting documentation and identification of the actual nep	ns to be revistered:
- BUTTERFLY AND CHECK VALVES SCOPE OF ARM REPORTS	CALCULATIONS,
	023198
and responsibility for the quality of the end product do solemnly declare that my knowledge represents the product for which registration is sought. The ratings, and identification markings are in accordance with the herein name fittings is regulated by a Quality Control Program which extends to each pla verified by 150 9001: 2015 CQC as being suitable for that purp believing it to be true, and knowing that it is of the same force and effect as Signature of Declarer:	dimensions, materials of construction, pressure temperatur d standards. I further declare that the manufacture of these nt where fabrication occurs in whole or in part and has bee lose and I make this solemn declaration conscientiously
Declared before me at	
This 16 day of And AD 2019	Use this space for the Official Seal
	Ose the space for the Official Seal
Or Notary Public: (sign)  (Affix Official seal to the right)	A
This space for Regulatory Au	thority use.
This registration must be revalidated after ten (10) y	vears from the date of acceptance.
CRN: 0C21934.5	DEPT OF JUSTICE PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT
FID#: 15872	BOILER & PRESSURE VESSELACT
Notes: SERIES 25 CHECKYALURS	REGISTRATION ONLY
All Fittings shall be registered in the name of the Manufacturer.	CRNOCQ 1934,57
<ol><li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li></ol>	$\rho \sim$
<ol><li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li></ol>	Dan Clins
4. Quality Control programs shall be resubmitted for validation.	CHIEF BOILER INSPECTOR  DATE 11/29/28 dc 40 - Fittings Rev.2
11/2016	DATE 1/29/2019 THURSDING
PNEXPIRES OCT. 31, 2029 - D.G.	
	□BL,Rs □ PVs
•	FITTINGS INUCLEAR COMPONENTS

Newfoundland and Labrador

Prince Edward Island

New Brunswick

Nova Scotia

Nunavut	Yukon	Northwest Territories	
Manufacturers	Name: GINGDAO DIXON VALVE & FITTIN	G CO., LTD.	en alle de la companya del companya del companya de la companya de
		, Huangdao District, Qingdao City, Shandong Provinc	a, P.R. China
A Pipe fittings, incl B Flanges: all flang	gory of Fittings to be registered. luding couplings, tees, elbows, Ys, plug pas		Title of the Standard of Construction
	i, flexible connections, and hose assemi	blies: all types	- ASME, API and
F Measuring device transmitters		uges, sight glasses, levels, or pressure	MSS Codes
bollers, pressure	rated pressure relief devices acceptab vessels, piping and fusible plugs ng components that do not fall into one	le as primary over pressure protection on of the above categories	
	ents: Class 1 🗆 Class 2 🗅 Class 3 l	in (Meeting CNSC or ASME requirements) as it will appear on the product	Type of Construction
	OS&B D	VAL	Forged o Walded o Wrought N Cast N Other o Describe other:
	ng documentation and identificate Y AND CHECK VALVES:	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	d: S, CALCULATIONS.
REPORTS		東東の東京の	
my knowledge repn ratings, and identific fitlings is regulated verified by 450 8001:20	or the quality of the end product do esents the product for which regist cation markings are in accordance by a Quality Control Program which coc as being le, and knowing that it is of the san	solemnly declare that the information or ration is sought. The dimensions, mate with the herein named standards. I fun	nd being the person having full authority ontained in this form is true to the best of rials of construction, pressure temperature ther declare that the manufacture of these on occurs in whole or in part and has been nis solemn declaration conscientiously th.
Declared before me	e at Ring dec		
This d	iay ofAnd AD	20 19 Use this s	space for the Official Seal
Commissioner of O	aths Kr. de de		
Or Notary Public: (s	ign) 14.66.66		
	(Affix Official seal to the right		Additional and the second of t
		space for Regulatory Authority use. evalidated after ten (10) years from the date	of Acceptence a
CRN: 0C219		SABINGSTON BITCH IDILI I 10) Joseph Hottl and contr.	Newformidland
FID#: 1587			Labrador
Notes: SERIES  1. All Fittings shall be	75 ONE CK VALUES  314 Ile 134 36 butter 1  a replaced in the name of the Manufacture	<b>Y</b>	Service NL distered 0C21934.50
	all be supported with two Statutory Declarate	Dat Sion forms Eng	ineering and Inspection Socioes
3. The Declaration st	hall be made by the person having full author		gistered
•	he quality of the end product. ograms shall be resubmitted for validation	!	UNDER THE AUTHORITY OF THE
11/2016		347	PUBLIC SAFETY SEE AND Fittings Rev 2 BOILER, PRESSURE VESSEL AND
	S OCT. 31, 2029 - D.G	C	OMPRESSED GAS RECULATIONS
WALL COLUMN	ノー・コリムンとニーロー		

New Brunswick	Nova Scotia	Prince Edward Island	Newfoundland and Labrador
Nunavut	Yukon	Northwest Territories	
Manufacturers Nar	Me: QINGDAO DIXON VALVE	& FITTING CO., LTD.	
		labid Road, Huangdao District, Qingdao City, Shar	dong Province, P.R. China
Plant Locations: sa			
	ng couplings, tees, elbows, \	stered. Circle one Category only Ys, plugs, unions, pipe caps, or reducers	<u>Title of the Standard of</u> <u>Construction</u>
D Expansion joints, flex	xible connections, and hose	assemblies: all types	- ASME, API and
	parators, and steam traps	level gauges, sight glasses, levels, or pre	
transmitters	including pressure gauges,	level gauges, signit glasses, levels, or pre-	INIGG COUCS
	ed pressure relief devices a sels, piping and fusible plug	cceptable as primary over pressure prote	ction on
		nto one of the above categories	
N Nuclear components	: Class 1 🗆 Class 2 🗀 (	Class 3 🔲 , (Meeting CNSC or ASME requ	ulrements)
Show Manufacturer	rs Name, Trademark, or	Logo as it will appear on the prod	
	1 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Forged D Welded D Wrought & Cast & Other D
	OSAR		Describe other:
	DI DI	XUNVAL	
List of supporting d	locumentation and ide	ntification of the actual nems to be	instered:
- BUTTERELY	AND CHECK VAL	VES SCOPE OF XXX	MINES, CALCULATIONS,
REPORTS	THE CHILOR VILL	120 0001 2 7 m	, or assumente,
1121 01110		TE V	<b>ant</b>
		illine.	海
		This is	
Declaration:		384002319	
BIAN CHANGQING, CHIEF EN	GINEER (see note 3)	employed by Qingdao Dixon Valve & Fitting	Co., Ltd. and being the person having full authority
and responsibility for the	he quality of the end pro-	duct do solemnly declare that the info b registration is sought. The dimensi	ormation contained in this form is true to the best of ons, materials of construction, pressure temperature
ratings, and identificati	on markings are in acco	rdance with the herein named standa	ards. I further declare that the manufacture of these
fittings is regulated by verified by 150 5001: 2015 0	a Quality Control Progra	m which extends to each plant when	e fabrication occurs in whole or in part and has been I I make this solemn declaration conscientiously
believing it to be true, a	and knowing that it is of	the same force and effect as if made	under oath.
Circuit on of Decisions	1 Risk		
Signature of Declarer:	A Thirts		
			ing this appear for the Official Conf
	of Aug /	D_1419	Jse this space for the Official Seal
Commissioner of Oath	Ale ille like		
Or Notary Public: (sign			
	(Affix Official seal to t		
	This registration me	This space for Regulatory Authority u ust be revalidated after ten (10) years from	
CRN: 0C21934	-		INIENT OF
FID#: 15872			12 L
COURS OF	MERCYALUES		131
Notes: SERIES (3)	14.16.34.36 by	Herfly values	O BY
1	e supported with two Statutory	Declaration forms	10/4
and one copy of suppo			CRN 0C21934.5Y
	be made by the person having uality of the end product.	full authority and	
1	ms shall be resubmitted for val	lidation.	DATE 12/02/2019
			Sect 1.0 - Filtings Rev.2
11/2016		0.1	80 NOT
LKU EXPIRES	OCT.31,2029 -	D.G.	The TRANS

Newfoundland and Labrador

Prince Edward Island

New Brunswick

Nova Scotla

Nunavut:	Yukan	Northwest Territ	ories		
	Name: QINGDAD DIXON VALVE & F			Andrews and appropriate and appropriate and the analysis and appropriate and and analysis and appropriate and and appropriate	
	Address; South Door, No. 2738, Hels	d Road, Huangdao District, Cling	dee City, Shandong Province	, P.R. China	
A Pipe fittings, inci B Flanges: all flan (a) Valves: all fine v D Expansion joints E Strainers, filters, F Measuring device transmitters G Certified capacity	norv of Fittings to be registe luding couplings, tess, abows, Ys, gas	, plugs, unions, pipe caps, d esemblies: all types ral gauges, sight glasses, k	or reducers	Title of the Standard of Construction  - ASME, API and MSS Codes	
H Pressure retaining N Nuclear compone	ng components that do not fall into ents: Class 1 🖸 Class 2 🗍 Clas	as 3 🔲 , (Meeting CNSC o	ASME requirements)		
Show Manufactu	OS&B	Ogo as it will appear of	the product	Type of Construction Forged a Welded a Wrought 6 Cast & Other a Describe other:	
1	g degumentation and identi Y AND CHECK VALVE		MURAMAS 本 本 本 本 上 八 八 二 二 八 八 二 二 二 二 二 二 二 二 二 二 二 二 二	E , CALCULATIONS,	
my knowledge representings, and identifications is regulated by so seem and believing it to be true.  Signature of Declared Declared before me	re the quality of the end product seems the product for which relation markings are in accordance of a Quality Control Program is seen, and knowing that it is of the later of	nployed by Cingdao Dixon V ot do solemniy declara the egistration is sought. The since with the herein name which extends to each po- being suitable for that pu	at the information con e dimensions, materia led standards. I furth tant where fabrication impose and I make this is if made under oath.	i being the person having full authority ntained in this form is true to the best of als of construction, pressure temperatu er declare that the manufacture of thes a occurs in whole or in part and has bee a solemn declaration conscientiously	f re
Or Notary Public: (sig	(Affix Official seal to the r	right) This space for Regulatory	Authority		
All Fidings shall be     Each Catagory shall     and one copy of aug     The Declaration shall     responsibility for the     Quality Control prog	This registration must I	be revalidated after ten (10  FTY VIIVE S  cturer.  claration forms  authority and  lon.	Northwest REGIS UNDER THE A	ories TERED AUTHORITY OF AND PRESSURE EL ACT. Sect 1.0 - Filings Rev.2	

3 / 10

# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New	Brunswic
Marine	na it

Nova Scotia Yukon

Prince Edward Island Northwest Territories

Newfoundland and Labrador

Manufacturers Name: QINGDAO DIXON VALVE & FITTING CO., LTD.  Manufacturers Address: South Door, No. 2738, Haixi Road, Huangdao District, Qingd Plant Locations: SAME AS ABOVE		
	an City Shandong Province	P.R. Chine
LIANT LOCATIONS: SAME AS ABOVE	50 C.I.J.	
Category of Fittings to be registered. Circle one Categor  A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or B Flanges: all flanges  C Valves: all line valves	ry only reducers	Title of the Standard of Construction
D Expansion joints, flexible connections, and hose assemblies: all types  E Strainers, fillers, separators, and steam traps		- ASME, API and
Measuring devices, including pressure gauges, level gauges, sight glasses, level transmitters     Certified capacity-rated pressure relief devices acceptable as primary over pressure to bollers, pressure vessels, piping and fusible plugs     Pressure retaining components that do not fall into one of the above categories.	ssure protection on	MSS Codes
N Nuclear components: Class 1 🗆 Class 2 🗀 Class 3 🗋 , (Meeting CNSC or		
Show Manufacturers Name, Trademark, or Logo as it will appear on OS&B		Type of Construction Forged o Welded o Wrought & Cast 8 Other o Describe other:
List of supporting documentation and identification of the actual in	emeta be relistere	
PECIARATION:  SUM CHANGOING, CHIEF ENGINEER  Ind responsibility for the quality of the end product do solemnly declare the ny knowledge represents the product for which registration is sought. The atings, and identification markings are in accordance with the herein namulatings is regulated by a Quality Control Program which extends to each pile.	alve & Fitting Co., Ltd. and at the information coe dimensions, maleried standards. I furth	als of construction, pressure temperatur
retified by isomo 2015 coc as being suitable for that purelieving it to be true, and knowing that it is of the same force and effect a signature of Declarer:  Declared before me at	rpose and I make thi is if made under oath	n occurs in whole or in part and has bee s solemn declaration conscientiously
rentified by 150 1001 2015 COC as being suitable for that purelieving it to be true, and knowing that it is of the same force and effect a signature of Declarer:  Declared before me at	rpose and I make thi is if made under oath	n occurs in whole or in part and has bee s solemn declaration consclentiously
rentified by 150 1801 1201 5 COC as being suitable for that pure relieving it to be true, and knowing that it is of the same force and effect a signature of Declarer:	rpose and I make thi is if made under oath Use this sp	n occurs in whole or in part and has bee s solemn declaration consclentiously
rentified by 150 1001 2015 COC as being suitable for that purelieving it to be true, and knowing that it is of the same force and effect a signature of Declarer:  Declared before me at	rpose and I make this if made under oath  Use this sp	n occurs in whole or in part and has bee is solemn declaration conscientiously bace for the Official Seal
retified by 150 1801 1801 1801 1801 1801 1801 1801	rpose and I make this if made under oath  Use this sp	n occurs in whole or in part and has bee is solemn declaration conscientiously bace for the Official Seal
retified by 150 1801 1815 1800 1801 1801 1801 1801	rpose and I make this if made under oath  Use this sp	acceptance.  NUNAVUT  Boilers and
retified by isoson 2015 coc as being suitable for that purelieving it to be true, and knowing that it is of the same force and effect a signature of Declarer:  Declared before me at Ging App AD 70 19  Commissioner of Oaths  Or Notary Public: (sign)  (Affix Official seal to the right)  This space for Regulatory  This registration must be revalidated after ten (10)  CRN: 0C21934.5  FID#: 15872  Notes: SECIES 25 CASCA VALUES  Notes: SECIES 25 CASCA VALUES  1. All Fittings shall be registered in the name of the Manufacturer.  2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  3. The Declaration shall be made by the person having full suthority and	use this space of the space of	acceptance  NUNAVUT  Boilers and Pressure Vessels Act
retified by 150 1801 1801 2015 COC as being suitable for that pure letieving it to be true, and knowing that it is of the same force and effect a signature of Declarer:  Declared before me at Ging day  This	Use this spanning from the date of Namayut	acceptance  NUNAVUT  Boilers and Pressure Vessels Act  REGISTERED
retified by isoson zots coc as being suitable for that purelieving it to be true, and knowing that it is of the same force and effect a signature of Declarer:  Declared before me at Give App AD 70 /9  Commissioner of Oaths  Or Notary Public: (sign)  (Affix Official seal to the right)  This space for Regulatory  This registration must be revalidated after ten (10)  CRN: 0C21934.5  FID#: 15872  Notes: SERIES 23 CHECK YALLES  Notes: SERIES 23 CHECK YALLES  All Fittings shall be registered in the name of the Manufacturer.  2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.  4. Quality Control programs shall be resubmitted for validation.	use this space of the space of	acceptance  NUNAVUT  Boilers and Pressure Vessels Act
retified by isoson and coc as being suitable for that purelieving it to be true, and knowing that it is of the same force and effect a signature of Declarer:  Declared before me at Ging Apparature of Declarer and day of Angl Apparature of Declarer of Oaths  (Affix Official seal to the right)  This space for Regulatory This registration must be revalidated after ten (10)  CRN: 0C21934.5  FID#: 15872  Notes: Series 25 Object 34 36 before and one copy of supported with two Statutory Declaration forms and one copy of supporting documentation.  The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.	Use this spanning from the date of Namayut	acceptance  NUNAVUT  Boilers and Pressure Vessels Act  REGISTERED
retified by isoson 2015 coc as being suitable for that purelieving it to be true, and knowing that it is of the same force and effect a signature of Declarer:  Declared before me at Ging AD AD 70 /9  Commissioner of Oaths  Or Notary Public: (sign)  (Affix Official seal to the right)  This space for Regulatory  This registration must be revalidated after ten (10)  CRN: 0C21934.5  FID#: 15872  Notes: SERIES 23 CHECK YALLES  Notes: SERIES 33 CHECK YALLES  All Fittings shall be registered in the name of the Manufacturer.  2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.  4. Quality Control programs shall be resubmitted for validation.	Authority use.  Orange from the date of th	acceptance  NUNAVUT  Boilers and Pressure Vessels Act  REGISTERED