

March 25, 2015

Attention: Tanya Francis
TECHNICAL STANDARDS & SAFETY AUTHORITY
3300 BLOOR STREET WEST
14 FLOOR CENTRE TOWER
TORONTO, ON M8X 2X4

The design submission, tracking number 2015-01514, originally received on February 25, 2015 was surveyed and accepted for registration as follows:

CRN : 0C17459.52 **Accepted on:** March 25, 2015
Reg Type: New Design **Expiry Date:** February 06, 2025
Drawing No. : PER SCOPE OF REGISTRATION ATTACHED TO STATUTORY DECLARATION
Fitting type: DOUBLE OFFSET BUTTERFLY VALVES

Design registered in the name of : CONBRACO INDUSTRIES, INC

The registration is conditional on your compliance with the following notes:

TSSA SR# 1581444/CRN 0C17459.5

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

Sincerely,




PREDA, DRAGOS, P. Eng.



the pressure equipment safety authority

STATUTORY DECLARATION
Registration of Fittings



I, GREG GOODSON,
MANAGER OF PRODUCT ENGINEERING
(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)
of CONBRACO INDUSTRIES, INC.
(name of manufacturer)

located at 701 MATTHEWS-MINT HILL ROAD, MATTHEWS, NC, USA, 28105
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- comply with the requirements of ASME B16.34, API 607, API 609 which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, ISO 9001:2008 TUV RHEINLAND as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are CAT C-DOUBLE OFFSET HPBV

In support of this application, the following information, calculations and/or test data are attached:


CATALOGUE, SCOPE OF SUPPLY, QUALITY CERTIFICATES AND REPORTS

DECLARED before me at Chesterfield Co. in the State of South Carolina

this _____ day of _____ (Month), _____ (Year)

(print) Nancy Strawn
(sign) Nancy Strawn
(A Commissioner for Oaths)

Greg Goodson
(Signature of Applicant)



For Office Use Only See Acceptance Letter for the comments and/or conditions of registration.

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category u C u

Registration Number: OC17459.52

Date Registered: MAR 25 2015 (For the Administrator/Chief Inspector of Alberta) Expiry Date: 2025/02/06

CONBRACO INDUSTRIES INC.
 701 MATTHEWS-MINT HILL ROAD
 MATTHEWS, NC
 USA, 28105

06-Jan-15

DOUBLE OFFSET HIGH PERFORMANCE BUTTERFLY VALVE - SCOPE OF CRN REGISTRATION

Series Number	Body Material Specification	Design Code	Size Range	ANSI Class	End Connection	MAWP at Temperature
215L	ASTM A216-WCB C.Steel	ASME B16.34, API 607, API 609	2" thru 24"	150 Lb.	Lug	285 psig at 100F
215L	ASTM A351-CF8M S.Steel	ASME B16.34, API 607, API 609	2" thru 24"	150 Lb.	Lug	275 psig at 100F
215W	ASTM A216-WCB C.Steel	ASME B16.34, API 607, API 609	2" thru 24"	150 Lb.	Wafer	285 psig at 100F
215W	ASTM A351-CF8M S.Steel	ASME B16.34, API 607, API 609	2" thru 24"	150 Lb.	Wafer	275 psig at 100F
230L	ASTM A216-WCB C.Steel	ASME B16.34, API 607, API 609	2" thru 24"	300 Lb.	Lug	740 psig at 100F
230L	ASTM A351-CF8M S.Steel	ASME B16.34, API 607, API 609	2" thru 24"	300 Lb.	Lug	720 psig at 100F
230W	ASTM A216-WCB C.Steel	ASME B16.34, API 607, API 609	2" thru 24"	300 Lb.	Wafer	740 psig at 100F
230W	ASTM A351-CF8M S.Steel	ASME B16.34, API 607, API 609	2" thru 24"	300 Lb.	Wafer	720 psig at 100F
260L	ASTM A216-WCB C.Steel	ASME B16.34, API 607, API 609	3" thru 12"	600 Lb.	Lug	1480 psig at 100F
260L	ASTM A351-CF8M S.Steel	ASME B16.34, API 607, API 609	3" thru 12"	600 Lb.	Lug	1440 psig at 100F
260W	ASTM A216-WCB C.Steel	ASME B16.34, API 607, API 609	3" thru 12"	600 Lb.	Wafer	1480 psig at 100F
260W	ASTM A351-CF8M S.Steel	ASME B16.34, API 607, API 609	3" thru 12"	600 Lb.	Wafer	1440 psig at 100F

REGISTRATION OF FITTINGS

REGISTRATION NO. **0C1745952**

DWG. NO. or CAT. NO. **AS LISTED**

TYPE OF FITTINGS **VALVES**

MAR 25 2015 INITIALS **preda**

Date **MAR 25 2015** DRAGOS PREDA, P.Eng.
 DESIGN SURVEY ENGINEER