NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	CONBRACO INDUSTRI	ES INC.	
MANUFACTURERS ADDRESS:	701 MATTHEWS-MINT	HILL ROAD, MATTHEWS, NC, USA, 28105	
PLANT LOCATIONS:	701 MATTHEWS-MINT	HILL ROAD, MATTHEWS, NC. USA, 28106	
	IGS TO BE REGISTERE	D. CIRCLE DNE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipa fittings, including coupling B Flanges: all flanges C Valves: all fine volves D Expension joints, flexible conn E Strainers, filters, esperators, a F Measuring devices, including p pressure transmitters C Cartified capacity-rated pressu- ballars, pressure vessats, pipil H Pressure rataining component	actions, and hose assemt not ateam treps pressure geuges, level gar pre railet devices acceptat no and tusible piuzs	bilaa: all typas upas, sight glassas, lavala, ar sia as primary over pressure protection on	- ASME B16.34 - API 807 - API 809
N Nuclear components: Class 1	□ Class 2 □ Class 3 □	1. (Meeting CNSC or ASME requirements)	
		IGO AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
- 1 -	$^*\mathcal{A}_{p_0}$	ollo®"	FOROSO II WELSED II WROUGHT II CAST XI OTHER II OGSCRIEGOTHER.
LIST OF SUPPORTING DOCUM	ENTATION AND IDENTI	FICATION OF THE ACTUAL ITEMS TO BE R	EGISTERED:
- QUALITY CERTIFICATES AN	1		
my knowledge represents the lemperature retings, and ident manufacture of these fittings is	the end product as some product for which regie lification markings are in reguleted by a Quality	ed by CONBRACO INDUSTRIES INC and be emply declare that the information contains trailing is sought. The dimensions, material accordance with the herein named stangy Control Program which extends to each	ned in this form is true and to the bast of ials of construction, pressure dards. I further declare that the plant where fabrication occurs in whole
declaration conscientiously be	e by 130 90012008 FOV	MEINLAND spring sufficiently by the pane grid by the spring spring spring by the spring spring spring by the spring spri	that purpose and I make this solemn affect as if made under oath.
Signature of Declarer: Declared before ms at	e Herfield Co.	SC USE THE	S SPENCE FOR
This 5th day of <u>Ua</u> Commissioner of Oaths or Notary Public: (sign)	nuary AD 2	2015 OF F	CLANTER COLLEGE
	Thi	is space for Regulatory Authority use	
This	registration must be re-	validated after ten (10) years from the fig	terafrasceptance.
CRN: 0C17459.5	_	PROVINCE OF PRINC ENVIRONMENT, LA	E EDWARD ISLAND
FID#: 156		C.R.NO < ^2	7 4 2 4 2 6
Notes: 1. All fittings shall be registered. 2. Each category shall be supplement and one copy of supporting. 3. The declaration shall be made respansibility for the quality of the Quality control programs shall.	orted with two Statutory D ng documentation. de by the person having fi he end product, all be resubmitted for valle	DATE:	VESSEL BRANCII
at a maximum interval of five (5	years.		Sact. 1.0 - Fittings Rev. 1 06/20

Sect. 1.0 - Filtings Rev. 1 06/2003

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

IEW BRUNSWICK IUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRAGOR
MANUFACTURERS NAME:	CONBRACO INDUSTRIES II	VC,	
MANUFACTURERS ADDRESS:	701 MATTHEWS-MINT HILL	ROAD, MATTHEWS, NC, USA, 28105	
PLANT LOCATIONS:	701 MATTHEWS-MINT HILL	ROAD, MATTHEWS, NC, USA, 28105	
	NGS TO BE REGISTERED. C	RCLE ONE CATEGORY ONLY	TITLE BE THE STANDARS OF CONSTRUCTION
A Pipa filtings, including cauplin B Flanges: all flangea O Velvas: all file valvas D Expansion Jaints, flaxible can E Strainars, filtars, aaparators, of F Messuring davices, including	necilans, and hase assamblies: and sleem traps	all types	- ASME B16.34 - API 607 API 809
pressure transmitters G Certified capacity-rated press ballars, pressure vessels, pip H Pressure rataining componen	ure reliaf davices acceptable as ling and fusible plugs ite that da nat fall into ana af the	s primary over pressure pretection an	
		AS IT WILL APPEAR ON THE PROOU	CT TYPE OF CONSTRUCTION
)	"Apol	MO WITGHAL	FORGED DI WELSED DI WRSUCHT DI CAST TO OTHER DI SESCRISÈ OTHER:
LIST OF SUPPORTING DOCU	MENTATION AND IDENTIFICA	TION OF THE ACTUAL ITEMS TO BE	REGISTERED.
-41			
temparature ratings, and idea manufacture of these fittings or in part and has been verification conscientiously by Signature of Daciarar: Declared before me et This day of	product for which registration product for which registration product for which registration is regulated by a Quality Co and by ISO 9001:2008 TUV RH is alleving it to be true, and know the field Co. So and any AD 20 and Strawy AD 20 and Strawy Strawy	iny decisire that the information control is sought. The dimensions, material coordance with the herein named stocked and program which extends to ear EINLAND as being suitibled howing that it is of the same forced at the	andards. I further declars that the ch plant where fabrication occurs in who!
	This sp	cace for Regulatory Authority use	1137
Thi	s registration must be revail	dalad after lon (40) wases from the	data of sccsptance.
CRN: 0C17459.5		LER S PRE	TOTAL LA
FID#:156		Date Ma	CCH 6/15
2. Each category shall be su forms and and copy of suppo 3. The declaration shall be m responsibility for the quality a	rade by the person having full a	aration Signed July uthority and	re Perry

at a maximum interval of live (5) years.

EW BRUNSWICK JNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND ANO LABRADOR
MANUFACTURERS NAME:	CONBRACO INDUSTRIES I	INC.	
ANUFACTURERS ADORESS:	701 MATTHEWS-MINT HILL	L ROAD, MATTHEWS, NC, USA, 2810	05
LANT LOCATIONS:		L ROAD, MATTHEWS, NC, USA, 2810	05
		CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling 3 Flanges: all flanges 3 Valves: all line valves 5 Expansion joints, flexible conn. 5 Strainers, filters, separators, and 6 Measuring devices, including pressure transmitters 6 Certified capacity-rated pressure boilers, pressure vessels, piping 6 Pressure retaining component	ections, and hose assemblies nd steam traps ressure gauges, level gauges are relief devices acceptable a ng and fusible plugs	s: all types s, sight glasses, levels, or as primary over pressure protection on	- ASME B16.34 - API 607 - API 609
Nuclear components: Class 1	☐ Class 2 ☐ Class 3 ☐, (f	Meeting CNSC or ASME requirements)	
HOW MANUFACTURERS NAM	E, TRADEMARK, OR LOGO A A INTERNATION IN	AS IT WILL APPEAR ON THE PROD	PUCT TYPE OF CONSTRUCTION FORGEO D WELDED D WROUGHT D CAST X OTHER D DESCRIBE OTHER.
IST OF SUPPORTING DOCUM	ENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS TO E	BE REGISTERED:
DECLARATION: GREG GOODSON	(see note 3) Employed b	by CONBRACO INDUSTRIES INC. a.	nd being the person having full authority an
GREG GOODSON esponsibility for the quality of the the quality of the quality of the the properties of these fittings is a rin part and has been verified eclaration conscientiously be dignature of Declarer: Declared before me at the commissioner of Oaths	the end product do solemic product for which registrate ification markings are in acceptance of the product of	niy declare that the information co- tion is sought. The dimensions, m- ccordance with the herein named ontrol Program which extends to e HEINLAND as being suitable nowing that it is of the same force	standards. I further declare that the ach plant where fabrication occurs in whole the things of the solemn
esponsibility for the quality of my knowledge represents the emperature ratings, and identifications are in part and has been verifically be electrically be e	the end product do solemic product for which registratification markings are in according to the product of the	niy declare that the information contion is sought. The dimensions, muccordance with the herein named control Program which extends to enter the herein as being suitable nowing that it is of the same force. USET	ntained in this form is true and to the best of aterials of construction, pressure standards. I further declare that the ach plant where fabrication occurs in whole both that purpose and I make this solemn and effect as if made under oath. H. S. S. P. J.
esponsibility for the quality of my knowledge represents the emperature ratings, and identifications are in part and has been verification conscientiously be eclaration conscientiously be eclared before me at the commissioner of Oaths or Notary Public: (sign)	the end product do solemic product for which registratification markings are in according to the product of the	niy declare that the information contion is sought. The dimensions, muccordance with the herein named control Program which extends to enter the information as being suitable nowing that it is of the same force. USE TO THE CONTROL OF THE PROGRAM AND THE CONTROL OF THE CONTRO	ntained in this form is true and to the best of aterials of construction, pressure standards. I further declare that the ach plant where fabrication occurs in whole lightbat purpose and I make this solemn and effect as if made under oath.
GREG GOODSON esponsibility for the quality of my knowledge represents the emperature ratings, and identification and has been verified eclaration conscientiously be signature of Declarer: Declared before me at this 5th day of Commissioner of Oaths or Notary Public: (sign) This	the end product do solemic product for which registratification markings are in according to the product of the	niy declare that the information contion is sought. The dimensions, muccordance with the herein named control Program which extends to enter the information as being suitable nowing that it is of the same force. USE TO THE CONTROL OF THE PROGRAM AND THE CONTROL OF THE CONTRO	ntained in this form is true and to the best of aterials of construction, pressure standards. I further declare that the ach plant where fabrication occurs in whole both that purpose and I make this solemn and effect as if made under oath.
esponsibility for the quality of my knowledge represents the emperature ratings, and identifications are in part and has been verification conscientiously be eclaration conscientiously be eclared before me at the commissioner of Oaths or Notary Public: (sign)	the end product do solemic product for which registratification markings are in according to the product of the	niy declare that the information contion is sought. The dimensions, muccordance with the herein named control Program which extends to enter the information as being suitable nowing that it is of the same force. USE TO THE CONTROL OF THE PROGRAM AND THE CONTROL OF THE CONTRO	ntained in this form is true and to the best of aterials of construction, pressure standards. I further declare that the ach plant where fabrication occurs in whole lightbat purpose and I make this solemn and effect as if made under oath.
GREG GOODSON esponsibility for the quality of my knowledge represents the emperature ratings, and identification and has been verified eclaration conscientiously be signature of Declarer: Declared before me at this 5th day of Commissioner of Oaths or Notary Public: (sign) This	the end product do solemic product for which registratification markings are in according to the product of the	niy declare that the information contion is sought. The dimensions, muccordance with the herein named control Program which extends to enter the information as being suitable nowing that it is of the same force. USE TO THE CONTROL OF THE PROGRAM AND THE CONTROL OF THE CONTRO	ntained in this form is true and to the best of aterials of construction, pressure standards. I further declare that the ach plant where fabrication occurs in whole both that purpose and I make this solemn and effect as if made under oath. HIS PRESSURE VESSEL ACT

W BRUNSWICK NAVUT		PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
ANUFACTURERS NAME:	CONBRACO INDUSTRIES INC	2.	
ANUFACTURERS ADDRESS:	701 MATTHEWS-MINT HILL R	IOAD, MATTHEWS, NC, USA, 28105	
ANT LOCATIONS:		OAD, MATTHEWS, NC, USA, 28105	
	NGS TO BE REGISTERED. CIR	·	THE OF THE STANDARD OF CONSTRUCTION
Flanges: el flanges Valves: el flanges Valves: el line valves Expansion joints, flexible com Strainers, filiars, seperators, s Measuring devices, including pressure transmitters Certified capacity-rated press bollers, pressure vessels, pip	pressure gauges, level gauges, a ure relief devices acceptable as	eil types sight glasses, levels, or primary over pressure protection on	- ASME B16,34 - API 607 - API 609
		eting CNSC or ASME requirements)	ţ
		S IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
	"Apol	LOS"	FORGEO DI WELDED DI WROUGHT DI CAST DI DITHER DI DESCRIBE OTHER.
IST OF SUPPORTING DOCU	MENTATION AND IDENTIFICAT	TION OF THE ACTUAL ITEMS TO BE R	EGISTERED:
ny knowledge represents thi emperature retinge, and ideo nanufacture of these fittings or in part end has been verifi	of the end product do solemni e product for which registration hiffication markings are in acc is regulated by a Quality Cor ied by ISO 9001:2008 TUV RHE	y declare that the information contain in is sought. The dimensions, mater cordance with the herein named stan afroi Program which extends to each	dards. I further declare that the plant where fabrication occurs in whole that number said i make this relegan
lignsture of Declarer: 🔟	De Goulin	AA TOTAR	
This 5th day of L	hesterfield Co. Solanuary AD 201	USE_THA	S PRO CE TO CE
or Notary Public: (sign)	ancy Staw	TH CAS	OLERA
	This sp	ace for Regulatory Authority use ***********************************	
Th	s registration must be revailed	lated after ten (10) years from the da	te of acceptance,
CRN: 0C17459.5			Newfoundland
FID#: 156			Lährador Service NL
			Registered 0 4 2459.50
2. Each category shall be su forms and one copy of support	red in the name of the Manufact ppported with two Statutory Decia xting documentation, nade by the person having full at	aration	Date 15/03/04 Engineering and In 18/19/19/19/19/19/19/19/19/19/19/19/19/19/
responsibility for the quality of 4. Quality control programs	of the end product. shall be resubmilted for validatio	·	UN R THE AUT THE PUBLIC SAFE Y
et a maximum interval of live	1 (a) Agm2.		THE BOILS OCE TID CEITE OF REV. VOERS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR			
MANUFACTURERS NAME:	CONBRACO INDUSTRIES INC.					
MANUFACTURERS ADDRESS:	701 MATTHEWS-MINT HILL ROAD, MATTHEWS, NC, USA, 28105					
PLANT LOCATIONS:	701 MATTHEWS-MINT HILL	ROAD, MATTHEWS NO USA 28105				
CATEGORY OF FITTI	NGS TO BE REGISTERED, C	IRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION			
A Pipe fittings, including couplin B Flanges: ell flanges O Valves: all line valves D Expansion joints, flexible conn E Strainers, filters, seperators, a F Measuring devices, including pressure transmitters G Certified capacity-rated pressure bollers, pressure vessels, pipi H Pressurs retaining component	gs, tees, elbows, Ys, plugs, unli nections, and hose assemblies: nd steam treps pressure gauges, level gauges, ure relief devices scceptable as ng end fusible plugs is that do not fall into ene of the	sli types slight glasses, levels, or primary over pressure protection on	- ASME B16.34 - API 807 - API 609			
N Nuclear components: Class 1	☐ Class 2 ☐ Class 3 ☐, (M	eeting CNSC or ASME requirements)				
SHOW MANUFACTURERS NAM	IE, TRADEMARK, OR LOGO A	S IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION			
*	"Apol	FIONAL	FORGEO O WELDED D WROUGHT D CAST XI OTHER D DESCRIBE OTHER.			
LIST OF SUPPORTING DOCUM	ENTATION AND IDENTIFICA	TION OF THE ACTUAL ITEMS TO BE RE	GISTERED:			
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED. - DOUBLE OFFSET HIGH PERFORMANCE BUTTERFLY VALVE CATALOGUE - SCOPE OF SUPPLY - QUALITY CERTIFICATES AND REPORTS						
1			ļ			
	product for which registration	y declare that the information contains	sing the person having full authority and ad in this form is true and to the best of its of construction, pressure			
or in part and has been verifie	d by ISO 900 t-2008 THV pur	ints sought. The dimensions, material cordance with the herein named stand attrod Program which extends to each positional as being sufficient wing that it is of the saling force shorts.	lant where fabrication occurs in whole			
Signature of Declarer:	La Conlum	A A A	7 4			
Declared before me at Che	Aerfield Co. SC	4				
This 5th day of Ua						
Commissioner of Cathe	may Straw	AUBLICATION OF THE PROPERTY OF	THE TOTAL OF			
		- H CARC	al rate			
This space for Ragulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.						
0017/50 5	-5-5-1-4	And after ten (10) years from the NT	acceptance.			
CRN: 0C17459.5		12	20			
FID#: 156	<u></u>	(8/ B)	$=$ $\langle \hat{z} \rangle$			
Notes:		1 /000 0017	459-514			
All fittings shall be registered Each category shall be supp forms and one copy of supporting. The declaration shall be made.	orted with two Statutory Declara ig documentation. Ie by the person having full auti	ation \\DATE\frac{10\M}{}	H 5]/15/			
responsibility for the quality of the 4. Quality control programs sha	ie end product. If be resubmilled for validation	ERS B	RAMU			
et e maximum interval of five (5	years.	- = 120	Sect. 1.0 - Fittings Rev. 1 06/2003			

	YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR	
ANUFACTURERS NAME:	CONBRACO INDUSTR	RIES INC.		
ANUFACTURERS ADDRESS:	701 MAYTHEWS-MINT HILL ROAD, MATTHEWS, NC. USA, 28105			
LANT LOCATIONS		HILL RDAD, MATTHEWS, NC, USA, 28108		
		ED, CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION	
Fiangos: all flanges Valves: all lina valves Exponsion loints, flexible cont Strainers, filters, separators, a Massuring devices, including pressure transmitters	nections, and hose assen ind stoam traps pressura gauges, level gr ura relief devices accept: (ng and fuoible plugs	auges, sight glasses, levels, or	- ASME B16.34 - API 607 - API 609	
		(Maeting CNSC or ASME requirements)		
···		OGO AS IT WILL APPEAR ON THE PROD	UCT TYPE OF CONSTRUCTION	
	$^{`}\mathcal{A}p$	ollo"	FORGEO CI WELDED CI WROUGHT CI CAST XI OTHER CI DESCRIBE OTHER:	
IST OF SUPPORT NO DOCU	MENTATION AND IDEN	TECATION OF THE ACTUAL ITEMS TO B	HIREHYERED:	
GREG GOODSON sponsibility for the quality of the quality of the quality of the quality of the gradual definition of these fittings.	f the end product do s product for which reg stification markings are is requisted by a Qual	colomnly declare that the Information cor listration is sought. The dimensions, ma a in accordance with the herein named a filty Control Program which extends to ex	ntained in this form is true and to the best sterials of construction, pressure standards. I further declare that the ach plant where febrication occurs in who!	
GREG GOODSON sponsibility for the quality of the q	f the end product do s product for which reg stification markings are is regulated by a Qual ad by ISO 9001:2008 To	colomnly declare that the Information consistration is sought. The dimensions, make in accordance with the herein named to extend to extend to extend to extend the color of the paint of t	ntained in this form is true and to the best sterials of construction, pressure standards. I further declare that the standards if where febrication occurs in who is the purpose and I make this solemn and first as if made under oath.	
ny knowledge represents the amperature ratings, and ider nanufacture of these fittings in in part and has been verification conscientiously because of Declarer:	f the end product do so product for which regulation markings are its regulated by a Qual ad by ISO 9001:2008 To clieving it to be true, a goulary AD	colomnly declare that the Information consistration is sought. The dimensions, making a in accordance with the herein named stilly Control Program which extends to established with the sound state of the participation o	standards. I further declare that the ach plant where febrication occurs in whole the plant where febrication occurs in whole the purpose and I make this solemn and the purpose and I made under oath.	
GREG GOODSON Sponsibility for the quality of the sponsibility for the quality of the sponsibility for the quality of the sponsibility for the sponsibility	f the end product do so product for which regulation markings are is regulated by a Qual ad by ISO 9001:2008 The clieving it to be true, a good and the field Conducty AD	colomnly declare that the Information consistration is sought. The dimensions, making a in accordance with the herein named stilly Control Program which extends to established with the sound state of the participation o	ntained in this form is true and to the best sterials of construction, pressure standards. I further declare that the ach plant where febrication occurs in whole this purpose end I make this solemn and street as if made under oath.	
greg goodson spensibility for the quality of y knowledge represents the imperature ratings, and ider anufacture of these fittings in part and has been verificated to conscientiously because of Declarer: peclared before me at	f the end product do so product for which regulation markings are is regulated by a Qual ad by ISO 9001:2008 The clieving it to be true, a good and the field Conducty AD	colomnly declare that the Information consistration is sought. The dimensions, making accordance with the herein named in accordance with the herein named in accordance with the herein named in the life of the party of the same straight and knowing that it is of the party of the same straight and knowing that it is of the party of the life of the same straight and knowing that it is of the same straight and knowing	ntained in this form is true and to the best sterials of construction, pressure standards. I further declare that the standards. I further declare that the scholar where febrication occurs in who is that purpose and I make this solemn and street as if made under oath.	
GREG GOODSON Sponsibility for the quality of the sponsibility for the quality of the quality of the sponsibility for the quality of the sponsibility for th	f the end product do so product for which regulation markings are is regulated by a Qual ad by ISO 9001:2008 The clieving it to be true, a good and the field Conducty AD	colomnly declare that the Information consistration is sought. The dimensions, making a coordance with the herein named stilly Control Program which extends to survival the Information of the same correctly and knowing that it is of the same correctly and knowing that it is of the same correctly. OTHER PROGRAM OF THE STILL	ntained in this form is true and to the best sterials of construction, pressure standards. I further declare that the standards if the edition occurs in whole the plant where febrication occurs in whole the plant where earlier as if made under oath. The standard of the	

03-08-12:55:13 *!Exow:

91 /tl #

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD IS NORTHWEST TERRI		EWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	CONBRACO INDUSTRIES I	NC.		
MANUFACTURERS ADDRESS:	701 MATTHEWS-MINT HILL	ROAD, MATTHEWS, N	IC, USA, 28105	
PLANT LOCATIONS:	701 MATTHEWS-MINT HILL	ROAD, MATTHEWS, N	IC, USA, 28105	
CATEGORY OF FITTH	NGS TO BE REGISTERED, C	IRCLE ONE CATEGOR	YONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipa fittings, including coupling B Flanges: all flanges Valves: all flanges Expansion joints, flexible connoted Strainars, filters, separaters, et Measuring devices, including pressura transmittars Certifled capacity-rated pressurations of the pressuration o	ections, and hose assemblies; not steam traps or assure gauges, level gauges are reliaf devicas acceptable aing and fusible plugs is that do not fall into one of the Class 2 Class 3 C, (A	: all types agint glassas, levels, or primary over pressure above categories Meating CNSC er ASME	r protectian an requiramants)	- ASME B16.34 - API 607 - API 609
SHOW MANUFACTURERS NAM	E. TRADEMARK, OR LOGO	AS IT WILL APPEAR C	N THE PRODUCT	TYPE OF CONSTRUCTION
	"Apol	OLD WALL		FORGED () WELDED () WROUGHT () CAST (X) OTHER () OESCRIBE OTHER:
LIST OF SUPPORTING DOCUM	MENTATION AND IDENTIFICA	ATION OF THE ACTUA	LITEMS TO BE RE	GISTERED:
my knowledge represents the	(see note a) employed by the end product do solemn product for which registration	y CONBRACO INDUST	formation containe nensions, material	ing the person having full authority and id in this form is true and to the best of is of construction, pressure
or in part and has been verified declaration conscientiously be Signature of Declarer: Declared before me at This 5th day of 100 Commissioners of Online	s regulated by a Quality Cod by ISO 9001:2008 TUV RH elleving it to be true, and known of the confidence of the Confiden	entrol Program which EINLAND as be nowing that it is of the	extends to each pl	ant where fabrication occurs in whole
This	This sp registration must be revailed	ace for Regulatory Audated after ten (10)	you line date	of ecceptan Boilers and
CRN: 0C17459.5			Nunavut	Pressure Vessels Act
FID#: 156	<u> </u>		R	EGISTERED
Notes: 1. All fittings shall be registere 2. Each category shall be sup- forms and one copy of support 3. The declaration shall be ma- responsibility for the quality of 4. Quality control programs sh- et a meximum interval of five (:	ported with two Statutory Declaring documentation, de by the person having full autherend product. The end product. The lates all be resubmitted for validational products.	urer. aration uthority and	CRN Date Signed	17459.5M 4R 9 20/5 Chief Inspector Sect. 1.0 · Filtings Rev. 1 06/2003
<u> </u>			Lerritori	ial Régistration Fee