#### FONDREMY INC.

1465, BOUL INDUSTRIEL, CHAMBLY (QUEBEC) J3L 4C4



10-Oct-19

PAGE 1 OF 1

#### **SCOPE OF CRN REGISTRATION**

Product	Design	Material	Model	Inlet/	MAWP	MDMT	Report
Description	Code	Specification		Outlet	at 100°F		Number
Compressed Air	ASME B31.1,	ASTM/ASME SB-26	D4	3" FNPT	150/FV psig	-40°F	R-1149A
Dryer	ASME B31.3	UNS A03560 T6					

**Note 1**: MAWP = Maximum Allowable Working Pressure, MDMT = Minimum Design Metal Temperature.

Note 2: For low temperature operation the products shall conform to the rules of the applicable codes under which they are used.

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Nar	me; FONDREMY INC.		
The state of the s	The same of the sa	EL, CHAMBLY (QUEBEC), J3L 4C4	
Plant Locations: SA		and the state of t	Annual property of the state of
A Pipe fittings, includir B Flanges: all flanges C Valves: all line valve D Expansion joints, fle E Strainers, filters, sep F Measuring devices, itransmitters G Certified capacity-rat boilers, pressure ves H Pressure retaining c	ng couplings, tees, elbows, Yes es exible connections, and hose parators, and steam traps including pressure gauges, lited pressure relief devices at each piping and fusible plug components that do not fall in	evel gauges, sight glasses, levels, or pressure cceptable as primary over pressure protection on is not one of the above categories	
		Class 3 ☐ , (Meeting CNSC or ASME requiremen	
Show Manufacture	FONDR	EMY  Superdry	Type of Construction Forged
List of supporting o	locumentation and iden	ntification of the actual items to be regist	ered:
my knowledge represe ratings, and identificati fittings is regulated by	he quality of the end procents the product for which ion markings are in accor a Quality Control Program a and knowing/that it is of the control program is a control program and the control program and the control program is a control program and the control program and	duct do solemnly declare that the information registration is sought. The dimensions, mandance with the herein named standards. If m which extends to each plant where fabric as being suitable for that purpose and I make the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force as if made under the same force and effect as if	and being the person having full authority in contained in this form is true to the best of atterials of construction, pressure temperature further declare that the manufacture of these ration occurs in whole or in part and has been e this solemn declaration conscientiously oath.
	EDED OF AS	This space for Regulatory Authority use.	AND 118 (18 18 18 18 18 18 18 18 18 18 18 18 18 1
		ust be revalidated after ten (10) years from the da	ate of acceptance
CRN: 0H20157	7.2		TNCE OF PRINCE EDWARD ISLAND
FID#: 15905			MUNITIES, LAND & ENVIRONMENT
Notes: DwG. R-114  1. All Fittings shall be re	니어A ICE니. O egistered in the name of the Man	C.R.N nufacturer. DATE	1. 0H20157.29 1. Feb 14 2020
and one copy of supp	be supported with two Statutory porting documentation.	Declaration forms	\ A MCCIL-
<ol> <li>The Declaration shall responsibility for the or</li> </ol>	be made by the person having quality of the end product.	921.	The state of the s
	ams shall be resubmitted for val	idation. BOII	LER/PRESSURE VESSEL BRANCH

CRN EXPIRES NON. 4, 2029 - D.G.

Sect 1.0 · Fittings Rev.2

New Brunswick Nunavut Nova Scotia Yukon

Prince Edward Island Northwest Territories Newfoundland and Labrador

Manufacturers Name: F		at a second of the contract of
	1465, BOUL INDUSTRIEL, CHAMBLY (QUEBEC), J3L 4C4	14 4 7
Plant Locations: SAME AS		41
A Pipe fittings, including coup B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible of E Strainers, filters, separaton F Measuring devices, includir transmitters	Ittings to be registered. Circle one Category only olings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers onnections, and hose assemblies: all types and steam traps of pressure gauges, level gauges, sight glasses, levels, or pressure gauge relief devices acceptable as primary over pressure protection on	Title of the Standard of Construction  - ASME B31.3 - ASME B31.1
H Pressure retaining compon	iping and fusible plugs ents that do not fall into one of the above categories	
N Nuclear components: Clas	is 1 🗆 Class 2 🗀 Class 3 🗖 , (Meeting CNSC or ASME requirements)	
_	ONDRÉMY	Type of Construction Forged Welded Wrought Cast Cother Describe other:
List of supporting docum	entation and identification of the actual items to be registere	
y knowledge represents the tings, and identification mai tings is regulated by a Qualication by a Substitution by a Subs	(see note 3) employed by FONDREMY INC.  ity of the end product do solemnly declare that the information color product for which registration is sought. The dimensions, materialists are in accordance with the herein named standards. I further that the program which extends to each plant where fabrication as being suitable for that purpose and I make this that it is of the same force and effect as if made under oath	als of construction, pressure temperatur ler declare that the manufacture of these n occurs in whole or in part and has been s solemn declaration conscientions.
FRANCIS LEMAIR, GENERAL MANAGER nd responsibility for the qual y knowledge represents the tings, and identification man tings is regulated by a Qual erified by 150 9001 2015 BND 11 AT 11 elieving it to be true. BND 11 AT 11 gnature of Dedaras	ity of the end product do solemnly declare that the information color product for which registration is sought. The dimensions, materiality are in accordance with the herein named standards. I further that the program which extends to each plant where fabrication as being suitable for that purpose and I make this that it is of the same force and effect as if made under oath	ntained in this form is true to the best of als of construction, pressure temperatural per declare that the manufacture of these n occurs in whole or in part and has bee solemn declaration conscientions.
FRANCIS LEMAIR, GENERAL MANAGER IN dresponsibility for the quality knowledge represents the tings, and identification maintings is regulated by a Quality of the quality of the property of th	ity of the end product do solemnly declare that the information coloroduct for which registration is sought. The dimensions, materialists are in accordance with the herein named standards. I further that it is control Program which extends to each plant where fabrication as being suitable for that purpose and I make this that it is of the same force and effect as if made under oath	ntained in this form is true to the best or als of construction, pressure temperatu- ier declare that the manufacture of thes n occurs in whole or in part and has bee a solemn declaration conscientions.
FRANCIS LEMAIR, GENERAL MANAGER THE RESPONSIBILITY FOR THE QUAITY FOR THE PROPERTY OF THE PROP	ity of the end product do solemnly declare that the information coloroduct for which registration is sought. The dimensions, materialists are in accordance with the herein named standards. I further that it is control Program which extends to each plant where fabrication as being suitable for that purpose and I make this that it is of the same force and effect as if made under oath	nteined in this form is true to the best of als of construction, pressure temperature ar declare that the manufacture of these n occurs in whole or in part and has bee a solemn declaration conscientiously
FRANCIS LEMAIR, GENERAL MANAGER IN dresponsibility for the qual y knowledge represents the tings, and identification maintings is regulated by a Qual entired by 150 5001:2015 8ND. A selleving it to be true. The gnature of Dedards eclared before many commissioner of Notary Published.	ity of the end product do solemnly declare that the information color product for which registration is sought. The dimensions, materickings are in accordance with the herein named standards. I furth by Control Program which extends to each plant where fabrication as being suitable for that purpose and I make this without its of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the c	nteined in this form is true to the best of als of construction, pressure temperature of construction, pressure temperature of construction occurs in whole or in part and has been a solemn declaration conscientiously.
PRANCIS LEMAR, GENERAL MANAGER of responsibility for the quality knowledge represents the tings, and identification manifings is regulated by a Quality of the quality of the property of the	ity of the end product do solemnly declare that the information color product for which registration is sought. The dimensions, materiality is a coordance with the herein named standards. I further that it is of the same force and effect as if made under oath the coordance with the herein named standards. I further that it is of the same force and effect as if made under oath the coordance with the herein named standards. I further that it is of the same force and effect as if made under oath the coordance with the herein named standards. I further that it is of the same force and effect as if made under oath the coordance with the herein named standards. I further that it is of the same force and effect as if made under oath the coordance with the herein named standards. I further that it is of the same force and effect as if made under oath the coordance with the herein named standards. I further that it is of the same force and effect as if made under oath the coordance with the herein named standards. I further that it is of the same force and effect as if made under oath the coordance with the coordance with the herein named standards. I further that it is of the same force and effect as if made under oath the coordance with the coordance wit	nteined in this form is true to the best of als of construction, pressure temperature of construction, pressure temperature of construction occurs in whole or in part and has been a solemn declaration conscientiously.
FRANCIS LEMAIR, GENERAL MANAGER IN THE PROPERTY OF THE QUAIN Y KNOWLEDGE REPORTS THE LINGS, and identification manufactures is regulated by a Quain Property of the property o	ity of the end product do solemnly declare that the information color product for which registration is sought. The dimensions, materickings are in accordance with the herein named standards. I furth by Control Program which extends to each plant where fabrication as being suitable for that purpose and I make this without its of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the same force and effect as if made under oath the control of the c	nteined in this form is true to the best or als of construction, pressure temperature of construction, pressure temperature of construction occurs in whole or in part and has been a solemn declaration conscientiously.
FRANCIS LEMAIR, GENERAL MANAGER TO RESPONSIBILITY FOR THE QUAITY REPORTS TO THE QUAITY R	ity of the end product do solemnly declare that the information color product for which registration is sought. The dimensions, materiality control Program which extends to each plant where fabrication as being suitable for that purpose and I make this without it is of the same force and effect as if made under oath the information must be revalidated after ten (10) years from the state of the name of the Manufacturer.  C.R.N. OH 20157  Date Feb. 14	nteined in this form is true to the best of als of construction, pressure temperature of construction, pressure temperature of construction occurs in whole or in part and has been a solemn declaration conscientiously.

& REGULA

Sect 1.0 - Fittings Rev.2

11/2016

CRN EXPIRES NON.4,2029-DG.

Quality Control programs shall be resubmitted for validation.

responsibility for the quality of the end product.

New Brunswick Nunavut Nova Scotia Yukon Prince Edward Island Northwest Territories Newfoundland and Labrador

Manufacturers Name: FONDREMY INC.	
Manufacturers Address: 1465, BOUL INDUSTRIEL, CHAMBLY (QUEBEC), J3L 4C4	
Plant Locations: SAME AS ABOVE	
Category of Fittings to be registered. Circle one Category on  A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reduce  B Flanges: all flanges  C Valves: all line valves	Title of the Standard of Construction
D Expansion joints, flexible connections, and hose assemblies: all types	- ASME B31.3
E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, o	
transmitters	
G Certified capacity-rated pressure relief devices acceptable as primary over pressure poliers, pressure vessels, piping and fusible plugs  H Pressure retaining components that do not fall into one of the above categories	protection on
N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME	requirements)
Show Manufacturers Name, Trademark, or Logo as it will appear on the	
FOND RÉMY superdry	Forged
List of supporting documentation and identification of the actual items to	be registered:
Declaration:  FRANCIS LEMAIR, GENERAL MANAGER  (see note 3) employed by FONDREMY INC. and responsibility for the quality of the end product do solemnly declare that the my knowledge represents the product for which registration is sought. The dime atings, and identification markings are in accordance with the herein named sta ittings is regulated by a Quality Control Program which extends to each plant whereified by 150 9001:2015 BNQ  as being suitable for that purpose believing it to be true, and knowing that it is of the same force and effect as if ma	information contained in this form is true to the best of ensions, materials of construction, pressure temperature andards. I further declare that the manufacture of these here fabrication occurs in whole or in part and has been and I make this solemn declaration conscientiously.
Declared before me at 3	The second secon
This 20 Post of November AD 2019	Use this space for the Official Seal
Commissioner of Ostras	
	Bruns Wick
Or Notary Public (sign) (Afrix Official sea to the right)	DEPT OF JUSTICE PUBLIC SAFETY BOILER & PRESSURE VESSELACT
This registration must be revalidated after ten (10) years	
CRN: OH20157.2	
15005	CRN 0/4 20157, 27
F1U#	0 0
Notes: DWG. R-1149A REY. O	Ou Clas
All Fittings shall be registered in the name of the Manufacturer.     Each Category shall be supported with two Statutory Declaration forms	CHIEF BOILER INSPECTOR
and one copy of supporting documentation.	DATE 2/14/20
<ol> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> </ol>	br/ 11 to appearance of the control
Quality Control programs shall be resubmitted for validation.	□BLRs □ PV Sect 1.0 - Fittings Rev.2
11/2016	FITTINGS NUCLEAR COMPONENTS
CRN EXPIRES NON. 4, 2029 - D.G.	MEH HINGS MAGGICAN COMMONICATION

Pressure retaining components: Class 1 □ Class 2 □ Class 3 □ (Meeting CNSC or ASME requirements)  Show Manufacturers Name, Trademark, or Logo as it will appear on the product  FONDELY  List of supporting documentation and identification of the actual items to be registered:  - MODEL D4 SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS  Declaration:    FRANCE ILLMAR, GENERAL MANAGER   (see note 3) employed by FONDREMY INC.   and being the person having far and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressuratings, and identification markings are in accordance with the herein named standards. Further declare that the information contained in this form is true to my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressuratings, and identification markings are in accordance with the herein named standards. Further declare that manufactings is regulated by a Quality Control Program which exhads to each plant where fabrication occurs in whole or in participation is producted by the program which exhads to each plant where fabrication occurs in whole or in participation is producted by the program which exhads to each plant where fabrication occurs in whole or in participation of the program which exhads to each plant where fabrication occurs in whole or in participation of the program which exhads to each plant where fabrication occurs in whole or in participation of the program which exhads to each plant where fabrication occurs in whole or in participation of the participati	dor	ewfoundland and Labrador	Prince Edward Island Northwest Territories	Nova Scotia Yukon	New Brunswick Nunavut
Manufacturers Address: Mss. BOUL INDUSTRIEL, CHAMBLY (QUEBEC). JSL 4C4 Plant Locations: SAME AS ABOUT.  Category of Pittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves all time valves B Extrainers, filters, separators, and sleam traps F Messuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure G Certified capacity-rated pressure sugues, level gauges, sight glasses, levels, or pressure F Messuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure G Pressure retaining components that do not fail into one of the above categories N Nuclear components: Class 1 Class 2 Class 3 Meeting CNSC or ASME requirements)  FONDREMY  FONDREMY  FONDREMY  FONDREMY  List of supporting documentation and identification of the actual items to be registered:  - MODEL D4 SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS  PRANCIS LEMANT, CENERAL MANAGER  (see note 3) employed by FONDREMY INC.  and being the person having fit and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to yknowledge represents the product for which registration is sought. The dimensions, materials of construction, pressurings, and identification markings are in accordance with the herein name standards. I further declare that the manufacturings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part relified by so SCHEDERS and Control Program which extends to each plant where fabrication occurs in whole or in part relified by the control of the program of the prog	-		* or productive to the second	ne; FONDREMY INC.	Manufacturers Nar
Plant Locations; SAME AS ABOVE  Category of Ithitings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters C certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs Pressure retaining components: Class 1 Class 2 Class 3 Class			HAMBLY (QUEBEC), J3L 4C4		
A Pipe Ittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers  B Flanges, all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters C Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs P pressure retaining components that do not fall into one of the above categories  N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting CNSC or ASME requirements)  Show Manufacturers Name, Trademark, or Logo as it will appear on the product  FONDREMY  Superior  FONDREMY  List of supporting documentation and identification of the actual items to be registered:  MODEL D4 SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS  PARCIS LEMMR, CENERAL, MANAGER  (see note 3) employed by FONDREMY INC.  and being the person having fit and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressuratings, and identification markings are in accordance with the herein named standards. I further declare that the manufactings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in partificed by solven particle by the same force and effect as if made under oath.  This registration must be revalidated after ten (10) years from the date of acceptance of the Carlotted Program which extends to each plant where fabrication occurs in whole or in particle by a continuous program which extends to each plant where fabrication occurs in whole or in particle by a continuous program which extends to each plant where fabrication occurs in whole or in particle by a continuous program whi	-			ME AS ABOVE	Plant Locations: SA
FONDEREMS  List of supporting documentation and identification of the actual items to be registered:  - MODEL D4 SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS  Declaration:  FRANCIS LEMAIR, GENERAL MANAGER  (see note 3) employed by FONDREMY INC.  and being the person having find responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressuratings, and identification markings are in accordance with the herein named standards. I further declare that the manufactings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in particularly is soft to be true; and how markings are in accordance with the herein named standards. I further declare that the manufactings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in particular by incomplete the program which extends to each plant where fabrication occurs in whole or in particular to be true; and how markings are in accordance with the horizontal program which extends to each plant where fabrication occurs in whole or in particular to be true; and how markings are in accordance with the purpose and I make this solemn declaration consciously in the program of the same force and effect as if made under oath.  In this space for the Official Seal commissions of the same force and effect as from the date of acceptance of the Commissions of the same force and effect as from the date of acceptance of the Commissions of the same force and effect as from the date of acceptance of the commissions of the same force and effect as from the date of acceptance of the commissions of the same force and effect as from the date of acceptance of the commissions of the same force and effect as from the date of acceptance of the commissions of the same force of the commissions of the same force of the com			emblies: all types gauges, sight glasses, levels, or pressure sable as primary over pressure protection on	g couplings, tees, elbows, Ys, p ible connections, and hose ass trators, and steam traps cluding pressure gauges, level d pressure relief devices accep els, piping and fusible plugs	A Pipe fittings, including B Flanges: all flanges C Valves: all line valves D Expansion joints, flex E Strainers, filters, sepa F Measuring devices, in transmitters G Certified capacity-rate boilers, pressure vess
FONDEREMS  List of supporting documentation and identification of the actual items to be registered:  - MODEL D4 SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS  Declaration:  FRANCIS LEMAIR, GENERAL MANAGER  (see note 3) employed by FONDREMY INC.  and being the person having find responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressuratings, and identification markings are in accordance with the herein named standards. I further declare that the manufactings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in particularly is soft to be true; and how markings are in accordance with the herein named standards. I further declare that the manufactings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in particular by incomplete the program which extends to each plant where fabrication occurs in whole or in particular to be true; and how markings are in accordance with the horizontal program which extends to each plant where fabrication occurs in whole or in particular to be true; and how markings are in accordance with the purpose and I make this solemn declaration consciously in the program of the same force and effect as if made under oath.  In this space for the Official Seal commissions of the same force and effect as from the date of acceptance of the Commissions of the same force and effect as from the date of acceptance of the Commissions of the same force and effect as from the date of acceptance of the commissions of the same force and effect as from the date of acceptance of the commissions of the same force and effect as from the date of acceptance of the commissions of the same force and effect as from the date of acceptance of the commissions of the same force of the commissions of the same force of the com			3 (Meeting CNSC or ASME requirements)	Class 1 ☐ Class 2 ☐ Class	N Nuclear components:
Declaration: FRANCIS LEMAR, GENERAL MANAGER  (see note 3) employed by FONDREMY INC. Indiresponsibility for the quality of the end product do solemnly declare that the information contained in this form is true to ny knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure atings, and identification markings are in accordance with the herein named standards. I further declare that the manufactings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in partierified by ISO 9001/2015 BMD.  So being suitable for that purpose and I make this solemn declaration conscients in the same force and effect as if made under oath.  In this space for the Official Seal ommission.  This registration must be revalidated after ten (10) years from the date of acception out official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.	Virought p	Cast M Other o	o as it will appear on the product	Name, Trademark, or Loc	Show Manufacturers
Declaration: FRANCIS LEMAR, GENERAL MANAGER  (see note 3) employed by FONDREMY INC. Indiresponsibility for the quality of the end product do solemnly declare that the information contained in this form is true to ny knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure atings, and identification markings are in accordance with the herein named standards. I further declare that the manufactings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in partierified by ISO 9001/2015 BMD.  So being suitable for that purpose and I make this solemn declaration conscients in the same force and effect as if made under oath.  In this space for the Official Seal ommission.  This registration must be revalidated after ten (10) years from the date of acception out official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.  It is space for the Official Seal of the same force and effect as if made under oath.		1	ation of the actual items to be registere	cumentation and identific	List of supporting do
Use this space for the Official Seal ommissioned of the Official Seal of the Official Seal ommissioned of the Official Seal of the Official S	to the best of re temperatura acture of these	als of construction, pressure tem er declare that the manufacture of a occurs in whole or in part and h	to solemnly declare that the information of stration is sought. The dimensions, mater with the herein named standards. I furth ich extends to each plant where fabrication of suitable for that purpose and I make this	quality of the end product of sith product for which region markings are in accordance Quality Control Program where as being a common that it is of the sa	FRANCIS LEMAIR, GENERAL MA nd responsibility for the ny knowledge represent atings, and identification ttings is regulated by a erified by ISO BOO1:2015 BNO. efleving it to be true.
Use this space for the Official Seal ommissioned of the Official Seal of the Official Seal ommissioned of the Official Seal of the Official S			J		ignature of Declare
This registration must be revalidated after ten (10) years from the date of accept motion dand Labrador  CRN: 0H20157.2 Service NL		ace for the Official Seal	2019 Use this sp		hisommissione
CRN: 0H20157.2 Labrador Service NL					* Company Commission
Service NL	84		revalidated after ten (10) years from the date of	This-registration must be	OH20157
	20	Service NL		See a se	15005
lotes: DwG. R-1149A REY. D  Date 20/03/19	-		Da		lotes: Dw6. R-1149.
All Fittings shall be registered in the name of the Manufacturer.  Each Category shall be supported with two Statutory Declaration forms  Registered by	5	////	4		
The Declaration shall be made by the person having full authority and  UNDER THE AUTHORITY OF THE	<u> </u>	UNDER THE AUTHORITY OF THE		made by the person having full aut	The Declaration shall be
responsibility for the quality of the end product.  Quality Control programs shall be resubmitted for validation.  Quality Control programs shall be resubmitted for validation.  COMPRESSED 68 REGULATIONS Sect 1.0 - Fitting		E BOILER, PRESSURE VESSEL AND		ry of the end product.	responsibility for the qual

CRN EXPIRES NOV. 4, 2029 - D.G.

**New Brunswick** Nova Scotia Prince Edward Island Newfoundland and Labrador Nunavut Yukon Northwest Territories Manufacturers Name: FONDREMY INC. Manufacturers Address: 1465, BOUL INDUSTRIEL, CHAMBLY (QUEBEC), J3L 4C4 Plant Locations: SAME AS ABOVE Category of Fittings to be registered. Circle one Category only Title of the Standard of A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Construction B Flanges: all flanges Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types - ASME B31.3 Strainers, filters, separators, and steam traps Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure - ASME B31.1 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs (H) Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product Type of Construction Forged D Welded 
Wrought Other o Cast Describe other: List of supporting documentation and identification of the actual items to be registered: - MODEL D4 SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS Declaration: (see note 3) employed by FONDREMY INC. FRANCIS LEMAIR, GENERAL MANAGER and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 BNQ # as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. Signature of Declare Use this space for the Official Seal Commissioner of Ohl Or Notary Public This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance OH20157.2 CRN: 15905 FID#: Notes: Dulle. R-1149A REY. O All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms 0H20157.2Y and one copy of supporting documentation. The Declaration shall be made by the person having full authority and 3.

02/17/2020

responsibility for the quality of the end product.

Quality Control programs shall be resubmitted for validation.

CRN EXPIRES NOV. 4, 2029 - D.G.

New Brunswick	Nova Scotia	Prince Edward Island	Newfoundland and Labrador
Nunavut	Yukon	Northwest Territories	
Manufacturers Nar			
	iress: 1465, BOUL INDUSTRIEL	, CHAMBLY (QUEBEC), J3L 4C4	
Plant Locations: SA			
A Pipe fittings, includin 8 Flanges: all flanges C Valves: all line valves D Expansion joints, flex E Strainers, fitters, sept	g couplings, tees, elbows, Yes s dble connections, and hose a arators, and steam traps	ered. Circle one Category online, plugs, unions, pipe caps, or reduce essemblies: all types vel gauges, sight glasses, levels, or	- ASME B31.3
_ boilers, pressure vess	sels, piping and fusible plugs	eptable as primary over pressure proone of the above categories	retection on
N Nuclear components:	Class 1 Class 2 Cla	ss 3 🗆 , (Meeting CNSC or ASME r	requirements)
Show Manufacturers	FONDRÉ	ogo as it will appear on the pr	Forged a Welded a Wrought a Cast & Other o Describe other:
let of our sales of		fication of the actual items to	he melatamet
y knowledge representings, and identification ings is regulated by a rifled by \$0.001.2015 INO lieving it to be true; as	e quality of the end product the product for which re in markings are in accorda Quality Control Program as the control of the	egistration is sought. The dimen ince with the herein named stan which extends to each plant who	information contained in this form is true to the best rations, materials of construction, pressure temperate idards. I further declare that the manufacture of the ere fabrication occurs in whole or in part and has be and I make this solemn declaration consciontionals.
nature of Declare	at the fall of the	72019	Use this space for the Official Seal
mmissions 0	THE DESCRIPTION OF THE PERSON	China Con I	Con the space for the Official Cost
1.16		This space for Regulatory Authority be revalidated after ten (10) years for	rom the date of acceptance.
RN: 0H20157.		an in management and first land it.	8200
ID#: 15905		/	
Dus. Dus. R-1149	A REL O stered in the name of the Manufa	cturer	Northwest Territories
	supported with two Statutory Dec	claration forms	REGISTERED
The state of the s	made by the person having full	authority and Th	INDER THE AUTHORITY OF HE BOILER AND PRESSURE
	s shall be resubmitted for validati	an \	VESSEL ACT.

CRN EXPIRES NOV. 4, 2029-DG.

**New Brunswick** Nunavut

Nova Scotia Yukon

Prince Edward Island Northwest Territories

Newfoundland and Labrador

Manufacturers Name: FONDREMY INC. Manufacturers Address; 1465, BOUL INDUSTRIEL, CHAMBLY (QUEBEC), J3L 4C4 Plant Locations: SAME AS ABOVE Category of Fittings to be registered. Circle one Category only Title of the Standard of A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Construction B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps - ASME B31.3 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure - ASME B31.1 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs A) Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product Type of Construction Forged D Welded D Wrought o Cast Other o Describe other: List of supporting documentation and identification of the actual items to be registered:

- MODEL D4 SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS

and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure ten ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and it verified by 150 8001,2015 BNQ as being suitable for that purpose and I make this solemn declaration conscients believing it to be true and the initial trial into the same force and effect as if made under oath.  Signature of Declares  Declared before the Official Seal	non-housen & H. H. H. H.	Declaration: FRANCIS LEMAIR, GENERAL MANAGER (see note 3) employed by FONDRE
Declared beign so was the Official Seal  This 20 2019  Use this space for the Official Seal	form is true to the best of tion, pressure temperature the manufacture of these	nd responsibility for the quality of the end product do solemnly declare by knowledge represents the product for which registration is sought. Strings, and identification markings are in accordance with the herein nuttings is regulated by a Quality Control Program which extends to each erified by 150 9001 2015 BNQ as being suitable for that elieving it to be true.
This 20 2019 Use this space for the Official Seal		200000000
This Use this space for the Official Seal		eclared before the transfer of the second se
	ficial Seal	115 20 30 3019
	0.000.000.000	ommissione
Or Notary Public		Notary Publ
Mr. C. nhtale		Aric natur

This registration must be revalidated after ten (10) years from the date of acceptance OH20157.2 CRN: Boilers and 15905 FID#: Pressure Vessels Act Notes: Dull. R-1149A REY, O REGISTERED All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms CRN OH 20157.2N and one copy of supporting documentation The Declaration shall be made by the person having full authority and responsibility for the quality of the end product Quality Control programs shall be resubmitted for validation. Signed 11/2016 CRN EXPIRES NOV. 4, 2029 - D.G. Territorial Registration Lee