


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: DETROIT FLEX DEFENSE	
Manufacturers Address: 2921 INDUSTRIAL ROW, TROY MI, 48064	
Plant Locations: SAME AS ABOVE	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  <input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">- ASME B31.3</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <div style="text-align: center;">  <span style="font-size: 2em; font-weight: bold; margin-left: 20px;">DFD</span> </div>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- SCOPE OF CRN REGISTRATION, DRAWINGS, CALCULATIONS.</p>	

**Declaration:**

I BRYAN M. MOOSEKIAN CHIEF OF OPERATIONS (see note 3) employed by DETROIT FLEX DEFENSE and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASR ISO 9001 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Bryan M. Moosekian*

Declared before me at Troy, Michigan

This 26th day of February AD 2020

Commissioner of Oaths

Or Notary Public: (sign) *Cari M Powell*

(Affix Official seal to the right)

**CARI M. POWELL**  
 Notary Public, State of Michigan  
 County Of Oakland  
 My Commission Expires 8-11-2021  
 Acting in the County of OKLAND

8-11-2021

This space for Regulatory Authority use.	
This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>0H22160.5</u>	
FID#: <u>15960</u>	
Notes: Tube fitting assemblies. 400psig @ -90F to 400F	
<ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.                      Dwg. PRE375x049-TB-xxxx-ASM, PRE375x049-TUBE01-ASM,                      PRE375x049-TUBE02-ASM, PRE375x049-TUBE03-ASM,                      11/2016 PRE750X065-TB-xxxx-ASM rev.A.A</li> </ol>	
<p><b>ACCEPTED</b></p> <p><b>PROVINCE OF PRINCE EDWARD ISLAND</b>  <b>COMMUNITIES, LAND &amp; ENVIRONMENT</b></p> <p>C.R.N. <u>0H22160.59</u></p> <p>DATE: <u>June 19/20</u></p> <p><b>INSPECTION SERVICES SECTION 0.0 - Fittings Rev.2</b>  <b>BOILER/PRESSURE VESSEL BRANCH</b></p>	
CRN expires Feb.7, 2030 - DG	


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: DETROIT FLEX DEFENSE	
Manufacturers Address: 2021 INDUSTRIAL ROW, TROY MI, 48064	
Plant Locations: SAME AS ABOVE	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  <input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p align="center">- ASME B31.3</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <div align="center">  </div>	<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p align="center">- SCOPE OF CRN REGISTRATION, DRAWINGS, CALCULATIONS.</p>	

**Declaration:**

I BRYAN M. MOOSEKIAN CHIEF OF OPERATIONS (see note 3) employed by DETROIT FLEX DEFENSE and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASR ISO 9001 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Bryan M. Moosekian*

Declared before me at Troy, Michigan


This 26th day of February AD 2020

Commissioner of Oaths  
 Or Notary Public: (sign) *Cari M Powell*

(Affix Official seal to the right)

**CARI M POWELL**  
 Notary Public, State of Michigan  
 County Of Oakland  
 My Commission Expires 8-11-2021  
 Acting in the County of Oakland

6-11-2021

<p>CRN: <u>0H22160.5</u></p> <p>FID#: <u>15960</u></p> <p>Notes: Tube fitting assemblies. 400psig @ -90F to 400F</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.                      Dwg. PRE375x049-TB-xxxx-ASM, PRE375x049-TUBE01-ASM, PRE375x049-TUBE02-ASM, PRE375x049-TUBE03-ASM, 11/2016 PRE750X065-TB-xxxx-ASM rev.A.A</li> </ol> <p>CRN expires Feb.7, 2030 - DG</p>	<p align="center">This space for Regulatory Authority use.                  This registration must be revalidated after ten (10) years from the date of acceptance.</p> <div align="center">  </div> <p>Date <u>June 19/20</u>                  C.R.N. <u>0H22160.5B</u>                  Dwg. <u>as described</u>                  Signed <u><i>Joyne Perry</i></u>  <u>1 of 1</u>                  Part</p>
---	---

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: DETROIT FLEX DEFENSE	
Manufacturers Address: 2921 INDUSTRIAL ROW, TROY MI, 48084	
Plant Locations: SAME AS ABOVE	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  <input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">- ASME B31.3</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <div style="display: flex; align-items: center; justify-content: center;"> <span style="font-size: 2em; font-weight: bold;">DFD</span> </div>	
<p align="center"><b>Type of Construction</b></p> Forged <input checked="" type="checkbox"/> Welded <input checked="" type="checkbox"/> Wrought <input checked="" type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:	
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- SCOPE OF CRN REGISTRATION, DRAWINGS, CALCULATIONS.</p>	

**Declaration:**

I BRYAN M. MOOSEKIAN CHIEF OF OPERATIONS (see note 3) employed by DETROIT FLEX DEFENSE and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASR ISO 9001 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Bryan M. Moosekian*  
 Declared before me at Troy, Michigan  
 This 26th day of February AD 2020  
 Commissioner of Oaths  
 Or Notary Public: (sign) *Cari M Powell*  
 (Affix Official seal to the right)

CARI M. POWELL  
 Notary Public, State of **BRUNSWICK**  
 County Of Oakland  
 My Commission Expires 8-11-2021  
 Acting in the County of BRUNSWICK

**DEPT OF JUSTICE PUBLIC SAFETY  
 BOILER & PRESSURE VESSEL ACT**

8-11-2021

<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0H22160.5</u></p> <p>FID#: <u>15960</u></p> <p>Notes: Tube fitting assemblies. 400psig @ -90F to 400F</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation                      Dwg. PRE375x049-TB-xxxx-ASM, PRE375x049-TUBE01-ASM,                      PRE375x049-TUBE02-ASM, PRE375x049-TUBE03-ASM,                      11/2016 PRE750X065-TB-xxxx-ASM rev.A.A</li> </ol> <p><b>CRN expires Feb.7, 2030 - DG</b></p>	<p align="center"><b>REGISTRATION ONLY</b></p> <p>CRN <u>0H22160.57</u></p> <p align="center"><u><i>Carri Powell</i></u>  <b>CHIEF BOILER INSPECTOR</b></p> <p>DATE <u>6/19/20</u></p> <p><input type="checkbox"/> BLRs      <input type="checkbox"/> PVs      Sect 1.0 - Fittings Rev.2</p> <p><input checked="" type="checkbox"/> FITTINGS      <input type="checkbox"/> NUCLEAR COMPONENTS</p>
---	---


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: DETROIT FLEX DEFENSE	
Manufacturers Address: 2921 INDUSTRIAL ROW, TROY MI, 48084	
Plant Locations: SAME AS ABOVE	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  <input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">- ASME B31.3</p>
<p align="center"><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <div style="text-align: center;">  <span style="font-size: 2em; font-weight: bold; margin-left: 20px;">DFD</span> </div>	<p align="center"><b>Type of Construction</b></p> Forged <input checked="" type="checkbox"/> Welded <input checked="" type="checkbox"/> Wrought <input checked="" type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- SCOPE OF CRN REGISTRATION, DRAWINGS, CALCULATIONS.</p>	

**Declaration:**

I BRYAN M. MOOSEKIAN CHIEF OF OPERATIONS (see note 3) employed by DETROIT FLEX DEFENSE and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASR ISO 9001 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Bryan M. Moosekian*

Declared before me at Troy, Michigan

This 28th day of February AD 2020


Commissioner of Oaths

Or Notary Public: (sign) *Cari M Powell*

(Affix Official seal to the right)

**CARI M POWELL**  
 Notary Public, State of Michigan  
 County Of Oakland  
 My Commission Expires 8-11-2021  
 Acting in the County of OAKLAND

8-11-2021

CRN: <u>0H22160.5</u> FID#: <u>15960</u> Notes: Tube fitting assemblies. 400psig @ -90F to 400F 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Dwg. PRE375x049-TB-xxxx-ASM, PRE375x049-TUBE01-ASM, PRE375x049-TUBE02-ASM, PRE375x049-TUBE03-ASM, 11/2016 PRE750X065-TB-xxxx-ASM rev.A.A CRN expires Feb.7, 2030 - DG	<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p align="center">   <b>Newfoundland Labrador Service NL</b>                  Registered <u>0H22160.50</u>                  Date <u>20/06/24</u>                  Engineering and Inspection Services                  Registered by <u><i>[Signature]</i></u>                  UNDER THE AUTHORITY OF THE                  PUBLIC SAFETY ACT                  THE BOILER, PRESSURE VESSEL AND                  COMPRESSED GAS REGULATIONS             </p>
--	---

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: DETROIT FLEX DEFENSE	
Manufacturers Address: 2921 INDUSTRIAL ROW, TROY MI, 48084	
Plant Locations: SAME AS ABOVE	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  <input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">- ASME B31.3</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <div style="display: flex; align-items: center; justify-content: center;"> <span style="font-size: 2em; font-weight: bold;">DFD</span> </div>	
<p><b>Type of Construction</b></p> Forged <input checked="" type="checkbox"/> Welded <input checked="" type="checkbox"/> Wrought <input checked="" type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:	
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- SCOPE OF CRN REGISTRATION, DRAWINGS, CALCULATIONS.</p>	

**Declaration:**

I BRYAN M. MOOSEKIAN CHIEF OF OPERATIONS (see note 3) employed by DETROIT FLEX DEFENSE and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASR ISO 9001 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Bryan M. Moosekian*

Declared before me at Troy, Michigan

This 26th day of February AD 2020

Commissioner of Oaths Or Notary Public: (sign) *Cari M Powell*

(Affix Official seal to the right)

Use this space for the Official Seal  
**CARI M. POWELL**  
 Notary Public, State of Michigan  
 County Of Oakland  
 My Commission Expires 6-11-2021  
 Acting in the County of OAKLAND

6-11-2021

<p align="center">This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0H22160.5</u></p> <p>FID#: <u>15960</u></p> <p>Notes: Tube fitting assemblies. 400psig @ -90F to 400F</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.                      Dwg. PRE375x049-TB-xxxx-ASM, PRE375x049-TUBE01-ASM,                      PRE375x049-TUBE02-ASM, PRE375x049-TUBE03-ASM,                      11/2016 PRE750X065-TB-xxxx-ASM rev.A.A</li> </ol> <p>CRN expires Feb.7, 2030 - DG</p>	
---	--


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

<b>Manufacturers Name:</b> DETROIT FLEX DEFENSE	
<b>Manufacturers Address:</b> 2921 INDUSTRIAL ROW, TROY MI. 48064	
<b>Plant Locations:</b> SAME AS ABOVE	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  <input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>. (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p align="center">- ASME B31.3</p>
<b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b>	
 <span style="font-size: 2em; font-weight: bold; margin-left: 20px;">DFD</span>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<b>List of supporting documentation and identification of the actual items to be registered:</b>	
- SCOPE OF CRN REGISTRATION, DRAWINGS, CALCULATIONS.	

**Declaration:**

I BRYAN M. MOOSEKIAN CHIEF OF OPERATIONS (see note 3) employed by DETROIT FLEX DEFENSE and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AS9100 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Bryan M. Moosekian*

Declared before me at Troy, Michigan

This 28th day of February AD 2020


Commissioner of Oaths *Cari M Powell*

Or Notary Public: (sign) *Cari M Powell*

(Affix Official seal to the right)

**CARI M. POWELL**  
 Notary Public, State of Michigan  
 County Of Oakland  
 My Commission Expires 8-11-2021  
 Acting in the County of OKLAHOMA

6-11-2021

<p align="center"><small>This space for Regulatory Authority use.</small></p> <p>This registration must be revalidated after ten (10) years from the date of issuance.</p> <p>CRN: <u>0H22160.5</u></p> <p>FID#: <u>15960</u></p> <p>Notes: Tube fitting assemblies. 400psig @ -90F to 400F</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p><small>Dwg. PRE375x048-TB-xxxx-ASM, PRE375x048-TUBE01-ASM, PRE375x048-TUBE02-ASM, PRE375x048-TUBE03-ASM, 11/2018 PRE750X065-TB-xxxx-ASM rev.A.A</small></p> <p>CRN expires Feb.7, 2030 - DG</p>	 <p><b>Northwest Territories</b></p> <p><b>REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.</b></p> <p>C.R.N. <u>0H22160.5T</u></p> <p>SIGNED <u><i>[Signature]</i></u></p> <p>DATE <u>June 22 2020</u></p>
--	---

162.00

SE-1.0 - Fittings Rev.2


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: DETROIT FLEX DEFENSE	
Manufacturers Address: 2021 INDUSTRIAL ROW, TROY MI, 48084	
Plant Locations: SAME AS ABOVE	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs  <input checked="" type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)</p>	<p><b>Title of the Standard of Construction</b></p> <p align="center">- ASME B31.3</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  <span style="font-size: 2em; font-weight: bold;">DFD</span> </div>	<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- SCOPE OF CRN REGISTRATION, DRAWINGS, CALCULATIONS.</p>	

**Declaration:**

I BRYAN M. MOOSEKIAN CHIEF OF OPERATIONS (see note 3) employed by DETROIT FLEX DEFENSE and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AS9100 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Bryan M. Moosekian*

Declared before me at Troy, Michigan

This 26th day of February AD 2020

Commissioner of Oaths

Or Notary Public: (sign) *Cari M Powell*

(Affix Official seal to the right)

Use this space for the Official Seal  
**CARI M POWELL**  
 Notary Public, State of Michigan  
 County Of Oakland  
 My Commission Expires 8-11-2021  
 Acting in the County of NUNAVUT

<p>CRN: <u>0H22160.5</u></p> <p>FID#: <u>15960</u></p> <p>Notes: <u>Tube fitting assemblies, 400psig @ -90F to 400F</u></p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.                      Dwg PRE375x049-TB-xxxx-ASM, PRE375x048-TUBE01-ASM,                      PRE375x049-TUBE02-ASM, PRE375x049-TUBE03-ASM,                      11/2018 PRE750X085-TB-xxxx-ASM rev. A A</li> </ol> <p>CRN expires Feb.7, 2030 - DG</p>	<p>This registration must be revalidated after <u>ten (10) years</u> from the date of acceptance</p> <p align="center"> <b>NUNAVUT</b>                  Boilers and Pressure Vessels Act  <b>REGISTERED</b>                  CRN <u>0H 22160.5N</u>                  Date <u>June 18, 2020</u>                  Signed <u><i>[Signature]</i></u>                  Chief Inspector                  Territorial Registration Fee             </p>
---	--

6-11-2021

