

iliration H (2, 1-1, 2019 345 Carlingview Drive Toronto, Ontario CANADA M9W 6N9 Tel.: 416.734.3300 Fax.: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

June 18, 2019

BORIS BINDER DONALDSON FILTRATION DEUTSCHLAND GMBH BUSSINGSTR. 1;HAAN D-42781 42781 DE

Service Request Type.: BPV-National ACI Central

Service Request No.: 2546978

Your Reference No.:

Registered to.: DONALDSON FILTRATION DEUTSCHLAND GMBH

Dear BORIS BINDER,

Please find enclosed the original response from PEI,NS,NB,NFLD,YK,NWT,NU, registered under the CRN No.: 0E12454.59870YTNR1.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis

Administrative Assistant\_ BPV Engineering

Tel.: 416-734-3423 Fax: 416-231-6183 Email:tfrancis@tssa.org (

### UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

Man dirienta	Moas Ocous	Prince Edward Island	Newtoundland and Labrado	if .
Nunavut	Yukon	Northwest Territories		•
Manufacturers Nam			the second to the product of the second to t	
	'686; 80ssingsiresso 1, D-42761 H			76.4
Plant Locations:	60svingstrates 1, 0-42781 H	ed. Circle one Cafegory only		60 W.L.
A Pipe fillings, including B Fignges; all fienges	couplings, tees, sibows, Ys. p	lugs, unions, pips caps, or reducers	Title of the Stand: Construction	rd of
C Valves; all line valves		well-sould so	manufacturer standa	ard
I TER Strainers, filters, sebar	ble connections, and hose ass. Valors, and steam trans		ASME Sec. VIII Div	I
F Measuring devices, Inc	luding preseure geuges, level	gauges, sight glasses, levels, or pres	eure U-101 (k)+(m)	1
transmitters G Certified capacity-raised boilers, pressure vesse	i pressure relief devices accep is. Piping and fusible piugs	lable as primary over pressure profe	13 / / / / / / / /	
17	ponente that do not fall into or	-	ĺ	
N Nuclear components:	Class 1 Class 2 Class	3 . (Meeting CNSC or ASME requ	rements).	
Show Manufacturers	Name, Trademark, or Lot	o as it will appear on the prod	uct Type of Construc	kion.
T 1	<b>(B)</b>		Forged o Welded o W	rought o
Donald	son	<i>:</i>	Describe ather:	
			, , , , , , , , , , , , , , , , , , , ,	
Ultrafilte		,		
List of surporting doc	umentation and identific	ation of the actual items to be	registered:	
Filter housing "Ulti	ra Filter" Drawlnos	D-00016-b, D00017-b, D	-00018-h D-00010 h	
proof test report	- into , prantingo	D-000 10 B, D000 11-D, D	-000 io-b, D-000 ia-b	
biooi (ap't tobatt				
**************************************			to the men	
Declaration:				
Helier Carelenson / Hone Without B	chuster (see note 3) empl	oved by Donaldson Filtration Gr	nbH and helps the nesses begins & III	cont o
ind responsibility for the c	(uality of the end product o	lo solemnly declare that the infor	nbH and being the person having full nation conteined in this form is true to t	he best of
ny knowledge representa	une product for which regi	stration is sought. The dimension	mailion contained in this form is (rue to I ns, malerials of construction, pressure (	emperature
ga ye kelalisi iyo kula alanganon i	Haikings are in accordance	e with the nerein named standan	is, majorials of construction, pressure ( is. I further declare that the manufactu	re of these
erified by SEBUKLA Apkinik	in constant	o suitable or was furnise and I	make this soliding the whole or in part en	d has been
elleving it to be true, and	nowhit that I is of the se	me one pie step as if made u	is. I further declare that the manufacturabilities of in part en abricellon occurs in whole or in part en make this soles of the tradition conscient ader oath.	lionely
	X [ MANALAN	(100 × 100 ×		
Ignalure of Declarer: 🌿	The contract of the contract o		4	
eclared before me at.	V Haan !	; ',	76.2076	
his 21 day of h	MINER DOMB AD	Us.	s this species for mational Seal	
ommissioner of Oaths	1 6		G L	
•	i link			
r Notary Public: (sign) 🔑	- J ~ / C		TO HEAD	
	(Affix Official seal to the right	)	Hag	
	This	space for Regulatory Authority use.		
	This registration must be re	evalldated after tan (10) years from t	AGCEPTAD <sub>ICE</sub>	1
RN: 0E12454.			PRINCE EDWARD ISLAND	ľ
2000	-		S, LAND & ENVIRONMENT	j.
ID# 2008	<b>-</b>	COMMONITH	- 1/	, , ,
DEES)		C.R.N.	11954.59 Re	U /
	d in the name of the Manufacture	r.	1 -1/8/16	
Each Category shall be supp	orted with two Statutory Declarati	on forms DATE:	10/13	
and one copy of supporting d			4 5-6	
The Decision shall so mad responsibility for the quality of	to by the person having full author The and product		The state of the s	
	il be resubmitted for validation.		on services section	1
	·	BOILER/PR	ESSURE VESSEL BRANCH	. 1
11/2016			Seci 1,0 - Fininga Rev	2
,				
to month (				

Kem plauzmick	Nova Scotia	Prince Edward Island	lewfoundland and Labrador
Nunavut	Yukon	Northwest Territories	
Manufacturers Name	9: Donaldson Filitation Devisch	land GmbH	
	SS: Boseingstrasse 1, D-42781 He		
Plant Locations:	Blissingsirasse 1, D-42781 Ha	an Germany	
Category	of Fittings to be registere	d. Circle one Category only	Tale of the But of the
A Pipe fittings, including of B Flanges: all flanges	couplings, tees, elbows, Ys, pi	uge, unions, pipe caps, or reducers	Title of the Standard of Construction
C Valves: all line valves		hn	manufacturer standard
Strainers filters serate	le connections, and hose asse	emblies: all types	ASME Sec.VIII DIV.1
F Measuring devices, Incl	uding pressure gauges, level (	gauges, sight glasses, levels, or pressure	11 104 (6) (-)
i trensminere			U-101 (k)+(m)
G Certified capacity-rated	pressure relief devices accept	able as primary over pressure protection on	
H Pressure retaining com	a, piping and fusible plugs ponents that do not fall into on	and the affirmation to	
4:		~	
N. Nuclear components:	Class 1 🗆 Class 2 🗖 Class :	3 🔲 , (Meeling CNSC or ASME requirements)	
Show Manufacturers	lame, Trademark, or Log	o as it will appear on the product	Type of Construction
seemil ed to	<b>6</b>	:	Forged a Welded a Wrought a
Donald	con	•	Cast M Other D
Dulaud	SOLL		Describe other:
Ultrafilte			· ·
		ation of the actual items to be register	
1			
Filter housing "Ultr	a Filter", Drawings	D-00016-b, D00017-b, D-0001	8-b. D-00010-b
proof test report	,	2, 20001, 2, 2 000,	o b, o-doo (9-b
The state of the s			
			·
<b>l</b> .			
	1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Danis - Ban		The second secon	
Declaration:	Asserting 1	. Donaldona Fillration County	
and recognibilly for the	(see note 3) emplo	byed by Donaldson Filtration GmbH an	id being the person having full authority
mv knowledne represente:	hally of the end product of	o solemnly declare that the information c	id being the person having full authority ontained in this form is true to the best of
ratings and identification o	natkings are in accordance	a with the best is named standards. I feet	rials of construction, pressure temperature
littings is regulated by a O	tality Control Program whi	ch eviende to each elect where februarie	ner declare that the manufacture of these
verified by seaux Ltd. registrate	No Gyrostore as bein	ng suitable for that surpose and I make the	is splanning in whole or in part and has been
elieving it to be true, aid	noying that it is of the sar	me rorde and effect as if made under nati	is soleant versection conscientiously
	X WILLIAM AAAA		1 00
Signature of Declarer. W	MANNON	1	
Declared before me at	V Haan	1.	
	ing har 2018 AD		
2604 M	MI MAN SUZUI AD	Use this	page for haronnal Seal
Commissioner of Oaths	V (	16	
or Notary Public: (sign)		`	
			In wass
(8)	(Affix Official seal to the right)		114
	This	space for Regulatory Authority use.	
	This registration must be re	evalidated after ten (10) years from the date of	acceptance.
CRN: <u>OE12454.</u>	5 REV1	availdated after ten (10) years from the date of the SULLER & PRESSUR NOVA SOTTA	E
2000		NOVA SOTTU	(6)
FID#: 2008	,	(8) Dat 6 114 5	18
Voles:			(19)
. All Fittings shall be registered	in the name of the Manufacturer.	C.R.N. OEI2454	SRREW
	orted with two Statulory Declaration	on forms Dwg. as descr	- AUEAI
and one copy of supporting d	ocumentation,	2	Tay and
. The Declaration shall be mad	e by the person having full author	diy and Signed Jeonne Pe	my
responsibility for the quality of	the end product.	$\frac{1}{\sqrt{1}}$ of 1	
Qualify Control programs shall	be resubmitted for validation.		/)
		Cy Part	Sect 1.0 - Fittings Rev.2
11/2016		Part Part REGULATI	Fillings Rav.2

New Brunswick	Nova Scotia	Prince Edward Is	land Ne	wfoundland and Labrador
Nunavut	Yukon	Northwest Territo	ries	
Manufacturers Name				
	SS; Büssingstrasse 1, D-42781 I			
Plant Locations:	Büssingstrasse 1, D-42781			
A Pipe fittings, including of B Flanges: all flanges	ouplings, tees, elbows, Ys, I	plugs, unions, pipe caps, or	reducers	<u>Title of the Standard of</u> <u>Construction</u>
F Measuring devices, inclinations for transmitters	e connections, and hose ass tors, and steam traps uding pressure gauges, leve	l gauges, sight glasses, lev		manufacturer standard ASME Sec.VIII Div.1 U-101 (k)+(m)
boilers, pressure vessels	pressure relief devices acce s, piping and fusible plugs ponents that do not fall into c		•	
	Class 1 🗆 Class 2 🗀 Class	•		
Show Manufacturers N	lame, Trademark, or Lo	go as it will appear on	the product	Type of Construction
Donald	son ®			Forged
List of supporting doc	-	cation of the actual ite	mo to ho registeres	
Filter housing "Ultr proof test report				<del></del>
ratings, and identification n fittings is regulated by a O	the product for which reg narkings are in accordan	do solemnly declare the pistration is sought. The ce with the herein name bich extends to each plant	at the information cor dimensions, materia ed standards. I furthe	being the person having full authority named in this form is true to the best of als of construction, pressure temperature or declare that the manufacture of these occurs in whole or in part and has been solemn reclaration conscientiously
	ingment 2018 AD_		Use this spa	co for the Official Seel
Commissioner of Oaths  Or Notary Public: (sign)	(Affix Official seal to the right	ht)	B	Wins Welck
	Th This registration must be	is space for Regulatory At revalidated after ten (10)	thority use BOLER &	CERTIFICE PUBLIC SAFETY CERTIFICATION
CRN: <u>0E12454</u> .				GISTRATION ONLY
FID#: 2008	_		OD4 (	DE12454.57RW1
Notes:			CRN L	10.1243).371
	d in the name of the Manufactur ported with two Statutory Declar		<u>X</u>	an aus
	locumentation, ie by the person having full auti	hority and	CHIE	F BOILER INSPECTOR
responsibility for the quality o			DATE	4/18/2019
	22 roodbillitted for Validdiloit,			Sect 1.0 - Fittings Rev.2
11/2016			□BLRs	□PVs
			FITTINGS	□ NUCLEAR COMPONENTS

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Na	Me: Denaidson Filtration Deu	tschland GmbH	
	iress: Būsoingsirasse 1, D-4276	1 Haan, Germany	
Plant Locations:	BDssingstrasse 1, D-4278	1 Haan, Germany	
A Pipe fittings, includir B Flanges: all flanges	ig couplings, tees, elbows, Ye	ered. Circle one Category only s. plugs, unions, pipe caps, or reducers	Title of the Standard of Construction
C Valves: all line valve D Expansion joints, fle	cible connections, and hope a	assemblies: all types	manufacturer standard
F Measuring devices, i	arators, and steam traps ncluding pressure gauges, le	vel gauges, sight glasses, levels, or pressu	ASME Sec.VIII Div.1 re U-101 (k)+(m)
boilers, pressure ves	sels, piping and fusible pluos	ceptable as primary over pressure protection one of the above categories	n on
N Nuclear components Show Manufacturer	Class 1 Class 2 Class Name, Trademark or I	ass 3 □ , (Meeting CNSC or ASME require .ogo as it will appear on the produc	and the same of th
Donald	dson ®	<u>-vao so is trin appeal on the produc</u>	Type of Construction Forged D Welded D Wrought D Cast M Other D Describe other:
Ultrafilt	- w	fication of the actual items to be re-	
proof test report	tra Filter" , Drawing	gs D-00016-b, D00017-b, D-0	00018-b, D-00019-b
ratings, and identification fittings is regulated by a verified by SCSUKLE POBLE to be true, and Signature of Declarer:	s the product for which re markings are in accorda Quality Control Program was no eyepsote. as be discovered as the second and	gistration is sought. The dimensions, nce with the herein named standards, which extends to each glant where fabeing suitable for that purpose and I m same horse pure that purpose and I m same horse pure that as if made under the same horse pure that the life is the same horse pure that the life is the life is same horse pure that the life is same horse pure that the life is same horse purpose and I made under the life is same horse purpose as if made under the life is same horse purpose as if made under the life is same horse purpose is same horse purpose and it is same horse purpose in the life is same horse purpose in the	and being the person having full authority fion contained in this form is true to the best of materials of construction, pressure temperature. I further declare that the manufacture of these rication occurs in whole or in part and has been aske this solamn perpendition conscientiously er oath.  The space for the contained and Sael
,	This registration must be	his space for Regulatory Authority use. e revalidated after ten (10) years from the	5577.00
CRN: <u>OE12454</u>	.5 REV1	years nom the (my years nom the (	Newfoundland Labrador
FID#: 2008	••••		•
Votes:			Service NL
	red in the name of the Manufacti		Registered DE 12454. 50 Ray
<ol> <li>Each Category shall be su and one copy of supporting</li> </ol>	pported with two Statutory Decia documentation.	nation forms	Date
<ul> <li>The Declaration shall be a responsibility for the quality</li> </ul>	ade by the person having full au of the end product,	thority and	Registered by Re
	hall be resubmitted for validation	ı.	UNDER THE AUTHORITY OF THE PUBLIC SAFATI COACHING DREV.2 THE BOILER, PRESSURE VESSEL AND
***************************************			COMPRESSED GAS REGULATIONS

Newfoundland and Labrador

Prince Edward Island

New Brunswick

Nova Scotia

N	lunavut	Yukon	Northwest Territories	
Γ	Manufacturers Name	: Donaldson Filtration De	eutschland GmbH	
	Manufacturers Addre	SS: Büssingstrasse 1, D-42	781 Haan, Germany	
Γ	Plant Locations:	Büssingstrasse 1, D-42		
Γ			stered. Circle one Category only	Title of the Standard of
	A Pipe fittings, including or	ouplings, tees, elbows, '	Ys, plugs, unions, pipe caps, or reducers	Construction
	B Flanges: all flanges C Valves: all line valves	•		manufacturar standard
	D Expansion joints, flexible	connections, and hose	e assemblies; all types	manufacturer standard
- 11	Strainers, filters, separat	ors, and steam traps		ASME Sec.VIII Div.1
-   '	F Measuring devices, inclu transmitters	iding pressure gauges,	level gauges, sight glasses, levels, or pressure	U-101 (k)+(m)
1		ressure relief devices ε	acceptable as primary over pressure protection or	
1	boilers, pressure vessels	, piping and fusible plud	as	
1	H Pressure retaining comp	onents that do not fall it	nto one of the above categories	
1	N Nuclear components: C	Class 1 🗆 Class 2 🗆 (	Class 3 🗋 , (Meeting CNSC or ASME requirement	nts).
3	Show Manufacturers N	ame, Trademark, oi	r Logo as it will appear on the product	Type of Construction
	T 11	Ø		Forged a Welded a Wrought a
	Donald	SON		Cast ( Other D Describe other:
			•	South Office.
1	<b>Ultrafilte</b>	l'		
Ī	ist of supporting docu	mentation and ide	ntification of the actual items to be regist	ered:
	ilter housing "I lite	o Eiltor" Drowin	nas D 00016 h D00017 h D 000	110 h D 00040 i
		a Filler , Diawii	ngs D-00016-b, D00017-b, D-000	718-b, D-00019-b
P	roof test report			
1				
L				
				72
	claration:		Developed Pitters of the Control	
1 <u>H</u>	leiner Carstensen / Hans Michael Sci	huster (see note 3) (	employed by Donaldson Filtration GmbH	and being the person having full authority
and	responsibility for the q	liality of the end prod	duct do solemnly declare that the information	n contained in this form is true to the best of
nny reti	nnowledge represents i	ne product for which	n registration is sought. The dimensions, mardance with the herein named standards. If	aterials of construction, pressure temperature
fitti	ngs, and identification in	salify Control Progres	m which extends to each plant where fabrica	dither declare that the manufacture of these
ver	ified by seauk Ltd, registration	No GB(B) 61049,00 a	s being suitable for that wiroose and I make	this solemented bration consciontionals
beli	ieving it to be true, and	nowing that It is of the	s being suitable for that surpose and I make he same force and emot as if made under o	path.
		* MINANIA	2001/2/	1 00
_	nature of Declarer:	MANAGE	We de l'	4 2
Dec	clared before me at	V Haan	·/	1 ( The sea 7 6)
This	21. day of A	ing met 2018 Al	D Lise this	spane for the Diffel Sent
	nmissioner of Oaths	-	Octo Bills	O. T. Santa
	•	1 1.41		
Or N	Notary Public: (sign)	100		To week
		(Affix Official seal to the	e right)	n Haan
			This space for Regulatory Authority use.	
		This registration mus	st be revalidated after ten (10) years from the date	e of acceptande (EN)
CF	RN: <u>OE12454</u> .	5 REV1	· · · · · · · · · · · · · · · · · · ·	120
		•		
FIL	o#: <u>2008</u>	-	,	O BY
Note	es:		1	S BY
1,	All Fittings shall be registered	in the name of the Manu		
2.	Each Category shall be supp		eclaration forms	CR:0E12454.5Y REV
	and one copy of supporting d		I	
3.	The Declaration shall be mad		il authority and	DATE04/18/2019
	responsibility for the quality of	•	· · · · · · · · · · · · · · · · · · ·	/ DATE
4,	Quality Control programs sha	il be resubmitted for valida	ation.	
	11/2016			Sect 1.0 - Fiftings Rev.2
	11/2010			FOC DRAM
				The state of the s

	New Brunswick Nunavul	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador		
	processor - Marine Control of the Co					
1	Manufacturers Name:					
1	Manufacturers Address; 80seingstresse 1, D-42781 Hash, Germany Plant Locations: 80seingstresse 1, D-42781 Heen, Germany					
	Category of Fittings to be registered. Circle one Category only					
	A Pipe fittings, including could be Flanges: all flanges	plings, tees, elbows, Ys,	plugs, unions, pipe caps, or reducers	Construction		
	C Valves: all line valves D Expansion joints, flexible	ee sed has socilooses	samhliab' ail tunse	manufacturer standard		
	155 Strainers, fillers, senamic	enent magis has at		ASME Sec.VIII Div.1		
	NAME TARGET		el gauges, sight glasses, levels, or pressure	1 (10) . (111)		
	Dollers, pressure yeasels, i	otolog and fusible ohios	piable as primary over pressure protection	on		
i	H Pressure relatining compor					
- }	N Nuclear components: Cia	ss 1 Class 2 Clas	s 3 🛛 , (Meeting CNSC or ASME requirem	ents). (		
- 1	Snow manufacturers Na	ne, Trademark, or Lo	go as it will appear on the product	Type of Construction		
	Donalda	8	•	Forged o Welded o Wrought o Cast @ Other o		
	- Company	on		Describe other:		
L	Ultrafilter					
1	List of supporting docum	entation and identifi	cation of the actual items to be regi	stered:		
- 11	Filter housing "Ultra !	Filter" . Drawings	D-00016-b, D00017-b, D-00	1018-h D-00010 h		
1	proof test report	,		10 0, D-000 15-D		
İ				j		
<b>L</b>	and the second s		The second secon	A STATE OF THE PARTY OF THE PAR		
	claration:		<b>5</b> 44			
en en	iciner Caratenson / Hans Michael Schuster	(see note 3) emp	loyed by Donaldson Filtration GmbH	and being the person having full authority		
my	knowledge represents the	product for which con	stration is nearly . The discontinue	in contained in this form is true to the best of		
rati	ings, and identification mari	kings are in accordant	e with the herein named standards. I	laterials of construction, pressure temperature further declare that the manufacture of these		
ver	ified by sentitus, making the	o <u>ligitatora as pai</u> na counci budiani Mi	no suitable to each plant where fabric	numer declare that the manufacture of these sation occurs in whole or in part and has been		
bel	leving it to be true, adding	ion that I is of the se	me to the ender	ation occurs in whole or in part and has been e this solution described the conscientiously oath.		
	nature of Declarer:	Jumpa	SCH SL	2		
	lared before me at	14aan 11		(* / )		
	and day of Pina	The state of the s	iles thi			
	missioner of Oaths		U Coo un	apace for the Office See		
	lotary Public: (sign)	$\{c\cdot k\}$		The state of the s		
O, 1	(86)	v Official and an about the		THE ST		
	A.III	x Umciai seal to the nghi	·			
	Tì	uu. n ed taum notratialger ein	s space for Regulatory Authority use. evalidated after ten (10) years from the di	olean		
CR	N: <u>OE12454.</u> 5	REV1		of cape co.  Nove st  Textification is		
FID	#: 2008		1			
Note			I HADED 11	GISTERED HE AUTHORITY OF		
1.	All Finings shall be registered in the		[4] Tru (17 (3/2)() P	AND PRESSURE		
2,	Each Calegory shall be supported and one copy of supporting docum	with two Statutory Dadarat entation.	on forms VS	SSEL ACT.		
3.	The Declaration shall be made by responsibility for the quality of the	Sie Decson having full autho	•	512454.5T Rev)		
	Quality Control programs shall be		SIGNED	1		
	11/2018	ae :	DATE MA	101 23 7863 FHings Rav 2		
	HAVIS					
-	for a statement		And the second s			

(

New Brunswick

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Na			Company although white the company of the company o
Manufacturers Ad	dress: Bússingstrasse 1, D-4278		The second secon
Plant Locations:	Büssingstrasse 1, D-42781	Haen, Germany	The same of the sa
B Flanges; all flanges	ng couplings, tees, elbows, Ys	ered. Circle one Category only plugs, unions, pipe caps, or reduce	Title of the Standard of Construction
F Measuring devices, transmitters G Certified capacity-rat boilers, pressure ves	xible connections, and hose a parators, and steam traps including pressure gauges, lev	el gauges, sight glasses, levels, or p eptable as primary over pressure pro	1 1.3 (11)
Show Manufacturer	s Name, Trademark, or L	ss 3 🗓 , (Meeting CNSC or ASME re outo as it will appear on the pr	Forged D Welded D Wrought D
Donald Ultrafile	970 OK.		Cast III Other D Describe other:
		ication of the actual items to I	
		s D-00016-b, D00017-b,	
to control or the form	# to   etc.		
Dantamatam		44 WA WA 20 14	The state of the s
Declaration:   Helmir Centensen / Hens Michael	Rehisting to a second	Donaldson Elitration	GmhU
and responsibility for the my knowledge representatings, and identification fittings is regulated by a verified by SCS UK LM. Replay believing it to be true, and Signature of Declarer:  Declared before me at this 21 day of	ts the product for which rep	gistration is sought. The dimens noe with the herein named stand thich extends to each plant where aing suitable to that dirpose and name to car the origin as it made	GmbH and being the person having full authority formation contained in this form is true to the best of ions, materials of construction, pressure temperature ards. I further declare that the manufacture of these is fabrication occurs in whole or in part and has been d I make this solarm reconstruction conscientiously under oath.
Commissioner of Oaths	( , , A		
Or Notary Public; (sign) _	761	A PERSONAL PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERT	
	(Affix Official seal to the rig	A13	NIMATIT
	This registration must be	is space for Regulator Authority	the date of acceptar Boilers and
CRN: <u>0E12454</u>	.5 REV1	Nuñavut	Prose in Vessels Act
FID#: 2008			
Notes;			REGISTERED
	red in the name of the Manufactur		E12454511Paul
and one copy of supporting	pported with two Statutory Declar of documentation, and by the person having full auti	Data	April 18, 2019
responsibility for the quality	of the end product.	Signed	Come 1
	ha') be resubmitted for validation.	gired	Chief Inspectorect 1.0 Fillings Rev.2
11/2018		Territ	orial Registration Fee