


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: <u>WATSON MCDANIEL</u>		
Manufacturers Address: <u>428 JONES BLVD., POTTSTOWN, PENNSYLVANIA, 19464</u>		
Plant Locations: <u>SAME AS ABOVE</u>		
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>- ASME B16.34                  - ASME B31.1                  - ASME B31.3</p>	
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <div align="center" style="border: 1px solid black; padding: 5px; margin: 10px auto; width: 150px;">  </div>		<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- TRAP TEST VALVE STATION SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>		

**Declaration:**

I ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 HSB as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: \_\_\_\_\_  
 Declared before me at Pottstown, Pennsylvania  
 This 25th day of February AD 2020  
 Commissioner of Oaths \_\_\_\_\_  
 Or Notary Public: (sign) \_\_\_\_\_  
 (Affix Official seal to the right)



<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of issuance.</p> <p>CRN: <u>0C22334.5</u></p> <p>FID#: <u>707</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p><b>UTS600 trap test valve station.</b></p> <p align="center">11/2016</p> <p>CRN expires April 9, 2030 - DG</p>	<p align="center"><b>ACCEPTED</b></p> <p align="center"><b>PROVINCE OF PRINCE EDWARD ISLAND</b>  <b>COMMUNITIES, LAND &amp; ENVIRONMENT</b></p> <p>C.R.N. <u>0C22334.59</u></p> <p>DATE: <u>May 22/20</u></p> <p align="center"><b>INSPECTION SERVICES SECTION</b>  <b>BOILER/PRESSURE VESSEL BRANCH</b></p> <p align="right">10 - Fittings Rev.2</p>
---	---


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <b>WATSON MCDANIEL</b>	
Manufacturers Address: <b>42B JONES BLVD., POTTSTOWN, PENNSYLVANIA, 19464</b>	
Plant Locations: <b>SAME AS ABOVE</b>	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>- ASME B16.34                  - ASME B31.1                  - ASME B31.3</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center"></p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- TRAP TEST VALVE STATION SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:**

I, ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 HB as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]


Declared before me at Pottstown, Pennsylvania


This 25th day of February AD 2020

Commissioner of Oaths

Or Notary Public: (sign) [Signature]

(Affix Official seal to the right)



<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p>	
CRN: <u>OC22334.5</u>	
FID#: <u>707</u>	
<p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p><b>UTS600 trap test valve station.</b>                  11/2018                  CRN expires April 9, 2030 - DG</p>	


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: WATSON MCDANIEL	
Manufacturers Address: 428 JONES BLVD., POTTSTOWN, PENNSYLVANIA, 19464	
Plant Locations: SAME AS ABOVE	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C</b> Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>- ASME B16.34</p> <p>- ASME B31.1</p> <p>- ASME B31.3</p>
Show Manufacturers Name, Trademark, or Logo as it will appear on the product	
	
<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>	
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- TRAP TEST VALVE STATION SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:**

I ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 HSB as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Pottstown, Pennsylvania

This 25th day of February AD 2020

Commissioner of Oaths

Or Notary Public: (sign) [Signature]

(Affix Official seal to the right)

COMMONWEALTH OF PENNSYLVANIA  
**NOTARIAL SEAL**  
Jay Goldberg, Notary Public  
Limerick Twp., Montgomery County  
My Commission Expires June 28, 2020  
MEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES

**Brunswick**

DEPT OF JUSTICE PUBLIC SAFETY  
**BOILER & PRESSURE VESSEL ACT**

---

This space for Regulatory Authority use.  
This registration must be revalidated after ten (10) years from the date of acceptance.

**REGISTRATION ONLY**

CRN 0C22334.57

[Signature]  
**CHIEF BOILER INSPECTOR**

DATE 5/22/20

BLRs       PVs      Sect 1.0 - Fittings Rev.2  
 **FITTINGS**       **NUCLEAR COMPONENTS**

CRN: 0C22334.5

FID#: 707

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

**UTS600 trap test valve station.**  
11/2016

CRN expires April 9, 2030 - DG


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: WATSON MCDANIEL	
Manufacturers Address: 428 JONES BLVD., POTTSTOWN, PENNSYLVANIA, 19464	
Plant Locations: SAME AS ABOVE	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C</b> Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>- ASME B16.34</p> <p>- ASME B31.1</p> <p>- ASME B31.3</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <p align="center"></p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- TRAP TEST VALVE STATION SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:**

I ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001: HSE as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Pottstown, Pennsylvania  
 This 25th day of February AD 2020  
 Commissioner of Oaths  
 Or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)



<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0C22334.5</u></p> <p>FID#: <u>707</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p><b>UTS600 trap test valve station.</b></p> <p>11/2016</p> <p>CRN expires April 9, 2030 - DG</p>	<p align="center">Newfoundland Labrador Service NL</p> <p>Registered <u>0C22334.50</u>          Date <u>20/05/25</u>          Engineering and Inspection Services          Registered By: <u>[Signature]</u></p> <p align="center">UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS</p>
--	--


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: WATSON MCDANIEL	
Manufacturers Address: 428 JONES BLVD., POTTSTOWN, PENNSYLVANIA, 19464	
Plant Locations: SAME AS ABOVE	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges  <input checked="" type="radio"/> C Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs                  H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>- ASME B16.34                  - ASME B31.1                  - ASME B31.3</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</b></p> <div align="center">  </div>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- TRAP TEST VALVE STATION SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:**

I ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 HSB as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: [Signature]  
 Declared before me at Pottstown, Pennsylvania  
 This 25th day of February AD 2020  
 Commissioner of Oaths  
 Or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)



This space for Regulatory Authority use.  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C22334.5  
 FID#: 707  
 Notes:  
 1. All Fittings shall be registered in the name of the Manufacturer.  
 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality Control programs shall be resubmitted for validation.

**UTS600 trap test valve station.**  
 11/2016  
 CRN expires April 9, 2030 - DG



BY [Signature]  
 CRN 0C22334.5Y  
 DATE 05/26/2020  
 Sect 1.0 - Fittings Rev.2


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories


Newfoundland and Labrador


Manufacturers Name: <u>WATSON MCDANIEL</u>	
Manufacturers Address: <u>428 JONES BLVD., POTTSTOWN, PENNSYLVANIA, 18464</u>	
Plant Locations: <u>SAME AS ABOVE</u>	
<p align="center"><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers                  B Flanges: all flanges                  C <input checked="" type="radio"/> Valves: all line valves                  D Expansion joints, flexible connections, and hose assemblies: all types                  E Strainers, filters, separators, and steam traps                  F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters                  G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs                  H Pressure retaining components that do not fall into one of the above categories                  N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>- ASME B16.34                  - ASME B31.1                  - ASME B31.3</p>
<p><b>Show Manufacturers Name, Trademark, or Logo as it will appear on the product:</b></p> <p align="center"></p>	<p align="center"><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/>                  Cast <input type="checkbox"/> Other <input type="checkbox"/>                  Describe other:</p>
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- TRAP TEST VALVE STATION SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:**

I ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 HAS as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Pottstown, Pennsylvania  
 This 25th day of February AD 2020  
 Commissioner of Oaths  
 Or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)



<p>CRN: <u>0C22334.5</u>  <u>707</u></p> <p>FID#: _____</p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p><b>UTS600 trap test valve station.</b>                  11/2016                  CRN expires April 9, 2030 - DG</p>	<p align="center">This space for Regulatory Authority use.                  This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p align="center">                  Northwest Territories</p> <p align="center"><b>REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.</b></p> <p align="center">C.R.N. <u>0C22334.5</u>                  SIGNED <u>[Signature]</u>                  DATE <u>MAY 26 2020</u> Fittings Rev.2</p> <p align="right">162 00</p>
--	--


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

New Brunswick  
Nunavut

Nova Scotia  
Yukon

Prince Edward Island  
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: WATSON MCDANIEL	
Manufacturers Address: 428 JONES BLVD., POTTSTOWN, PENNSYLVANIA, 19484	
Plant Locations: SAME AS ABOVE	
<p><b>Category of Fittings to be registered. Circle one Category only</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center"><b>Title of the Standard of Construction</b></p> <p>- ASME B16.34 - ASME B31.1 - ASME B31.3</p>
Show Manufacturers Name, Trademark, or Logo as it will appear on the product	
	
<p><b>Type of Construction</b></p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>	
<p><b>List of supporting documentation and identification of the actual items to be registered:</b></p> <p>- TRAP TEST VALVE STATION SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

**Declaration:**

I ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 HSB as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]


Declared before me at Pottstown, Pennsylvania

This 25th day of February AD 2020

Commissioner of Oaths

Or Notary Public: (sign) [Signature]

(Affix Official seal to the right)



<p>This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0C22334.5</u></p> <p>FID#: <u>707</u></p> <p>Notes:</p> <ol style="list-style-type: none"> <li>All Fittings shall be registered in the name of the Manufacturer.</li> <li>Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>Quality Control programs shall be resubmitted for validation.</li> </ol> <p><b>UTS600 trap test valve station.</b> 11/2016</p> <p><b>CRN expires April 9, 2030 - DG</b></p>	<p align="center"><b>NUNAVUT</b></p> <p align="center">Boilers and Pressure Vessels Act</p> <p align="center"><b>REGISTERED</b></p> <p>CRN <u>0C22334.SN</u></p> <p>Date <u>May 22, 2020</u></p> <p>Signed <u>[Signature]</u></p> <p align="center">Chief Inspector Michelle Ledwith, Sect 1.0 - Fittings Rev.2 Director Safety Services - CCS</p> <p align="center"><b>Territorial Registration Fee</b></p>
---	--