

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: WATSON MCDANIEL	
Manufacturers Address: 428 JONES BLVD., POTTSTOWN, PENNSYLVANIA, 19464	
Plant Locations: SAME AS ABOVE	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p align="center">- ASME B31.3</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center" style="font-size: 2em;">AMSCO</p>	<p align="center">Type of Construction</p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input checked="" type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- WTT-129222-001 THERMOSTATIC STEAM TRAP SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

Declaration:

I ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 HSA as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Pottstown, Pennsylvania
 This 17th day of August AD 2020
 Commissioner of Oaths
 Or Notary Public: (sign) [Signature]



This space for Regulatory Authority use.
 This registration must be revalidated after ten (10) years from the date of issuance.

<p>CRN: <u>0E11814.2 Rev1</u></p> <p>FID#: <u>707</u></p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. Revision is CRN renewal, 125psi @ 100F to 400F -20F MDMT; B283 C37700 mat'l. <p>CRN expires Aug.27th, 2030 - DG</p>	<p align="center">ACCEPTED</p> <p align="center">PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT</p> <p>C.R.N. <u>0E11814.29 Rev1</u> DATE: <u>Oct 30/20</u></p> <p align="center">INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH Sect 1.0 - Fittings Rev.2</p>
---	--

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS


New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador
 Nunavut Yukon Northwest Territories

Manufacturers Name: WATSON MCDANIEL	
Manufacturers Address: 428 JONES BLVD., POTTSTOWN, PENNSYLVANIA, 19464	
Plant Locations: SAME AS ABOVE	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p align="center">- ASME B31.3</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center">AMSCO</p>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- WTT-129222-001 THERMOSTATIC STEAM TRAP SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

Declaration:

I ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 HSB as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Pottstown, Pennsylvania
 This 17th day of August AD 2020
 Commissioner of Oaths
 Or Notary Public: (sign) [Signature]
 (Affix Official seal to the right)



This space for Regulatory Authority use.
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0E11814.2 Rev1
 FID#: 707

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.
 Revision Is CRN renewal, 125psi @ 100F to 400F
 -20F MDMT; B283 C37700 mat'l.

CRN expires Aug.27th, 2030 - DG

BOILER & PRESSURE VESSEL
 NOVA SCOTIA
 Date Oct. 30/20
 C.R.N. 0E11814.28REV1
 Dwg. as described
 Signed Yvonne Perry
1 of 1
 Part
 ACT & REGULATIONS

Sect 10 - Fittings Rev 2

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: WATSON MCDANIEL	
Manufacturers Address: 428 JONES BLVD., POTTSTOWN, PENNSYLVANIA, 19464	
Plant Locations: SAME AS ABOVE	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p align="center">- ASME B31.3</p>
<p align="center">Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center">AMSCO</p>	<p align="center">Type of Construction</p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input checked="" type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- WTT-129222-001 THERMOSTATIC STEAM TRAP SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

Declaration:

I ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 HSB as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Pottstown, Pennsylvania
 This 17th day of August AD 2020
 Commissioner of Oaths
 Or Notary Public: (sign) [Signature]
 (Affix Official seal to the right)

Commonwealth of Pennsylvania - Notary Seal
 Jay Goldberg, Notary Public
 Montgomery County
 My Commission Expires June 28, 2024
 Use this space for the Official Seal
 Member, Pennsylvania Association of Notaries

Brunswick

DEPT OF JUSTICE PUBLIC SAFETY
 BOILER & PRESSURE VESSEL ACT

REGISTRATION ONLY

CRN OE11814.27 Rev1

[Signature]
 CHIEF BOILER INSPECTOR
 DATE 10/30/20

Sect 1.0 - Fittings Rev.2

BLRs PVs

FITTINGS NUCLEAR COMPONENTS

This space for Regulatory Authority use.
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE11814.2 Rev1
 FID#: 707

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

Revision is CRN renewal, 125psi @ 100F to 400F - 20F, 125psi; B283 C37700 mat'l.
 CRN expires Aug.27th, 2030 - DG

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>WATSON MCDANIEL</u>	
Manufacturers Address: <u>428 JONES BLVD., POTTSTOWN, PENNSYLVANIA, 19404</u>	
Plant Locations: <u>SAME AS ABOVE</u>	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p align="center">- ASME B31.3</p>
<p align="center">Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center">AMSCO</p>	<p align="center">Type of Construction</p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input checked="" type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- WTT-129222-001 THERMOSTATIC STEAM TRAP SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

Declaration:

I ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 HSB as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Pottstown, Pennsylvania
 This 17th day of August AD 2020
 Commissioner of Oaths
 Or Notary Public: (sign) [Signature]
 (Affix Official seal to the right)



This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0E11814.2 Rev1
 FID#: 707

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation. Revision is CRN renewal, 125psi @ 100F to 400F -20F, MDMT; B283 C37700 mat'l.

CRN expires Aug.27th, 2030 - DG

**Newfoundland
Labrador
Service NL**

Registered 0E11814.20 Rev1
 Date 20/10/30
 Engineering and Inspection Services
 Registered by [Signature]

UNDER THE AUTHORITY OF THE
 PUBLIC SAFETY ACT, R.S.N.S. Rev.2
 THE BOILER, PRESSURE VESSEL AND
 COMPRESSED GAS REGULATIONS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: WATSON MCDANIEL	
Manufacturers Address: 428 JONES BLVD., POTTSTOWN, PENNSYLVANIA, 19464	
Plant Locations: SAME AS ABOVE	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves <input checked="" type="radio"/> E Expansion joints, flexible connections, and hose assemblies: all types <input type="radio"/> F Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p align="center">- ASME B31.3</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center" style="font-size: 24pt;">AMSCO</p>	<p align="center">Type of Construction</p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- WTT-129222-001 THERMOSTATIC STEAM TRAP SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

Declaration:

I ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 HSB as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]


Declared before me at Pottstown, Pennsylvania

This 17th day of August AD 2020

Commissioner of Oaths

Or Notary Public: (sign) [Signature]

(Affix Official seal to the right)



<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0E11814.2 Rev1</u></p> <p>FID#: <u>707</u></p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. Revision is CRN renewal, 125psi @ 100F to 400F -20F, MDMT; B283 C37700 mat'l. <p>CRN expires Aug.27th, 2030 - DG</p>	
---	--

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: WATSON MCDANIEL	
Manufacturers Address: 428 JONES BLVD., POTTSTOWN, PENNSYLVANIA, 19464	
Plant Locations: SAME AS ABOVE	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p align="center">- ASME B31.3</p>
<p align="center">Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center">AMSCO</p>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- WTT-129222-001 THERMOSTATIC STEAM TRAP SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

Declaration:

I ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 HSB as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Pottstown, Pennsylvania
 This 17th day of August AD 2020
 Commissioner of Oaths
 Or Notary Public: (sign) [Signature]
 (Affix Official seal to the right)




This space for Regulatory Authority use.
 This registration must be revalidated after ten (10) years from acceptance.

CRN: 0E11814.2 Rev1
 FID#: 707

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation. Revision is CRN renewal, 125psi @ 100F to 400F -20F, ADM/T; B283 C37700 mat'l.

CRN expires Aug.27th, 2030 - DG


 Northwest Territories
REGISTERED
 UNDER THE AUTHORITY OF
 THE BOILER AND PRESSURE
 VESSEL ACT.
 C.R.N 0E11814.2 Rev1
 SIGNED [Signature]
 DATE Nov 2 2020

68.00
 Sect 1.0 - Fittings Rev 2

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: WATSON MCDANIEL	
Manufacturers Address: 428 JONES BLVD., POTTSTOWN, PENNSYLVANIA, 19464	
Plant Locations: SAME AS ABOVE	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p align="center">- ASME B31.3</p>
<p align="center">Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center">AMSCO</p>	<p align="center">Type of Construction</p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- WTT-129222-001 THERMOSTATIC STEAM TRAP SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS</p>	

Declaration:

I ROBERT HICKEY, GENERAL MANAGER (see note 3) employed by WATSON MCDANIEL and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001 HSB as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Pottstown, Pennsylvania
 This 17th day of August AD 2020
 Commissioner of Oaths
 Or Notary Public: (sign) [Signature]
 (Affix Official seal to the right)



<p align="center">This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0E11814.2 Rev1</u> FID#: <u>707</u></p> <p>Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Revision is CRN renewal, 125psi @ 100F to 400F -20F, QDMT; B283 C37700 mat'l. CRN expires Aug.27th, 2030 - DG</p>	<p align="center">NUNAVUT</p> <p align="center">Boilers and Pressure Vessels Act</p> <p align="center">REGISTERED</p> <p>CRN <u>0E11814.2 N Rev1</u> Date <u>Oct 30, 2020</u> Signed <u>[Signature]</u> Chief Inspector</p> <p align="right">Sect 1.0 - Fittings Rev 2</p> <p align="center">Territorial Registration Fee</p>
--	---