

2202 2nd Avenue Regina, SK S4R 1K3 Canada 1 (866) 530-8599 info@tsask.ca www.tsask.ca

### REGISTRATION OF A PRESSURE FITTING DESIGN

17-Dec-20

TSSA 345 Carlingview Drive Toronto, Ontario M9W 6N9

Attention: Tanya Francis File Number: 11834 [ 0 F]

Re: Manufacturer: Endress + Hauser Conducta GmbH & Co. KG
Item: Memosens CLS82D/CLS82E Conductivity Sensors

Catalog or Drawing: Per Scope of Registration (21-Aug-20) & Design Report R-1117B Rev. 0

TSASK Codes and Standards Compliance has registered the design listed above in accordance with The Boiler and Pressure Vessel Act and Regulations and CSA B51. The Canadian Registration Number (CRN) is:

OF22800.53 Expiry Date: November 4, 2030

Please note that every fitting shall be constructed in strict accordance with the registered design.

Fitting registrations are required to be resubmitted for validation after ten (10) years from the registration date in accordance with CSA B51, Clause 4.2.1.

Should you require anything further, please do not hesitate to contact the Codes and Standards Compliance Office at your convenience.

Yours truly,

Athan Syrgiannis, P.Eng.

Codes and Standards Compliance

### Remarks:

A valid quality control program must be maintained at the production facilities for the fitting registration to remain valid until the expiry date.

See Worldwide Locations Appendix - Page 1 of 1 for manufacturing locations.

Regina, SK S4R 1K3
PH: (306)798-7112 Toll Free: (866)530-8599
FAX: (306)787-9273 Toll Free: (866)760-9255
Email: boilerpermits@tsask.ca
Website: www.tsask.ca



Codes & Standards Compliance Office

### Statutory Declaration (Registration of Fittings)

TCK 4000

. Decla	aration Information			
	NARD AMBROSINI	<del></del>	In th	nis space, show facsimile of
OFN	IEDAL MANACED	1		nufacturer's logo or trademark as it will ear on the fitting.
GEN	IERAL MANAGER (company title, e.g. vice president, plate)	nt manager, chief engineer)		
(m	nust be in a position of authority in the manufactu	uring plant where the fitting is produc	ed)	dross , Housey 7
END	RESS+HAUSER CONDUCTA INC.	2000	En	dress+Hauser 4ਤੰਪ
NO 198	(name of mar	n de Magnation (n. 1915), de servicio (1966). An altre al California de la Magnation de Lauri de Antherio (1974), de la California (1974) (1974).		
cated a	at: SEE ATTACHED WORLDWIDE L' (Plant Address – Apt/Street)	OCATIONS APPENDIX (City,Pr	ou)	(Postal Code)
	nnly declare that the fittings listed he Safety Act (check one)		TOTAL CONTRACTOR OF THE PARTY O	
	omply with the requirements of ASM (title laterials of construction, pressure / te	e of recognized North American Stan	dard)	ecifies the dimensions,  f the fittings, or
_	AND		A 10 10 10 10 10 10 10 10 10 10 10 10 10	00 WA WALL 20
	re not covered by the provisions of a	recognized North Americal		ipported by the attached
	comply withata which identifies the dimensions,	materials of construction or	DIVERSE OF THE PARTY OF THE PAR	
	ata which identifies the differsions, for such ratings, and the marking of the		essure / temperatu	re raungs and the basis
	declare that the manufacturer of the		quality control prog	
		606	an balan aud	table for the man of at one
	by the following authority, ISO 9001			table for the manufacturer
of these CATEGO n suppo	fittings to the stated standard. The	fittings covered by this declar formation, calculations and	aration, for which I	seek registration, are
of these CATEGO In suppo DRAW	fittings to the stated standard. The DRY F ort of this application, the following in /INGS, CALCULATIONS, REF	fittings covered by this declar formation, calculations and	aration, for which I	seek registration, are
of these CATEGO n support DRAW	claration  RED before me at	fittings covered by this declar formation, calculations and PORTS, SCOPE OF CF	or test data are a	seek registration, are
of these CATEGO In support DRAW	claration  RED before me at	fittings covered by this declar formation, calculations and PORTS, SCOPE OF CF	or test data are a	seek registration, are
of these CATEGO n support of supp	claration  RED before me at	fittings covered by this declar formation, calculations and PORTS, SCOPE OF CF	or test data are at the contraction of the contract	ed Acknowledgmen
I. Dec DECLAR (Signature of the bottom of th	claration RED before me at day of ture of Commissioner of Oaths)  fice Use Only lest of my knowledge and belief, the appl 1, Clause 4.2, and is accepted for registr  Technical Safety Authority of Saskatchewan	fittings covered by this declar formation, calculations and PORTS, SCOPE OF CF	or test data are at the solution of the Boiler and Particular of the Boiler of the Boiler and Particular of the Boiler and Particular of the Boiler of the Boiler of the Boiler and Particular of the Boiler of the B	ed Acknowledgme
f these CATEGO SATEGO PRAW	claration  RED before me at day of ture of Commissioner of Oaths)  fice Use Only lest of my knowledge and belief, the application, Clause 4.2, and is accepted for registress of Saskatchevvan OF22800.53	In the Signature (Signature) (Date Registered – Months of the state of	or test data are at the solution of the Boiler and Particular of the Boiler of the Boiler and Particular of the Boiler and Particular of the Boiler of the Boiler of the Boiler and Particular of the Boiler of the B	ed Acknowledgme
f these CATEGO In support of supp	claration  RED before me at day of set of my knowledge and belief, the application, Clause 4.2, and is accepted for registress of Saskatchewan of Saskatchewan	In the Signature (Signature) (Date Registered – Months of the state of	or test data are at the solution of the Boiler and Particular of the Boiler of the Boiler and Particular of the Boiler and Particular of the Boiler of the Boiler of the Boiler and Particular of the Boiler of the B	ttached:  Acknowledging  ressure Vessel Safety Act and  (Expiry Date - MM DD YYYY)
of these CATEGO In support of sup	claration  RED before me at  day of  ture of Commissioner of Oaths)  fice Use Only  est of my knowledge and belief, the appl 1, Clause 4.2, and is accepted for registr  Technical Safety Authority of Saskatchevvan  OF22800.53	In the Signature (Signature) (Date Registered – Months of the state of	or test data are at the solution of the Boiler and Particular of the Boiler of the Boiler and Particular of the Boiler and Particular of the Boiler of the Boiler of the Boiler and Particular of the Boiler of the B	ed Acknowledgme

### CALIFORNIA ALL- PURPOSE CERTIFICATE OF ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

and not the truthfulness, accuracy, or va	alidity of that document.
State of California	}
County of Orange	}
On _01/29/2020 before me, _L	_aurel Boles (Here insert name and title of the officer)
personally appeared Leonard Ambrosini	j
name(s)(s)are subscribed to the within in the she/they executed the same in (nis/he	actory evidence to be the person(s) whose nstrument and acknowledged to me that er/their authorized capacity(ies), and that by
which the person(s) acted, executed the	ent the person( <del>s)</del> , or the entity upon behalf of instrument.
I certify under PENALTY OF PERJURY the foregoing paragraph is true and corr	under the laws of the State of California that
WITNESS my hand and official seal.	LAUREL BOLES Commission No. 2180169 NOTARY PUBLIC-CALIFORNIA ORANGE COUNTY My Comm. Expires JANUARY 16, 2021
Notary Public Signature (No	otary Public Seal)
ADDITIONAL OPTIONAL INFORMATI	INSTRUCTIONS FOR COMPLETING THIS FORM
DESCRIPTION OF THE ATTACHED DOCUMENT	This form complies with current California statutes regarding notary wording and, if needed, should be completed and attached to the document. Acknowledgments from other states may be completed for documents being sent to that state so long
TSA of Saskatchewa	as the wording does not require the California notary to violate California notary law.
(Title or description of attached document) Registration of Fittings	<ul> <li>State and County information must be the State and County where the document signer(s) personally appeared before the notary public for acknowledgment.</li> </ul>
(Title or description of attached document continued)	<ul> <li>Date of notarization must be the date that the signer(s) personally appeared which must also be the same date the acknowledgment is completed.</li> </ul>
Number of Pages _1 Document Date_01/29/2020	<ul> <li>The notary public must print his or her name as it appears within his or her commission followed by a comma and then your title (notary public).</li> <li>Print the name(s) of document signer(s) who personally appear at the time of</li> </ul>
CAPACITY CLAIMED BY THE SIGNER  ☑ Individual (s) ☐ Corporate Officer	notarization.  Indicate the correct singular or plural forms by crossing off incorrect forms (i.e. he/she/they, is /are) or circling the correct forms. Failure to correctly indicate this information may lead to rejection of document recording.  The notary seal impression must be clear and photographically reproducible.
(Title)  □ Partner(s)	Impression must not cover text or lines. If seal impression smudges, re-seal if a sufficient area permits, otherwise complete a different acknowledgment form.  • Signature of the notary public must match the signature on file with the office of the county clerk.
☐ Attorney-in-Fact ☐ Trustee(s)	Additional information is not required but could help to ensure this acknowledgment is not misused or attached to a different document.

Indicate title or type of attached document, number of pages and date.

corporate officer, indicate the title (i.e. CEO, CFO, Secretary).

· Securely attach this document to the signed document with a staple.

Indicate the capacity claimed by the signer. If the claimed capacity is a

www.NotaryClasses.com 800-873-9865

Other



November 4, 2030 Codes & Standards Compliance Office PH: (306)798-7112 Toll Free: (866)530-8599 FAX: (306)787-9273 Toll Free: (866)760-9255 Email: boilerpermits@tsask.ca

Website: www.tsask.ca

### Statutory Declaration (Registration of Fittings)

			15K-1008
. Decla	ration Information		
LEON	ARD AMBROSINI		In this space, show facsimile of
GENERAL MANAGER			manufacturer's logo or trademark as it will appear on the fitting.
	(company title, e.g. vice president, plant	manager, chief engineer)	•
	st be in a position of authority in the manufacturing	g plant where the fitting is produced)	Endress+Hauser 3
f: ENDR	ESS+HAUSER CONDUCTA INC. (name of manufa	acturer)	Life 35 + Hauser Lib
ocated at		nana ang Panganan ang mga mga mga mga mga mga mga mga mga mg	
icaleu al	(Plant Address – Apt/Street)	(City,Prov)	(Postal Code)
	ly declare that the fittings listed here fety Act (check one)	nunder, which are subject to the Sa	skatchewan Boiler and Pressure
<b>⊙</b> Cor	nply with the requirements of ASME	B31.1, B31.3	hich specifies the dimensions,
	erials of construction, pressure / tem	f recognized North American Standard)	narking of the fittings, or
O Are	not covered by the provisions of a re	ecognized North American standard	and are therefore manufactured
	omply with		as supported by the attached
	a which identifies the dimensions, ma		emperature ratings and the basis
for	such ratings, and the marking of the	fittings for identification.	
	of this application, the following info		ata are attached:
	aration		
DECLARI this	ED before me at day of	In the	of
		1 1	
(print nar	ne)	(Signature)	ached acknowledgment
		See all	ached acknowledgment
(Signatur	e of Commissioner of Oaths)		
	e Use Only		
	t of my knowledge and belief, the applicated to the common of the common		er and Pressure Vessel Safety Act and
CSA BST,	Clause 4.2, and is accepted for registrati	on in Category	
	Technical Safety Authority of Saskatchewan	(Date Registered – MM DD YYYY) (For the Administrator / Chief Inspec	(Expiry Date – MM DD YYYY)
Registra	ution No. OF22800.53		
File No.	11834		
	Registered		TSK-10
Date:	December 17, 2020		Rev. 10/20

### **CALIFORNIA ALL- PURPOSE** CERTIFICATE OF ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

	State of California	}	
	County of Orange	}	
	On _01/29/2020 before me, _I	Laurel Boles ,	
	personally appeared Leonard Ambrosin	(Here insert name and title of the officer)	
(	who proved to me on the basis of satisfaname(s)(s)are subscribed to the within in the same in this he	actory evidence to be the person(s) whose instrument and acknowledged to me that er/their authorized capacity(ies), and that by	
(	hisher/their signature(s) on the instrume which the person(s) acted, executed the	ent the person(s), or the entity upon behalf of e instrument.	
	I certify under PENALTY OF PERJURY	under the laws of the State of California that	
	the foregoing paragraph is true and corr	rect.	7
	WITNESS my hand and official seal.	Commission No. 2180169 NOTARY PUBLIC-CALIFORNIA ORANGE COUNTY	NCC1
	Laurel Polos	My Comm. Expires JANUARY 16, 2021	J
	Notary Public Signature (No	otary Public Seal)	
	•	INSTRUCTIONS FOR COMPLETING THIS F	ORM
	ADDITIONAL OPTIONAL INFORMATI	This form complies with current California statutes regarding notary if needed, should be completed and attached to the document. Acknow	y wording and,
	DESCRIPTION OF THE ATTACHED DOCUMENT	from other states may be completed for documents being sent to that	state so long
	TSA of Saskatchewa	as the wording does not require the California notary to violate California.	fornia notary
	(Title or description of attached document)	<ul> <li>State and County information must be the State and County where signer(s) personally appeared before the notary public for acknowle</li> </ul>	the document
	Registration of Fittings (Title or description of attached document continued)	<ul> <li>Date of notarization must be the date that the signer(s) personally a</li> </ul>	
	Number of Pages 1 Document Date 01/29/2020	<ul> <li>must also be the same date the acknowledgment is completed.</li> <li>The notary public must print his or her name as it appears wit commission followed by a comma and then your title (notary public).</li> </ul>	
		<ul> <li>Print the name(s) of document signer(s) who personally appear notarization.</li> </ul>	at the time of
	CAPACITY CLAIMED BY THE SIGNER  ☑ Individual (s)	<ul> <li>Indicate the correct singular or plural forms by crossing off incor- he/she/they, is /are ) or circling the correct forms. Failure to correct information may lead to rejection of document recording.</li> </ul>	
	☐ Corporate Officer	The notary seal impression must be clear and photographically Impression must not cover text or lines. If seal impression smudg sufficient area permits, otherwise complete a different acknowledge.	ges, re-seal if a
	(Title)  □ Partner(s)  □ Attorney-in-Fact	<ul> <li>Signature of the notary public must match the signature on file with the county clerk.</li> </ul>	th the office of
	☐ Attorney-in-Fact ☐ Trustee(s)	<ul> <li>Additional information is not required but could help acknowledgment is not misused or attached to a different d</li> <li>Indicate title or type of attached document, number of page</li> </ul>	locument.

Indicate the capacity claimed by the signer. If the claimed capacity is a

corporate officer, indicate the title (i.e. CEO, CFO, Secretary).

· Securely attach this document to the signed document with a staple.

www.NotaryClasses.com 800-873-9865

Other

### ENDRESS+HAUSER CONDUCTA INC.

4123 LA PALMA AVE. ANAHEIM, CA 92807, USA



### **SCOPE OF CRN REGISTRATION**

	<ul><li>Technical</li><li>Safety Authority</li><li>of Saskatchewan</li></ul>
Registration No	OF22800.53
File No	11834
	Registered
Date:	December 17, 2020
Expiry Date:	November 4, 2030
0-4	Standarda Camplianas Office

21-Aug-20

Page 1 of 2

### PRODUCT DESCRIPTION

Description (Note 1)	Design Standard	End Connections	Drawings	EH TI Document
Memosens CLS82D / CLS82E	ASME B31.3, ASME B31.1, ASME BPE, ASME VIII-1 UG-101	1" NPT, G1", PG13.5, 1-1/2" and 2" ASME BPE, ISO2852, DIN 32676 Clamp Ferrule (Note 2), Varivent DN25 and DN40 (Note 2), NEUMO BioControl DN25, DN25 Standard, DN25 B. Braun port.	427197-B, 133951-G, 403150-M, 403159-N, 403163-M, 403164-L, 403167-L, 403168-M, 403170-M, 403171-M, 403172-M	TI01188C/07/EN/04.17

### **PRESSURE - TEMPERATURE RATINGS**

MDMT	MAWP AT 68°F	MAWP AT 248°F	MAWP AT 284°F	NOTES
23°F	247 psia	131 psia	87 psia	It is recommended that the sensor be subjected to sterilization at 284°F for only a short time (45 minutes approximately)

### MATERIALS OF CONSTRUCTION

PROCESS CONNECTION MATERIAL (NOTE 3,4)	SENSOR MATERIAL	NOTES
ASTM A479-316L, STAINLESS STEEL 1.4435 TYPE 316L, UNS S31603	POLYPHENYLENE SULFIDE PLASTIC, ASTM A479-316L, STAINLESS STEEL 1.4435 TYPE 316L, UNS S31603, PLATINUM AND CERAMIC.	Optional process connection materials may be used. See Note 3.

**Note 1)** This CRN Registration covers the CLS82D and CLS82E conductivity sensors. During the lifecycle of this product it may be necessary to update the sensor electronics that have no effect on the pressure retaining ability of the sensor. When this occurs the <u>E</u> in the product code will change to <u>F</u> which is the next letter in the alphabet. This process of updating the sensor electronics may occur multiple times during lifecycle of this product and therefore as long as the pressure retaining components of the sensor do not change the last letter in the above product code has no effect on the validity of the CRN.

**Note 2)** The ASME BPE Ferrule and Varivent connection shall be used with a clamp, however the assembly clamp is not part of this CRN. Pressure-Temperature ratings may be limited by the clamp type used in the joint assembly. The clamp used to complete the joint shall have its own CRN and shall have pressure-temperature ratings the same or higher than the product ratings.

4123 LA PALMA AVE. ANAHEIM, CA 92807, USA

### Endress + Hauser 🖽

21-Aug-20

Page 1 of 2

### **SCOPE OF CRN REGISTRATION**

Note 3) The following additional alloys of superior or equivalent properties to those listed above are also included in the scope of registration: Type 304 S.Steel UNS S30400, Type 304L S.Steel UNS S30403, Type 316 S.Steel UNS S31600, Type 316L S.Steel UNS S31603, Alloy 20 UNS N08020, Hastelloy C-276 UNS N10276, Hastelloy C22 UNS N06022, Hastelloy B3 UNS N10676, Monel 400 UNS N04400 (Note Monel 400 limited to 100F max.), Inconel 600 UNS N06600, Inconel 625 UNS N06625, Inconel 825 UNS N08825, Duplex S.Steel UNS S31803, Super Duplex UNS S32750, Super Duplex UNS S32760, Titanium Grade 3 UNS R50550 (Note Titanium limited to 247°F max. for ASME B31.3 Service and 173°F max. for ASME B31.1 Service.)

**Note 4)** In accordance with ASME B31.1 para. 123.1.2(D) when this product is manufactured from a ASME B31.1 unlisted material and used under the ASME B31.1 code the facility owner must accept the use of the unlisted material.

Note 5) See Attached List of Endress+Hauser Manufacturing locations applicable to this CRN.





# WORLDWIDE LOCATIONS APPENDIX - PAGE 1 OF 1

### ENDRESS+HAUSER CONDUCTA GMBH & CO. KG LOCATIONS & CERTIFYING AUTHORITIES

(rev. June 17, 2020)

## Endress+Hauser Conducta GmbH & Co. KG

Dieselstrasse 24 / Postfach 100 154

70839 Gerlingen

Germany

ISO 9001 Certified by SQS

## Endress+Hauser Conducta GmbH & Co. KG

Siemensstraße 2

64823 Groß-Umstadt

Germany

ISO 9001 Certified by SQS

### **Endress+Hauser Conducta Waldheim**

Gewerbegebiet Richzenhain

Landsberger Straße 28

04736 Waldheim

Germany

ISO 9001 Certified by SQS

### Endress+Hauser Conducta, Inc.

4123 East La Palma Ave, Suite 200

Anaheim, CA 92807

United States of America

ISO 9001 Certified by SQS

## Endress+Hauser Analytical Instruments (Suzhou) Co., Ltd.

No. 31 JiangTianLiLu Suzhou Industrial Park 215126

People's Republic of China ISO 9001 Certified by SQS

