

2202 2nd Avenue Regina, SK S4R 1K3 Canada 1 (866) 530-8599 info@tsask.ca www.tsask.ca

#### REGISTRATION OF A PRESSURE FITTING DESIGN

31-Aug-21

TSSA 345 Carlingview Drive Toronto, Ontario M9W 6N9

Attention: Tanya Francis File Number: 12184 [ 0 F]

Re: Manufacturer: Endress+Hauser Conducta Inc.

Item: Condumax CLS21 / CLS21D / CLS21E Sensors

Catalog or Drawing: Per Scope of Registration (08-Mar-21) & Design Report R-1117D Rev. 0

TSASK Codes and Standards Compliance has registered the design listed above in accordance with The Boiler and Pressure Vessel Act and Regulations and CSA B51. The Canadian Registration Number (CRN) is:

OF17064.53 Expiry Date: April 8, 2031

Please note that every fitting shall be constructed in strict accordance with the registered design.

Fitting registrations are required to be resubmitted for validation after ten (10) years from the registration date in accordance with CSA B51, Clause 4.2.1.

Should you require anything further, please do not hesitate to contact the Codes and Standards Compliance Office at your convenience.

Yours truly,

Athan Syrgiannis, P.Eng.

Codes and Standards Compliance

#### Remarks:

A valid quality control program must be maintained at the production facilities for the fitting registration to remain valid until the expiry date.

CRN renewal, not previously registered in Saskatchewan.

See Worldwide Locations Appendix (rev. June 17, 2020) for list of manufacturing locations.



Codes & Standards Compliance Office

2202 2nd Ave. Regina, SK S4R 1K3

PH: (306)798-7112 Toll Free: (866)530-8599 FAX: (306)787-9273 Toll Free: (866)760-9255

Email: boilerpermits@tsask.ca Website: www.tsask.ca

# Statutory Declaration (Registration of Fittings)

			TSK-1008
1. 1	Declaration Information		
I,	LEONARD AMBROSINI		In this space, show facsimile of
350	GENERAL MANAGER	manufacturer's logo or trademark as it will appear on the fitting.	
	(company title, e.g. vice president, plant	manager, chief engineer)	
	(must be in a position of authority in the manufacturin	ng plant where the fitting is produced)	Endress+Hauser 🖾
ot:	ENDRESS+HAUSER CONDUCTA INC.	acturer)	Litaress Friadser Lib
loc	ated at: SEE ATTACHED WORLDWIDE LOG		
	(Plant Address – Apt/Street)	(City,Prov)	(Postal Code)
Ves	solemnly declare that the fittings listed here ssel Safety Act (check one)	inunder, which are subject to the Sas	skatchewan Boiler and Pressure
•	(title o	f recognized North American Standard)	hich specifies the dimensions,
	Materials of construction, pressure / tem	perature ratings and identification ma	arking of the fittings, or
C	Are not covered by the provisions of a re	ecognized North American standard	and are therefore manufactured
	to comply with		as supported by the attached
	data which identifies the dimensions, ma		mperature ratings and the basis
	for such ratings, and the marking of the		
of the	ther declare that the manufacturer of these fied by the following authority, ISO 9001 SC nese fittings to the stated standard. The fitti	QS as be	eing suitable for the manufacturer
2007110	Victor and Smith 1 Clark		
In s	upport of this application, the following infor	mation, calculations and / or test dat	a are attached:
DR	AWINGS, CALCULATIONS, REPO	RTS, SCOPE OF CRN	
_			
II.	Declaration		
1	CLARED before me at	In the	THE REAL PROPERTY OF THE PARTY
this		In the	of
นแอ	day of		
(p	print name)	(Signature)	the state of the s
,,		Sac attach	ed acknowledgment
(S	ignature of Commissioner of Oaths)	See andene	ear acknowing ghierit
Ш	Office Hee Only		Mineral Park Table Local Manager Re-
To th	Office Use Only ne best of my knowledge and belief, the application B51, Clause 4.2, and is accepted for registration	on meets the requirements of the <b>Boiler</b>	and Pressure Vessel Safety Act and
	Technical		
	Safety Authority of Saskatchewan	(Date Registered – MM DD YYYY)	(Expiry Date – MM DD YYYY)
-	Registration No. OF17064.53	(For the Administrator / Chief Inspector	)
	File No. 12184		
	Registered		TO: 1000
	<u>Date:</u> August 31, 2021		TSK-1008 Rev. 10/2012
-11	Expiry Date: April 8, 2031		Page 1 of 1

# CALIFORNIA ALL- PURPOSE CERTIFICATE OF ACKNOWLEDGMENT

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.

State of California	}
County of Orange	_ }
On _01/29/2020 before me,	Laurel Boles (Here insert name and title of the officer)
name(s)(s)are subscribed to the within he she/they executed the same in his/	factory evidence to be the person(s) whose instrument and acknowledged to me that ner/their authorized capacity(ies), and that by nent the person(s), or the entity upon behalf of
I certify under PENALTY OF PERJURY the foregoing paragraph is true and co	LAUREL BOLES
WITNESS my hand and official seal.  Same Books  Notary Public Signature  (N	Commission No. 2180169 NOTARY PUBLIC-CALIFORNIA ORANGE COUNTY My Comm. Expires JANUARY 16. 2021
(N	otary Public Seal)
ADDITIONAL OPTIONAL INFORMAT	INSTRUCTIONS FOR COMPLETING THIS FORM
DESCRIPTION OF THE ATTACHED DOCUMENT	if needed, should be completed and attached to the document. Acknowledgments
TSA of Saskatchewa	from other states may be completed for documents being sent to that state so long as the wording does not require the California notary to violate California notary
(Title or description of attached document)	<ul> <li>State and County information must be the State and County where the document</li> </ul>
Registration of Fittings	signer(s) personally appeared before the notary public for acknowledgment.
(Title or description of attached document continued)	<ul> <li>Date of notarization must be the date that the signer(s) personally appeared which must also be the same date the acknowledgment is completed.</li> </ul>
Number of Pages _1 Document Date_ 01/29/2020	<ul> <li>The notary public must print his or her name as it appears within his or her commission followed by a comma and then your title (notary public).</li> <li>Print the name(s) of document signer(s) who personally appear at the time of</li> </ul>
CARACITY OF AIMER BY THE CONTER	notarization.
CAPACITY CLAIMED BY THE SIGNER  ☑ Individual (s)	<ul> <li>Indicate the correct singular or plural forms by crossing off incorrect forms (i.e. he/she/they, is /are) or circling the correct forms. Failure to correctly indicate this</li> </ul>
☐ Corporate Officer	information may lead to rejection of document recording.
Charles and the work has been a construction of the construction o	<ul> <li>The notary seal impression must be clear and photographically reproducible.</li> <li>Impression must not cover text or lines. If seal impression smudges, re-seal if a</li> </ul>
(Title)	sufficient area permits, otherwise complete a different acknowledgment form.
☐ Partner(s)	<ul> <li>Signature of the notary public must match the signature on file with the office of the county clerk.</li> </ul>
☐ Attorney-in-Fact	<ul> <li>Additional information is not required but could help to ensure this</li> </ul>
☐ Trustee(s) ☐ Other	acknowledgment is not misused or attached to a different document.  Indicate title or type of attached document, number of pages and date.
Other	Indicate the capacity claimed by the signer. If the claimed capacity is a

corporate officer, indicate the title (i.e. CEO, CFO, Secretary).

Securely attach this document to the signed document with a staple.

www NotaryClasses.com 800-873-9865

#### **ENDRESS+HAUSER CONDUCTA INC.**

4123 LA PALMA AVE. ANAHEIM, CA 92807, USA



# Registration No. OF17064.53 File No. 12184 Registered Date: August 31, 2021 Expiry Date: April 8, 2031 Codes & Standards Compliance Office

08-Mar-21

Page 1 of 2

# **SCOPE OF CRN REGISTRATION**

DDC	יווטר	ОТ Г	7567	סוסי	TION
rn,	יטעכ	CI L	ノニるい	>KIF	

Description (Note 1)	Design Standard	Process Connections	Drawings	EH TI Document
Condumax CLS21 / CLS21D / CLS21E	ASME B31.3, ASME B31.1, ASME BPE, ASME VIII-1 UG-101	1" NPT, G1 and 2" ASME BPE, ISO2852 Clamp Ferrule (Note 2)	427148-B, 418507-A, 418511-A, 416395-B	TI00085C/07/EN/15.18

#### **PRESSURE - TEMPERATURE RATINGS**

MDMT	MAWP AT 68°F	MAWP AT 275°F	NOTES
-4°F	246 psia	51 psia	None

#### **MATERIALS OF CONSTRUCTION**

PROCESS CONNECTION MATERIAL (NOTE 3,4)	SENSOR MATERIAL	NOTES
Type 316L Stainless Steel ASTM A479-316L, (1.4404, 1.4435), UNS S31603 and PES-GF20 (Polyethersulfone)	Type 316L Stainless Steel ASTM A479-316L, (1.4404, 1.4435), UNS S31603,PES-GF20 (Polyethersulfone), Graphite, Titanium 3.7035	Optional process connection materials may be used. See Note 3.

**Note 1)** This CRN Registration covers the CLS21, CLS21D and CLS21E conductivity sensors. During the lifecycle of this product it may be necessary to update the sensor electronics that have no effect on the pressure retaining ability of the sensor. When this occurs the  $\underline{\underline{E}}$  in the product code will change to  $\underline{\underline{F}}$  which is the next letter in the alphabet. This process of updating the sensor electronics may occur multiple times during lifecycle of this product and therefore as long as the pressure retaining components of the sensor do not change the last letter in the above product code has no effect on the validity of the CRN.

**Note 2)** The ASME BPE Ferrule connection shall be used with a clamp, however the assembly clamp is not part of this CRN. Pressure-Temperature ratings may be limited by the clamp type used in the joint assembly. The clamp used to complete the joint shall have its own CRN and shall have pressure-temperature ratings the same or higher than the product ratings.

4123 LA PALMA AVE. ANAHEIM. CA 92807, USA



Page 2 of 2

# **SCOPE OF CRN REGISTRATION**

Note 3) The following additional alloys of superior or equivalent properties to those listed above are also included in the Scope of Registration:

- ASTM A182-316L
- ASTM A182-304
- ASTM A479-304
- ASTM A182-304L
- ASTM A479-304L
- ASTM A182-316
- ASTM A479-316
- ASTM B462 UNS N08020 Alloy 20
- ASTM B366 UNS N08020 Alloy 20
- ASTM B564 UNS N10276 Hastelloy C-276
- ASTM B574 UNS N10276 Hastelloy C-276
- ASTM B366 UNS N06022 Hastelloy C22
- ASTM B564 UNS N06022 Hastelloy C22
- ASTM B462 UNS N10675 Hastelloy B3
- ASTM B564 UNS N10675 Hastelloy B3
- ASTM B335 UNS N10675 Hastelloy B3
- ASTM B564 UNS N04400 Monel 400 (Limited to 100°F max. under this CRN)
- ASTM B164 UNS N04400 Monel 400 (Limited to 100°F max, under this CRN)
- ASTM B166 UNS N06600 Inconel 600
- ASTM B564 UNS N06600 Inconel 600
- ASTM B564 UNS N06625 Inconel 625
- ASTM B446 UNS N06625 Inconel 625
- ASTM B425 UNS N08825 Inconel 825
- ASTM B564 UNS N08825 Inconel 825
- ASTM A479 UNS S31803 Duplex
- ASTM A182-F51 UNS S31803 Duplex
- ASTM A479 UNS S32750 Super Duplex
- ASTM A182-F53 UNS S32750 Super Duplex
- ASTM A479 UNS S32760 Super Duplex
- ASTM A182-F55 UNS S32760 Super Duplex
- ASTM B381-F3 UNS R50550 Titanium Grade 3

(Note Titanium limited to 247°F max for ASME B31.3 Service and 173°F max. for ASME B31.1 Service under this CRN.)

Note 4) In accordance with ASME B31.1 para. 123.1.2(D) when this product is manufactured from a ASME B31.1 unlisted material and used under the ASME B31.1 code the facility owner must accept the use of the unlisted material.

Note 5) See Attached List of Endress+Hauser Manufacturing locations applicable to this CRN.





# **WORLDWIDE LOCATIONS APPENDIX – PAGE 1 OF 1**

# ENDRESS+HAUSER CONDUCTA GMBH & CO. KG LOCATIONS & CERTIFYING AUTHORITIES

(rev. June 17, 2020)

## Endress+Hauser Conducta GmbH & Co. KG

Dieselstrasse 24 / Postfach 100 154 70839 Gerlingen Germany ISO 9001 Certified by SQS

## Endress+Hauser Conducta GmbH & Co. KG

Siemensstraße 2 64823 Groß-Umstadt Germany ISO 9001 Certified by SQS

## **Endress+Hauser Conducta Waldheim**

Gewerbegebiet Richzenhain Landsberger Straße 28 04736 Waldheim Germany ISO 9001 Certified by SQS

**Endress+Hauser Conducta, Inc.** 

4123 East La Palma Ave, Suite 200 Anaheim, CA 92807 United States of America ISO 9001 Certified by SQS

Endress+Hauser Analytical Instruments (Suzhou) Co., Ltd.

No. 31 JiangTianLiLu Suzhou Industrial Park 215126 People's Republic of China ISO 9001 Certified by SQS

