Nunavul	Yukon	Northwest To	erritories	Newfoundland and Labrador
Manufacturers Na	ME: OINGDAD DIXON VAL		NO CONTROL OF THE PARTY OF THE	
Manufacturers Add	fress: South Door, No. 273	VE & FITTING CO., LTD. IS, Habid Road, Huangdoo District		
Plant Locations: sa	WE AS ABOVE	- Protection	. Umgdaa City, Stunden	g Province, P.R. China
I W EXAMINED BE MEDICINE.		gistered. Circle one Ca s. Ys. plugs, unions, pipe ca	ps, or reducers	Title of the Standard of Construction
C Valves: all line valves o Expansion joints, flax o Strainers, filters, sepa	ible connections, and ho	se assembles: all types		
F Measuring devices, in	ictuding pressure gauge:	s, level gauges, sight classe	se lounde as	- MSS SP-70
G Certified capacity-rate	d pressure relief devices		or pressur	- MSS SP-71
H Pressure retaining con	reponents that do not fall	into one of the alama	1900	CARD CONTRACTOR CONTRACTOR
Al Mudour components:	Class 1 / Clare 2 /	Class 3 D . (Meeting CNS		nents)
	NDUSTRIEL	or Logo as it will appea	r on the product	Type of Construction
	OSSB NOUSTRIAL	DIXONVAL		Forged or Welded or Wrought or Cast B Other or Describe other:
ist of supporting do	cumentation and ide	entification of the actua		
GATE GLORE	AND CIARNO O		Tracinia do be ted	Bibrod: N. DRAWINGS, CALCULATIONS
			1-12	- IIII
			四	一层
gs. and identification	quality of the end pro	h registration is sought.	The dimensions,	and being the person having full authority to contained in this form is true to the best of materials of construction, pressure temperature.
in CHANGONG, CHIEF ENGINI responsibility for the responsibility for	quality of the end pro the product for whice markings are in acco quality Control Progra knowing that it is of	h registration is sought. ordance with the herein n am which extends to each as being suitable for that the same force and effec	The dimensions, amed standards, h plant where fabr	materials of construction, pressure temperate I further declare that the manufacture of the ication occurs in whole or in part and has be
in CHANGONG, CHIEF ENGINI responsibility for the responsibility for	quality of the end pro the product for whice markings are in acco quality Control Progra knowing that it is of	h registration is sought. ordance with the herein n am which extends to each as being suitable for that the same force and effec	The dimensions, amed standards, h plant where fabr	materials of construction, pressure temperate I further declare that the manufacture of the ication occurs in whole or in part and has be
in CHANGONG, CHIEF ENGINI responsibility for the responsibility for	quality of the end pro the product for which markings are in acco chality Control Progra knowing that it is of Sean chang gin	th registration is sought, ordance with the herein n am which extends to each as being suitable for that the same force and effect	The dimensions, amed standards, h plant where fabr	materials of construction, pressure temperate I further declare that the manufacture of the ication occurs in whole or in part and has be
in CHANGONG, CHIEF ENGINI responsibility for the mowledge represents gs, and identification gs is regulated by a C led by 50 500; 2015 COC eving it to be true, and ature of Declarer:	quality of the end prost the product for which markings are in accounting Control Programment of the Change gin Ging Lo.	th registration is sought, ordance with the herein n am which extends to each as being suitable for that the same force and effect	The dimensions, amed standards, h plant where fabr purpose and I max as if made under	materials of construction, pressure temperating materials of construction, pressure temperating I further declare that the manufacture of the ication occurs in whole or in part and has be kee this solemn declaration conscientiously or oath.
in CHANGONG, CHIEF ENGINE responsibility for the mowledge represent gs, and identification gs is regulated by a C led by 150 son: 2015 coc wing it to be true, and ature of Declarer:	quality of the end prost the product for which markings are in accounting Control Program I knowing that it is of Cingdon	th registration is sought, ordance with the herein n am which extends to each as being suitable for that the same force and effect 19	The dimensions, amed standards, h plant where fabr purpose and I max as if made under	materials of construction, pressure temperate I further declare that the manufacture of the ication occurs in whole or in part and has be
in CHANGONG, CHIEF ENGINI responsibility for the mowledge represent gs, and identification gs is regulated by a C ied by \$0 \$001:2015 COC wing it to be true, and sture of Declarer: ared before me at 27 day of missioner of Oaths	quality of the end prost the product for which markings are in accounting Control Programment of the Change gin Ging Lo.	th registration is sought, ordance with the herein n am which extends to each as being suitable for that the same force and effect	The dimensions, amed standards, h plant where fabr purpose and I max as if made under	materials of construction, pressure temperating materials of construction, pressure temperating I further declare that the manufacture of the ication occurs in whole or in part and has be kee this solemn declaration conscientiously or oath.
in CHANGONG, CHIEF ENGINI responsibility for the mowledge represent gs, and identification gs is regulated by a C ied by \$50 \$501:2015 COC wing it to be true, and atture of Declarer: ared before me at 27 day of	quality of the end prost the product for which markings are in accounting Control Programment of the Change gin Ging Lo.	th registration is sought. Indiance with the herein in am which extends to each as being suitable for that the same force and effect 20 2021	The dimensions, in amed standards, in plant where fabric purpose and I made under as if made under Use ti	materials of construction, pressure temperating materials of construction, pressure temperating I further declare that the manufacture of the ication occurs in whole or in part and has be kee this solemn declaration conscientiously or oath.
in CHANGONG, CHIEF ENGINI responsibility for the mowledge represent gs, and identification gs is regulated by a C ied by \$0 \$001:2015 COC wing it to be true, and sture of Declarer: ared before me at 27 day of missioner of Oaths	quality of the end prosite product for which markings are in accounting Control Programmer Control Programmer Chang gin Qing do.o Jaury A	th registration is sought. Indiance with the herein n am which extends to each as being suitable for that the same force and effect D	The dimensions, amed standards, hiplant where fabrupurpose and I made under the standards as if made under Use to	materials of construction, pressure temperature in the less of the less of the less of the construction, pressure temperature in the manufacture of the control of the control of the control of the control of the less that solemn declaration conscientiously or oath.
in CHANGONG, CHIEF ENGINI responsibility for the mowledge represent gs, and identification gs is regulated by a C ied by \$0 \$001:2015 COC wing it to be true, and sture of Declarer: ared before me at 27 day of missioner of Oaths	quality of the end prosite product for which markings are in accounting Control Programmer Control Programmer Chang gin Qing do.0 [Affix Official seal to the This registration must be seed to the control programmer Chang ging do.0]	th registration is sought. Indiance with the herein in an which extends to each as being suitable for that the same force and effect the same force	The dimensions, in amed standards, amed standards, in plant where fabric purpose and I made under the said	materials of construction, pressure temperative to the best of the manufacture of the cartion occurs in whole or in part and has be see this solemn declaration conscientiously or oath. The object is a solemn declaration conscientiously or oath.
in CHANGONG, CHIEF ENGINI responsibility for the movinedge represents gs, and identification gs is regulated by a C ied by 50 score zots coc wing it to be true, and ature of Declarer: ared before me at	quality of the end prosite product for which markings are in accounting Control Programmer Control Programmer Chang gin Qing do.0 [Affix Official seal to the This registration must be seed to the control programmer Chang ging do.0]	th registration is sought. Indiance with the herein in mutation with the herein in an which extends to each as being suitable for that the same force and effect D	The dimensions, a med standards, a med standards, in plant where fabric purpose and I made under the standards as if made under the standards where the standards are the standards where the standards where the standards will be standards and the standards where the standards will be standards and the standards where the standards will be standards and the standards will be standards with the standards will be standards.	meterials of construction, pressure temperative to the best of the manufacture of the cation occurs in whole or in part and has be see this solemn declaration conscientiously or oath. The property of the Official Seal
in CHANGONG, CHIEF ENGINI responsibility for the mowledge represents gs, and identification gs is regulated by a C ied by \$00001:2015 COC ving it to be true, and ature of Declarer:	quality of the end prost the product for which markings are in accounting Control Program I knowing that it is of Gian Chang gin Qing da.o Jam A (Affix Official seal to the This registration must	th registration is sought. Indiance with the herein in am which extends to each as being suitable for that the same force and effect the same force	The dimensions, a med standards, a med standards, in plant where fabric purpose and I made under the standards as if made under the standards where the standards are the standards where the standards where the standards will be standards and the standards where the standards will be standards and the standards where the standards will be standards and the standards will be standards with the standards will be standards.	materials of construction, pressure temperative to the best of the manufacture of the cartion occurs in whole or in part and has be see this solemn declaration conscientiously or oath. The object is a solemn declaration conscientiously or oath.
in CHANGONG, CHIEF ENGINI responsibility for the mowledge represents gs, and identification gs is regulated by a C ided by \$50 \$501: 2015 COC wing it to be true, and atture of Declarer: 27 day of missioner of Oaths otary Public: (sign) 15872 Gray Iron gate (check (to 24") v.	quality of the end prosite product for which markings are in accounting that it is of the change gin Ging do. (Affix Official seal to the This registration must be carried to 24"), globe (to alves cere of the Manual of the Ma	th registration is sought. Indiance with the herein n am which extends to each as being suitable for that the same force and effect 19 2021 This space for Regulator at be revalidated after ten (PRO 601 12"), swing secturer. C.R.	The dimensions, amed standards. In plant where fabric purpose and I made under the said made under the sai	meterials of construction, pressure temperative to the best of the manufacture of the cation occurs in whole or in part and has be see this solemn declaration conscientiously or oath. The property of the Official Seal
in CHANGONG, CHIEF ENGINI responsibility for the mowledge represents gs, and identification gs is regulated by a C ied by 50 5001: 2015 COC ving it to be true, and ature of Declarer: 27 day of missioner of Caths otary Public: (sign) 15872 Gray Iron gate (Check (to 24") v. Check	quality of the end prost the product for which markings are in accountify Control Program I knowing that it is of Gian Chang gin Qing do. [Affix Official seal to the This registration must be controlled in the remains of the Manual Courted with two Stehatory Description.]	th registration is sought. Indiance with the herein in an which extends to each as being suitable for that the same force and effect the same force	The dimensions, amed standards, in plant where fabrupurpose and I made under the said	meterials of construction, pressure temperative to the best of the manufacture of the ication occurs in whole or in part and has be size this solemn declaration conscientiously or oath. The object of the official Seal of the official Seal of the object of the official Seal officia
in CHANGONG, CHIEF ENGINI responsibility for the mowledge represents gs, and identification gs is regulated by a C ied by 50 5001: 2015 COC ving it to be true, and ature of Declarer: 27 day of missioner of Caths otary Public: (sign) 15872 Gray Iron gate (Check (to 24") v. Check	quality of the end prost the product for which markings are in accounting Control Program I knowing that it is of Cian Chang gin Qing do. (Affix Official seal to the This registration must be control and control program of the Manual Control and Carlos C	th registration is sought. Indiance with the herein in an which extends to each as being suitable for that the same force and effect the same force	The dimensions, amed standards, in plant where fabrupurpose and I made under the said	meterials of construction, pressure temperature to the best of the manufacture of the ication occurs in whole or in part and has be the this solemn declaration conscientiously or oath. The property of the official Seal of the ication occurs in whole or in part and has be the this solemn declaration conscientiously or oath. The property of the official Seal of the official Seal of the ication occurs in the official Seal of the ication of the official Seal of the ication occurs in whole or in part and has been obtained by the ication occurs in whole or in part and has been occurs in the part a
in CHANGONG, CHIEF ENGINI responsibility for the mowledge represents gs, and identification gs is regulated by a C ied by 150 son: 2015 coc wing it to be true, and ature of Declarer: 27 day of missioner of Oaths otary Public: (sign) 15872 Gray Iron gate (Check (to 24") v. February and be sup- cach Category as register cach Category as register in the Declaration shall be sup- sponsibility for the quality of	quality of the end prost the product for which markings are in accounting Control Program I knowing that it is of Cian Chang gin Qing do. (Affix Official seal to the This registration must be control and control program of the Manual Control and Carlos C	th registration is sought. Indiance with the herein in an which extends to each as being suitable for that the same force and effect the same force and effect to be registed after ten (PRO CO). 12"), swing facturer. 12"), swing facturer. 13" 14" 15" 16" 16" 16" 16" 16" 16" 16	The dimensions, amed standards. In plant where fabrications are also purpose and I made under the standards as if made under the standards use to the standards use the standa	meterials of construction, pressure temperature to the best of the manufacture of the ication occurs in whole or in part and has be the this solemn declaration conscientiously or oath. The property of the official Seal of the ication occurs in whole or in part and has be the this solemn declaration conscientiously or oath. The property of the official Seal of the official Seal of the ication occurs in the official Seal of the ication of the official Seal of the ication occurs in whole or in part and has been obtained by the ication occurs in whole or in part and has been occurs in the part a



New Brunswick Nunavul	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Nan	10: QINGDAO DIXON VALVE	S FITTING CO., LYD.	
Manufacturers Add	ress; South Oper, No. 2738, H	labd Read, Humpdes District, Cingdas City, Shanc	deng Province, P.R. China
		tered. Circle one Category only	
is Flanges: all flonges	, eorganigo, total, tatoniz,	a, plugs, unions, pipe caps, or reducers	Title of the Standard of Construction
Lat Charlement (VICC), ECO2	ble connections, and hose rators, and steam traps		MCC CD 70
I st Massuring devices, in	cluding pressure gauges, I	evel gauges, sight glasses, levels, or pres	- MSS SP-70 - MSS SP-71
G Certified capacity-rates bollers, pressure vess H Pressure retaining cor	d pressure relief devices a els, piping and fusible plug aponents that do not fail it	cceptable as primary over pressure protects of one of the above categories	tion on - MSS SP-85
N Nuclear components:	Class 1 Class 2 C	Zass 3 D., (Meeting CNSC or ASME requ	(romando)
Show manuacurers	traine, traugmark, or	Logo as it will appear on the produ	Type of Construction
	OS8B NOUSTHIAL	DIXDNVAL	Forged o Welded o Wrought o Cost a Other o Describe other.
List of supporting do	cumentation and Ider	tification of the actual items to be	Variation and a
Declaration: [BANCHINGONG, CHIEF ENGINE and responsibility for the	NEER (ase note 3)	employed by Gingdon Dison Valve & Fisting I	CRN, DRAWINGS, CALCULATIONS, De List and being the person having full authority materials of construction, pressure temperature
fillings is regulated by a verified by mo work to be lieving it to be true, ar	n manungs are in according to the control Program in a control Program i	dance with the herein named standar m which extends to each plant where is being suitable for that purpose and the same force and effect as if made to	rds. I further declare that the manufacture of these fabrication occurs in whole or in part and has been I make this solemn declaration consciously.
Signature of Declarer: _ Declared before me at _	Bian chang gin	9	e e
Declared before me at _	ainadao		
This 27 day o	ı Jan A		se this space for the Official Seal
Commissioner of Oaths			
Or Notary Public: (sign)			
Of rectally r conce (aight)	(Affix Official seal to th	a right)	
,	(Autr Owen sen to n	This space for Regulatory Authority us	
	This registration mu	it is space for regulatory ruthority its at be revalidated after ten (10) years from	the tale of accordance.
CRN: 0C23207.5		st be revalidated after ten (10) years from	& PRESSURE L
EID# 15872		(35)	NOVA SCOTIA
FILM.	T- 24W -1-1- (1-	12"), swing	(A)
	(to 24"), globe (to valves. Cl.125		ate July 30/21
		O.ICIV.	0C 2 3 207. 58
Each Category shall be a and one copy of supports	upported with two Statutory E to documentation.	Dwg	as described
3. The Declaration shall be a	made by the person having fo	all suthonly and Signed	Yvanne Perry
responsibility for the quali			1 of 1
and the second of the second o	shall be resubmitted for wald April 26th, 2031 - D	G AC	Part Sect 1.0 - Fittings Rev. 2
-			



New Brunswick Nunavut	Nova Scotia Yukon	Prince Edwa Northwest To	ard Island erritories	Newfoundland and Labrador
Manufacturers Nan	ne: QINGDAO DIXON VALVE &	FITTING CO. LTD		
Manufacturers Add	ress: South Door, No. 2738, Ha	bd Road, Huangdao District	L Qinadaa City Shandana D	The BO China
I Diant Locations, say	ME AS ABOVE			CWINE, F.A. CIMIS
A Pipe fittings, including B Flanges: all flanges C Valves: all line valves	of Fittings to be regist g couplings, tees, elbows, Yo	ered. Circle one Ca s, plugs, unions, pipe c	ategory only aps, or reducers	Title of the Standard of Construction
- E-manelon loints, flex	ible connections and bose	assemblies: all types		9
E Strainers, filters, sepa	rators, and steam traps icluding pressure gauges, le	vel gauges sight alone		- MSS SP-70
				- MSS SP-71
H Pressure retaining co	d pressure relief devices ac lels, piping and fusible plugs mponents that do not fall int	o one of the above cat	egories	
N Nuclear components:	Class 1 Class 2 C	ass 3 D . (Meeting CN	ISC or ASME requireme	nts)
Show Manufacturers	OS&B	Logo as it will appe	ear on the product	Type of Construction Forged D Welded D Wrought D Cast M Other D Describe other:
	ocumentation and iden	tification of the ant		
				DRAWINGS, CALCULATIONS,
	8		とは、	東京
			Him	10
eclaration:		Oloodao	Oron Vota Person Co. La	
BIAN CHANGQING, CHIEF ENG	(see note 3) 6	employed by children	loss that the inte	and being the person having full authority on contained in this form is true to the best of
erified by so source 2015 co elieving it to be true, a ignature of Declarer: _ eclared before me at _	Bian Chang ging Gingdao of Jan A	s being suitable for the same force and e	hat purpose and I ma ffect as if made unde	
his day o	of Jan A	D	Use t	his space for the Official Seal
ommissioner of Oaths	í.			
r Notary Public: (sign)				
	(Affix Official seal to the	e right)		
			latory Authority use.	8
0000007	Timo Togioù auoit tillac	st be revalidated after	en (10) years nom me	
CRN: <u>0C23207.</u> FID#: 15872	v. mas		В	New ZNouveau TUNSWICK
. All Fillings shall be reg	e (to 24"), globe (to) valves. Cl.125 stered in the name of the Manu	facturer.		F JUSTICE PUBLIC SAFETY & PRESSURE VESSELACT
 Each Category shall be and one copy of support 	supported with two Statutory E ting documentation.	eclaration forms	122	
357	e made by the person having fu	all authority and	F	REGISTRATION ONLY
responsibility for the qua	ality of the end product.		CON	(X.23201.5+
	is shall be resubmitted for valid		CKN	Sect 1.0 - Fittings Rev.2
CRN expires	April 26th, 2031 - D	G	8	an aun
			CHI	EF BOILER INSPECTOR
			DAT	7/30/21
			□BLRs	□ PVs
			FITTINGS	NUCLEAR COMPONENTS
			PITTINGS	D MOCEWIX COMPONENTS

Nunavut	Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Na	TIE: OINGDAO DIXON VALVI	E S FITTING CO. LTD.	***************************************
Manufacturers Add	ITESS; South Door, No. 2728,	Habil Road, Husingday Charles, Glingday City, Shandong F	Produce P.D. China
Plant Locations: SA	VE AS ABOVE		777.77.7.44
A Pipe fittings, including Planges: all flanges C Valves: all line valve:		letered. Circle one Category only Ye, pags, unloss, pipe caps, or reducers	Title of the Standard of Construction
in Euneration Johns, Des	tible commections, and has	to assemblies; all types	
		, level gauges, signt glasses, levels, or pressure	- MSS SP-70
transmitters	d Dressum relief decima	and a subsect, myels, or pressure	- MSS SP-71
M Pressure retaining co	mponents that do not fall	into one of the above categories	
N Nuclear components:	Class 1 Class 2 C	Class 3 D , (Meeting CNSC or ASME requirem	perter)
Show Manufactorers	reame, reademant, o	Y Logo as it will appear on the product	Type of Construction
	OSSIB.	DIXONVAL	Forged o Welded o Wrought o Cast & Other o Describe other:
List of supporting de	cumentation and ide	entification of the actual items to be regi	
			曹
aun changement. Chief ends of responsibility for the y knowledge representings, and Identification ings is regulated by a rifled by so son: 2016 co dieving it to be true, at gnature of Declarer ectared before me at	Guality of the eria pro- tis the product for which in markings are in acco Quality Control Progra- and knowing that it is of Bran chang gin Qing data	couct do solemniy declare that the information registration is acught. The dimensions, rordance with the herein named standards, am which extends to each plant where fabras being suitable for that purpose and I made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same the same same that the same	d. and being the person having full authority light-contained in this form is true to the best of materials of construction, pressure temperature I further declare that the manufacture of these location occurs in whole or in part and has been the this solemn declaration conscientiously in oath.
announcement chief ends of responsibility for the y knowledge represent lings, and identificatio lings is regulated by a rified by so some loss co- tieving it to be true, as gnature of Declarer: ctared before me at day of	Guality of the eria pro- tis the product for which in markings are in acco Quality Control Progra- and knowing that it is of Bran chang gin Qing data	couct do solemniy declare that the information registration is acught. The dimensions, rordance with the herein named standards, am which extends to each plant where fabras being suitable for that purpose and I made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same the same same that the same	ich-exintained in this form is true to the best of materials of construction, pressure temperature if further declare that the manufacture of these ication occurs in whole or in part and has been ike this solemn declaration conscientiously or oath.
d responsibility for the knowledge representations, and identificationings is regulated by a rifled by 150 5000 2015 collecting it to be true, as insture of Declarer: ctared before me at	Guality of the eria pro- tis the product for which in markings are in acco Quality Control Progra- and knowing that it is of Bran chang gin Qing data	couct do solemnly declare that the information registration is acught. The dimensions, to registration is acught. The dimensions, to ordance with the herein named standards, am which extends to each plant where fabras being suitable for that purpose and I made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same force and effect as if made under the same that the sa	ich-exintained in this form is true to the best of materials of construction, pressure temperature if further declare that the manufacture of these ication occurs in whole or in part and has been ike this solemn declaration conscientiously or oath.
d responsibility for the knowledge representations, and identificationings is regulated by a rifled by 150 5000 2015 collecting it to be true, as insture of Declarer: ctared before me at	Guality of the eria pro- tis the product for which in markings are in acco Quality Control Progra- and knowing that it is of Bran chang gin Qing data	ADUCT do solemning declare that the information registration is sought. The dimensions, rordance with the herein named standards, arm which extends to each plant where fabras being suitable for that purpose and I may the same force and effect as if made under the same force and effect as if where fabras and a first same force and effect as if where force and effect as if where fabras are fabras are fabras as	ich-exintained in this form is true to the best of materials of construction, pressure temperature if further declare that the manufacture of these ication occurs in whole or in part and has been ike this solemn declaration conscientiously or oath.
d responsibility for the knowledge representations, and identificationings is regulated by a rifled by 150 5000 2015 collecting it to be true, as insture of Declarer: ctared before me at	Guality of the eria pro- squality of ordine eria pro- n markings are in accomposition of the control Program of Ming data Jan	ADUCT do solemning declare that the information registration is sought. The dimensions, rordance with the herein named standards, arm which extends to each plant where fabras being suitable for that purpose and I may the same force and effect as if made under the same force and effect as if where fabras and a first same force and effect as if where force and effect as if where fabras are fabras are fabras as	ich-exintained in this form is true to the best of materials of construction, pressure temperature if further declare that the manufacture of these ication occurs in whole or in part and has been ike this solemn declaration conscientiously or oath.
aux cruncons, ther end of responsibility for the knowledge representings, and identificationings is regulated by a rifled by so soon zots colleving it to be true, as gnature of Declarer: ectared before me at a day of manissioner of Oaths Notary Public: (sign)	Guality of the erio pro squality of the erio pro n markings are in accc Quality Control Progra d knowing that it is of Bian Chang gin Ging data (Affix Official seal to t This registration mi	ADUCT do solemning declare that the information is abught. The dimensions, rordance with the herein named standards, arm which extends to each plant where fabras being suitable for that purpose and I may the same force and effect as if made under the same force and effect as if when the same same same same same same same sam	ich-contained in this form is true to the best of materials of construction, pressure temperature I further declare that the manufacture of these ication occurs in whole or in part and has been ike this solemn declaration conscientiously ir oath. this space for the Official Seal
d responsibility for the knowledge representations, and identificationings, and identificationings is regulated by a lifted by \$50.000; 2015 colleving it to be true, as instrue of Declarer:clared before me at day o mmissioner of Oaths Notary Public: (sign)	Guality of the erio pro squality of the erio pro n markings are in accc Quality Control Progra d knowing that it is of Bian Chang gin Ging data (Affix Official seal to t This registration mi	ADUCT do solerminy declare that the information registration is sought. The dimensions, rordance with the herein named standards, arm which extends to each plant where fabras being suitable for that purpose and I may the same force and effect as if made under the same force and effe	ich-contained in this form is true to the best of materials of construction, pressure temperature I further declare that the manufacture of these ication occurs in whole or in part and has been ike this solemn declaration conscientiously ir oath. this space for the Official Seal
d responsibility for the knowledge represent ings, and identificationings is regulated by a sified by so some and continue to be true, as insture of Declarer	Guality of the erio pro squality of the erio pro n markings are in accc Quality Control Progra d knowing that it is of Bian Chang gin Ging data (Affix Official seal to t This registration mi	ADUCT do solerminy declare that the information registration is sought. The dimensions, rordance with the herein named standards, arm which extends to each plant where fabras being suitable for that purpose and I may the same force and effect as if made under the same force and effe	ich-contained in this form is true to the best of materials of construction, pressure temperature I further declare that the manufacture of these ication occurs in whole or in part and has been its this solemn declaration conscientiously in oath. This space for the Official Seal date of sicceptance.
d responsibility for the knowledge representations, and identificationings, and identificationings is regulated by a rifled by \$50,000 2015 colleving it to be true, as instrue of Declarer:ctared before me atstart day of manissioner of Oaths Notary Public: (sign)	Guality of the erio product for which is the product for which is markings are in according to the product for which is of the product for the	AD	inhedratelined in this form is true to the best of materials of construction, pressure temperature I further declare that the manufacture of these ication occurs in whole or in part and has been the this solemn declaration conscientiously in oath. This space for the Official Seal date of scorptance. Newfoundland Labrador Service NL
d responsibility for the knowledge representations, and identificationings, and identificationings is regulated by a rifled by \$50,000 2015 colleving it to be true, as instrue of Declarer:ctared before me atstart day of manissioner of Oaths Notary Public: (sign)	Guality of the erio product for which is the product for which is markings are in accompanied with the control Program of the control Product of the control Program of the control Product of the control Pro	AD	inhedratelined in this form is true to the best of materials of construction, pressure temperature I further declare that the manufacture of these ication occurs in whole or in part and has been the this solemn declaration conscientiously in oath. This space for the Official Seal date of scorptance. Newfoundland Labrador Service NL
d responsibility for the knowledge representations, and identificationings, and identificationings is regulated by a sifted by so some considering it to be true, as instance of Declarer:dared before me atday of minissioner of Oaths Notary Public: (sign) FIN:OC23207.5 ###OC23207.5 ####OC23207.5 ###################################	Guality of the erio product for which is the product for which is markings are in according to the product for which is of the product for the	AD 2021 Use to the right) This space for Regulatory Authority use. Use to 12"), swing nurseure.	inheditained in this form is true to the best of materials of construction, pressure temperature I further declare that the manufacture of these ication occurs in whole or in part and has been the this solemn declaration conscientiously ir oath. This space for the Official Seal Additionable of the Official Seal Additionable of the Official Seal Additionable of the Official Seal Registered CC 23207.50
d responsibility for the knowledge representations, and identification against a seguiarized by a rifled by so some acros colleving it to be true, as instrue of Declarer. ctared before me at a remissioner of Oaths Notary Public: (sign) PRN: OC23207.5 The Gray Iron gate of Carenta before the Carenta before and the carenta before and the carenta before and one copy of supports	catalanty of the earls product for which is the product for which is markings are in accompanied with the control Program of the control in the co	AD 2021 Use to the right) This space for Regulatory Authority use. Use to 12"), swing nutsets are the right of the resultation of the regulatory Authority use. Declaration forms	inhedratelined in this form is true to the best of materials of construction, pressure temperature I further declare that the manufacture of these ication occurs in whole or in part and has been the this solemn declaration conscientiously in oath. This space for the Official Seal date of secretaria. Newfound and Labrador Service NL Registered CC 23207.50 Date 21/05/01
d responsibility for the knowledge representations, and identification ings, and identification ings is regulated by a fifted by so some zers colleving it to be true, as insture of Declarer: _ctared before me at a	cataly of the employers and the product for which is markings are in accompanied with the control Program of knowing that it is of Branc Chang gin Ains data (Affix Official seal to the control of the Marking of the marke of the Marking of commerciation, made by the person having made by the person having	AD 2021 Use to the right) This space for Regulatory Authority use. Use to 12"), swing nutsets are the right of the resultation of the regulatory Authority use. Declaration forms	inhedratelined in this form is true to the best of materials of construction, pressure temperature I further declare that the manufacture of these ication occurs in whole or in part and has been the this solemn declaration conscientiously or oath. This space for the Official Seal date of acceptance. Newfoundland Labrador Service NL Registered CC23207.50 Date 21/07/02 Engineering and Inspection Services
ann crunicana. Chief ends of responsibility for the knowledge representings, and identification lings is regulated by a reflect by so soon zers continued by so soon zers cont	cataly of the employers and the product for which is markings are in accompanied with the control Program of knowing that it is of Branc Chang gin Ains data (Affix Official seal to the control of the Marking of the marke of the Marking of commerciation, made by the person having made by the person having	AD	inhedratelined in this form is true to the best of materials of construction, pressure temperature I further declare that the manufacture of these ication occurs in whole or in part and has been the this solemn declaration conscientiously in oath. This space for the Official Seal date of secretaria. Newfound and Labrador Service NL Registered CC 23207.50 Date 21/05/01
ings, and identificationings is regulated by a rified by so some and of the property of the pr	the product for which is the product for which is markings are in accompanied with the control Program of knowing that it is of Branc Chans give Affect of Land Grant Gr	AD	inheditalined in this form is true to the best of materials of construction, pressure temperature I further declare that the manufacture of these ication occurs in whole or in part and has been the this solemn declaration conscientiously in oath. This space for the Official Seal date of acceptance. Newfoundland Labrador Service NL Registered OC23207.50 Date



New Brunswick

Nova Scotia

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Add	TESS; South Octor, No. 2738, H	FITTING CO., LTD. and Road, Huarrysino Diefrict, Glingdan City, Strands	ing Province, P.R. China
I DISTILLUGBUUTS, AV	RE NO MOUVE		
s Flangue: all flangues		ered. Circle one Category only s. plugs, unions, pipe caps, or reducers	Title of the Standard of Construction
in Combact STOYS, \$800	ble connections, and hose instors, and steam traps		MCC CD 70
Massing devices, it	cluding pressure gauges, le	wel gauges, sight glasses, levels, or press	- MSS SP-70
		captable as primary over pressure protecti o one of the above categories	on on - MSS SP-85
In Nuclear components:	Class 1 Class 2 C	ass 3 D , (Meeting CNSC or ASME requir	
Show Manufactures	Manie, Ivadeliele Of	ogo as it will appear on the produ	ct Type of Construction
	OS&B	DEDNYAL	Forged o Welded o Wrought o Cast II Other o Describe other:
List of supporting do	cumentation and ident	dification of the actual items to be r	
REPORTS		ECK VALVES SCOPE OF C	PRAWINGS, CALCULATIONS,
eclaration: BAN CHANGONG, CHEF ENGI	NEER (ase note 3) 6	moloved by Clingdoo Doon Valve & Fitting Co	and being the person having full authority
ny knowledge representings, and identification things is regulated by a serified by 180 8801: 2015 00	ns the product for which in markings are in accord Quality Control Program	registration is sought. The dimension lance with the herein named standard n which extends to each plant where t	16, materiate of construction, pressure temperature is. I further declare that the manufacture of these fabrication occurs in whole or in part and has been make this solemn declaration conscientiously
	Bian chang ging		57
eclared before me at _	Qingdao		
nis 27 day d	1 Jan At	2 <u>2021</u> Us	se this space for the Official Seal
ommissioner of Oaths		***	
Notary Public: (sign)			
I recent t don't fording	(Affix Official seal to the	right)	
		This space for Regulatory Authority use	
	TO THE PERSON OF	t be revalidated after ten (10) years from	the date of acceptance.
RN: 0C23207.5			
15872		131	
Gray Iron gate	(to 24"), globe (to	12") swing / 5/ E	SY
check (to 24")	valves. Cl.125	7,511.119	1
		accurer.	0000007.51
Each Category shall be : and one copy of support	supported with two Statutory Di no documentation.	edention forms CR	CN 0C23207.5Y
	meda by the person having ful	I authority and	1 1
responsibility for the quel	ity of the end product.	1 1	ATE 07/30/2021
Quality Control programs	shall be reaubmitted for valida	ation.	
CRN expires	April 26th, 2031 - Do	3	Sect 1 //- Fitting/Rev.2
		,	CORCERNY
			The same of the sa



New Bristowick	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador	
Menufacturers Nam	NET GINGDAD DGION VALVE &	FITTING CO. LTD.		
Plant Locations: SAL	7885; House Door, Ma. 2736, Ha	HI Hand, Husraphse Diestot, Clingdon City, Ellends	tion Province, P.R. China	1
Plant Locations: son	of Figures to be pauled			
B Finger all flangue		ared. Circle one Category only I, plugs, unloss, pipe ceps, or reducers	Title of the Standard of Construction	
ill Strainers, more, acquire, in inferentiary devices, in a certain capacity-rates in latins, pressure vessel in Pressure retaining con	i pressure relief dirvices ac sis, piping and fusible plugs sponents that do not fall int	uel gauges, sight glasses, levels, or press saptable as primery over pressure protecti o one of the above categories	- MSS SP-85	
N recent components	Name, Tradomark or i	us 3 [] , (Mosting CNSC or ASME required to the production of it will appear on the production of the	iments)	
(OS&B	THE MYAL	Forged o Welded o Wrought o Cast 8 Other o Describe other:	
List of supporting do	cumentation and Ident	Restion of the actual items to be re		
- gate, globe Reports	AND SWING CHE	CK VALVES SCOPE OF C	PRAWINGS, CALCULATIONS,	
		THE P	A	
claration:		12	tat and being the person having full authority	
ings is regulated by a critical by some constant constant in the sum of the sum of the constant constant in the constant in th	Rushiy Control Program as to A knowing that it is of the Bian Chang Jing	which extends to each plant where fo	If further declare that the manufacture of these brication occurs in whole or in part and has been make this solemn declaration conscientiously dereath.	
dared before me at				
27_day of		2021 Ua	this space for the Official Seal	
mmissioner of Oaths				
Notary Public: (sign)				
	(Affix Official smal to the	(robs)		
		This space for Regulatory Authority use.		
	This registration must i	ou revalidated after ten (10) years from 8	na data affaccaptango o	_
RN: 0C23207.5				1110
15872			VAA V	163.
Gray Iron gate	(To 24"), globe (to 1)	2"), swing	Northwest Territories	-
	alves. Cl.125	-/is/2	REGISTERED	1
enq oue cobà of arbbouged states conflus men no art	aported with two Statutory Dec securrentation.	REPORT BUTTES	UNDER THE AUTHORITY OF	1
	ada by the person having full a	sathority and	THE BOILER AND PRESSURE	
responsibility for the quality Quality Control programs of	of the and product. will be resubmissed for validate		VESSEL ACT	/
	oril 26th, 2031 - DG	And the second s	C.R.N OC25207131	
			SIGNED	
			DATE The 3 200	



If Present standing components that do not hall fits one of the nature categories. If Number components. Class 1 Class 2 Class 3	Manufacturers Nam		Prince Edward Island Northwest Territories	Newfoundland and Labrador
A pre-entings, including enspirings, toos, althors, Vs. plage, carrier, pipe onge, or exclusions. A pre-entings, including enspirings, toos, althors, Vs. plage, carrier, pipe onge, or exclusions. Proposed alterages. In pre-entings, including enspirings, toos, althors, Vs. plage, carrier, pipe onge, or exclusions. Proposed in the entire of the ent	A de la constante de la consta	THE CONGOAD DETON WILVE &	PITTERE CO., LVD.	
A play Similar, Linching couplings, toes, shows, Yx, plays, usine, pipe cape, or endurans I play Similar, Linching couplings, toes, shows, Yx, plays, usine, pipe cape, or endurans I play Similar, Linching couplings, toes, shows, Yx, plays, usine, pipe cape, or endurans I content, states, supervitors, and stoom traps I content, states, supervitors, and stoom traps I content or caped, including presenter grappe, investigation as primary once pressure production on Including presenter consorteries. Class 1 Class 2 Class 3 Linching CRSC or ASSE requirements) I content consorteries. Class 1 Class 2 Class 3 Linching CRSC or ASSE requirements) Including presenter components: Class 1 Class 2 Class 3 Linching CRSC or ASSE requirements) Including presenter states on the state of the above categories I harder components: Class 1 Class 2 Class 3 Linching CRSC or ASSE requirements) Including presenter states on the state of the sta	Manufacturers Add Plant Locations: 841	WESE; South Door, No. 2730, Has ME AS ABOVE	hal Floors, Housegoine Obstrict, Ologdino City, Shando	ng Province, P.R. China
The property all faringes Displaced till be unknown to the property of the pr	Catonon	of the Statement for his smarters.	ared. Circle one Cabunery col-	
In the continue to the second continue to the	g Ranges: all Sanges	1	t productions, pipe cape, or reducers	Construction
a Continued cognority - mind operature relief devices acceptable as privary over pressure protection on poles, pressure vessels, playing and studies plays and studies plays are of the above categories. If Pressure vesteling components that do not fell that one of the above categories. If Pressure vesteling components that do not fell into one of the above categories. In OUSTRIES. IN OUST	D Espanson Jures, supe	am consectors, and hose a velors, and steam traps	meanthing of types	MCC CD TO
Delay, pressure vessels, playing and studies plays be produced by a classification of the above categories. If Plasses retaining components that do not fell into one of the above categories. If Plasses retaining components that do not fell into one of the above categories. If Plasses retaining components that do not fell into one of the above categories. If Plasses retaining components that do not fell into one of the above categories. If Plasses retaining components that do not fell into one of the above categories. If Plasses retaining components that do not fell into one of the above categories. If Plasses retaining components that do not fell into one of the above categories. If Plasses retaining components that the componen	Meaning devices, in	ichique bieseme Bandos' jos	reli gazges, alghi glasses, levuls, or pressu	- M55 5P-70
IN Processes statisting components that do not did into one of the above categories IN Auction components: Case 1 Clase 2 Clase 3 Cl., diseating CNSC or ASME requiremental IN CUSTRIAL BUSSIPPLAL AND CUSTRIAL BUSSIPPLAL	and A compathy curios	A GORGOTTON well-of-to-	AND THE PARTY OF T	- MSS SP-85
In Number components: Class 1 Class 2 Class 3 D. (Meeting CRSC or ASME requirements) Responsibility of the components of the component of the components of	of Presente retaining con	mponents that do not fall into	one of the show calescales	
The accomplication of the person having full authority and authority full of the person having full authority and authority of t	as bloodour engagements.	Class 1 [] Class 2 [] Com		
ENTRY OUT THIS CONTROL BY THE CONTRO	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	ALCOHOLD BY THE REAL PROPERTY OF THE PARTY O	one as it will appear on the produc	
GATE, GLOBE AND SWING CHECK VALVES SCOPE OF THE DRAWINGS, CALCULATIONS REPORTS [man main 3] employed by Chrysto-Dhan Vehic Sings Co. Ltd. and Justy the person having full authority of responsibility for the quality of the and product do solarmly declare that the inflamentation of construction, pressure betweenings, and identification manifestare are in accordance with the herein named elandation, the state that the manifestare or the three between named of the date of the state of the regiment which ederads to each plant where fabrication occurs in whole or in part and has be filled by an over-ser occur. So being subside for that purpose and i mate this solarm declaration course in whole or in part and has be filled by sen were ser occur. So being subside for that purpose and i mate this solarm declaration course in whole or in part and has be indeed by an over-ser occur. Being Chart it so of the earne force and effect as if made under ceth. Trainurs of Declarer: Ging data Jast AD 2021 Use this space for the Official Seal purposes of Ostibs		OS&B	D IXONVAL	Forged o Wested to Wrought o Cast a Other o Describe other:
College And SWING CHECK VALVES SCOPE OF CRIN DRAWINGS, CALCULATIONS (CHECK VALVES SCOPE OF CRIN DRAWINGS, CALCULATIONS (CHECK VALVES) (COLD AND AND AND AND AND AND AND AND AND AN	let of supporting do	cumentation and Identif	fication of the actual items to be re-	distance.
Later Category and the supported with two Statebarry Declaration forces and compression of the supported with two Statebarry Declaration forces and compression and by the process of the statebarry Declaration state and supported with two Statebarry Declaration forces and compression and the supporting documentation. CRN expires April 26th, 2031 - DG Use this space for the Official Seal underly Declaration forces and compression and the supporting documentation. CRN expires April 26th, 2031 - DG Use this space for the Official Seal underly Use the space for the Official Seal underly Use and space of acceptance. NUNAVU Pressure Vessels. NUNAVU Pressure Vessels. REGISTERED CRN OC23207.5 A Date Tuley 30. 2021 Signed	noticedifferent new	totalelana ana la anneala	Phonocopes in account. The distinctioning	, materials of construction, pressure temperature
This registration exact be reveiled after ten (10), years to the complete of acceptance. NUNAVU Boilers and Boilers and Pressure Vessels At Particular shall be supported with two Statebory Declaration forces and one copy of supporting documentation. The Declaration shall be supported with two Statebory Declaration forces and one copy of supporting documentation. CRN expires April 26th, 2031 - DG REGISTERED CRN CC23207.5 CRN CC2	nature of Declarer:	Bian changeing	annua nasan musa deserver ma m streeting diffe	brication occurs in whole or in part and has been
Affix Official seel to the right) This space for Regulatory Authority 188. This registration exual be eventilated effor ten (10) years to the second registration exual be eventilated effor ten (10) years to the second registration exual be eventilated effor ten (10) years to the second registration. This registration exual be eventilated effort in (10) years to the second registration and registration in the registration in the registration forms and even copy of supporting disconventration. The Deducation shall be supporting disconventration. The Deducation shall be supported with two Statedary Declaration forms and even copy of supporting disconventration. The Deducation shall be supported with two Statedary Declaration forms and even copy of the specific of the sealth of the specific of the spe	enture of Declarer: lered before me at	Bian chang ging Aingdao	THE PARTY OF THE P	brication occurs in whole or in part and has been nake this eclernic declaration conscientiously lar eath.
This space for Regulatory Autility USA. This segistration exact be evalidated after ten (10) years to 100. IN: OC23207.5 ISST2 Gray Iron gate (to 24"), globe (to 12"), swing check (to 24") valves. Cl. 125 At Page 1 and the registered in the matter of see teleprotecture. Each Category shall be suppositing documentation. The Declaration shall be made by the process builting fall authority and representation of the smaller of the each product. Guelly Control programs after the punity of the each product. CRN expires April 26th, 2031 - DG THEORY.	nature of Declarer: dered before me at s17day of	Bian chang ging Aingdao	THE PARTY OF THE P	brication occurs in whole or in part and has been nake this solemn declaration conscientiously lar eath.
This segistration exual be reveiltated after ten (10) years to the second construction. NE: OC23207.5 III. 15872 Gray Iron gate (to 24"), globe (to 12"), swing check (to 24") valves. Cl. 125 the second construction to the name of the second construction. Each Category shall be supposed in the name of the standard Declaration forces and one copy of supposing documentation. The Declaration shall be supposed with two Standard Declaration forces and one copy of supposing documentation. The Declaration shall be supposed by the present busing that authority and responsibility for the quality of the seat product. Country Control programs shall be resultabilitied for validation. CRN expires April 26th, 2031 - DG Signed Signed	nature of Declarer:	Bian chang ging Aingdao	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	brication occurs in whole or in part and has been nake this solemn declaration conscientiously lar eath.
Each Catagory shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be used by the pursue having that authority and responsibility for the quality of the east product. County Control programs shall be resulterable for validation. CRN expires April 26th, 2031 - DG 1120/16 REGISTERED CRN 0C23207.5N Date 1744 30.2021 Signed	risture of Declarer:	Bian Chang ging Ging data Jam AD (Allo: Official seed to the d		brication occurs in whole or in part and has been note this eclernic declaration conscientiously lar eath.
The Declaration shall be made by the power harding fall authority and responsibility for the quality of the east product. Grantly Control programs shall be resulterable. CRN expires April 26th, 2031 - DG 1122016 CRN Signed CRN OC23207.5N Date Tuly 30, 2021 Signed	clared before me at s17 day of	Ging date Jaun AD (Affix Official seed to the right anglestration exact be (To 24"), globe (to 12)	2.02.] Use [ght) This space for Regulatory Authority Use, as revealdated after ten (10), years to the control of the control	this column declaration conscientiously far oath. this space for the Official Seal this space for the Official Seal Boilers and Pressure Vessels A
CRN expires April 26th, 2031 - DG	instants of Declarer:	Ging da.o Ging da.o Jan AD (Aliax Official seed to the si This segistration exust be (to 24"), globe (to 12 year) (aliax Care of the simulation of the side	2.02.1 Use [ght) This space for Regulatory Authority Use, we reveald after ten (103 years to 102), swing Number 101 Num	this science declaration conscientiously is rest. this space for the Official Seal Boilers and Pressure Vessels Advict
CRN expires April 26th, 2031 - DG Signed	interes of Declarer: leved before me at	Ging date (Affect Official seed to the right official seed by the process having tell as ref the end product.	2.02.1 Use [ght) This space for Regulatory Authority Use, to revealidated after ten (10), years to 2"), swing have, exciton forces authority and CRN.	this column declaration conscientiously iter out. this element declaration conscientiously iter out. this space for the Official Seal This space of acceptance. NUNAVUT Boilers and Pressure Vessels And REGISTERED OC23207.5N
	leared before me at	Ging date (Affect Official seed to the right official seed to the seed product. The product with two Statutory Decks of decementations, and a legislation of the end product, but the end product, but the end product.	2.02.1 Use 2.02.1 Use Interpretation of Programmy Use as revealed after ten (10) years to be reveale	this space for the Official Seal REGISTERED OC23207.5N
Chief Inspector	instants of Declarer:	Ging date (Affect Official seed to the right official seed to the seed product. The product with two Statutory Decks of decementations, and a legislation of the end product, but the end product, but the end product.	2.02.1 Use 2.02.1 Use Interpretation for Pregulatory Automy tests to reveal dated after for (10), years to be a covalidated after for (10), years to be a	this science in whole or in part and has been retro this science declaration conscientiously far out. This space for the Official Seal This space for the Official Seal Pressure Vessels And Pressu
	instants of Declarer: instants of Declarer: a 27 day of remissioner of Oedus liotery Public: (sign) inc. OC23207.5 it. 15872 it	Ging date (Affect Official seed to the right official seed to the seed product. The product with two Statutory Decks of decementations, and a legislation of the end product, but the end product, but the end product.	2.02.1 Use 2.02.1 Use Interpretation for Pregulatory Automy tests to reveal dated after for (10), years to be a covalidated after for (10), years to be a	this science in whole or in part and has been rette this science declaration conscientiously far oath. This space for the Official Seal This space for the Official Seal Pressure Vessels And Press
Territorial Registration F	instants of Declarer:	Ging date (Affect Official seed to the right official seed to the seed product. The product with two Statutory Decks of decementations, and a legislation of the end product, but the end product, but the end product.	2.02.1 Use 2.02.1 Use Interpretation for Pregulatory Automy tests to reveal dated after for (10), years to be a covalidated after for (10), years to be a	this solern declaration conscientiously lar oath. This space for the Official Seal This space for the Official Seal REGISTERED OC23207.5N TULY 30.2021

