New Brunswick Nova Scotia . Prince Edward Island Newfoundland and Labrador Nunavut Yukon Northwest Territories Manufacturers Name: KENNEDY FABRICATING LLC Manufacturers Address: 13436 KENNEDY DRIVE, SPELDORA, TEXAS, USA, 77372 Plant Locations: SAME AS ABOVE Category of Fittings to be registered. Circle one Category only Title of the Standard of A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Construction B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types ASME Section VIII-1 E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs (H) Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product Type of Construction Welded B Wrought B Forged Other D Cast n Describe other: FABRICATING List of supporting documentation and identification of the actual Items to be registered: LEVEL GAUGE FLOAT CHAMBER SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS Declaration: (see note 3) employed by KENNEDY FABRICATING LLC and being the person having full authority | JEREMY WANT, CEO and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASMEU as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. Signature of Declarer: Declared before me at Solend **BRENDA VARGAS** day of Voter Public, State of Chinas Comm. Expires 06-06-2022 Commissioner of Oaths Notary ID 131595282 Or Notary Public: (sign) (Affix Official seal to the right) This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0H21555.2

16042 FID#:

- 1. All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2016

ACCEPTED PROVINCE OF FRINCE EDWARD ISLAND COMMENTES, LAND & ENVIRONMENT

GERVICES SECTION BOILER/FRESSURE VESSEL BRA Sect 1.0 - Fittings Rev.2

RTI Knockout drum level gauge float chamber. 150psi/FV @ -20F to 450F. 4"NPS sch.40. Dwg.526-08-CRN rev.0 CRN expires June 17th, 2031 - DG

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Na	ME: KENNEDY FABRICATING L	LC .	*
Manufacturers Ad	dress: 13436 KENNEDY DRIVE	SPELDORA, TEXAS, USA, 77372	
Plant Locations: sa	AME AS ABOVE		
A Pipe fittings, including B Flanges: all flanges C Valves: all line valve	ng ccuptings, tees, elbows, Yr	ered. Circle one Category onl s, plugs, unions, pipe caps, or reduc	Y Title of the Standard of Construction
E Strainers, filters, sep Measuring devices, transmitters G Certified capacity-ra	ted pressure relief devices ac	vel gauges, sight glasses, levels, or	La Consumeration (Consumeration)
(H) Pressure retaining of	ssels, piping and fusible plugs components that do not fall int	o one of the above categories	
N Nuclear component	s: Class 1 Class 2 Cl	ass 3 🗆 , (Meeting CNSC or ASME	requirements)
Show Manufacturers Name, Trademark, or Logo as it will appear on the product			Forged # Welded # Wrought # Cast □ Other □ Describe other:
	FABR	ICATING	
List of supporting	documentation and ident	ification of the actual items to	he registered:
- LEVEL GAUG	E EL OAT CHAMBE	P SCORE OF CRM DE	RAWINGS, CALCULATIONS, REPORTS
Declaration:	· · · · · · · · · · · · · · · · · · ·		
JEREMY WANT, CEO	(see note 3) @	mployed by KENNEDY FABRICA	ATING LLC and being the person having full authority
ratings, and identificat fittings is regulated by verified by ASMEU	ne quality of the end produ ents the product for which ion markings are in accord a Quality Control Program as	act do solemnly declare that the registration is sought. The dime lance with the herein named sta which extends to each plant when the control of the con	information contained in this form is true to the best of ensions, materials of construction, pressure temperature and ards. I further declare that the manufacture of these here fabrication occurs in whole or in part and has been and I make this solemn declaration conscientiously.
Signature of Declarer:		_	
Declared before me at This 1 th day	Splendock in the	State of Texas	BRENDA VARGAS
Commissioner of Oath	10 () (Comm. Expires 08-06-2022
Or Notary Public: (sign		gu L	Notary ID 131596282
	(Affix Official seal to the	right) This space for Regulatory Authorit	
220 3/2 20060000			M. V. T. C. C
CRN: <u>0H21555.</u>	2		from the date of acceptance.
FID#: 16042			NOW SOUTH (SE)
Notes:	elatored in the access of the first		Date 19 555.28
 All Fittings shall be re 	gistered in the name of the Manuf	acturer. C.R.	N. OHRISSS.38

RTI Knockout drum level gauge float chamber. 150psi/FV @ -20F to 450F. 4"NPS sch.40. Dwg.526-08-CRN rev.0 CRN expires June 17th, 2031 - DG

Dwg. as described Signed Throng Perry

Sect 1.0 - Fittings Rev.2

and one copy of supporting documentation.

11/2016

2. Each Category shall be supported with two Statutory Declaration forms

 The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation.

Newfoundland and Labrador

Prince Edward Island

New Brunswick

Nova Scotia

Nunavut	Yukon	Northwest Territo	ories	
	Name: KENNEDY FABRICATING		The state of the s	v v
	Address: 13436 KENNEDY DRIV	/E, SPELDORA, TEXAS, USA, 7737;	2	
	IS: SAME AS ABOVE			
A Pipe fittings, in B Flanges: all fla C Valves: all line		stered. Circle one Catego Ys, plugs, unions, pipe caps, o	r reducers	Title of the Standard of Construction
D Expansion join E Strainers, filter F Measuring dev transmitters G Certified capac boilers, pressu	tits, flexible connections, and hos is, separators, and steam traps rices, including pressure gauges, ity-rated pressure relief devices are vessels, piping and fusible pluning components that do not fall	level gauges, sight glasses, le acceptable as primary over pre	ssure protection on	- ASME Section VIII-1
N Nuclear compo	onents: Class 1 Class 2	Class 3 \((Meeting CNSC or	ASME requirements)	
	cturers Name, Trademark, o			Type of Construction
	KEN	NEDY	The product	Type of Construction Forged Welded Wrought Cast Other Describe other:
	ting documentation and ide AUGE FLOAT CHAME			d: CALCULATIONS, REPORTS
my knowledge re ratings, and ident fittings is regulate verified by ASME U	of for the quality of the end pro- presents the product for which diffication markings are in according and by a Quality Control Progra- true, and knowing that it is of	educt do solemnly declare the thregistration is sought. The ordance with the herein name am which extends to each part as being suitable for that pu	nat the information co e dimensions, materi ned standards. I furth lant where fabrication prose and I make thi	d being the person having full authority intained in this form is true to the best of als of construction, pressure temperature for declare that the manufacture of these in occurs in whole or in part and has been solemn declaration conscientiously
	77 17	V		
Declared before in This	Oaths (sign) Brende V	ad 2021	B	BRENDA VARGAS NO PUBLIC SATE OF TEXAS NO PUBLIC SAFETY
	(Affix Official seal to		BOILER	& PRESSURE VESSEL ACT
CRN: 0H215	This registration m	This space for Regulatory nust be revalidated after ten (10	Authority use	A STATE OF THE STA
FID#: 160	42		CRN	UHQ 333,24
Notes:			1	2 0
	Il be registered in the name of the Ma	anufacturer.	_0	de Clas
2. Each Category	shall be supported with two Statutors of supporting documentation.		СНІ	EF BOILER INSPECTOR
	on shall be made by the person having or the quality of the end product.	full authority and	DAT	E 10/3/01
4. Quality Control	programs shall be resubmitted for va	alidation.		
11/2016			□ BLRs	PVs Sect 1.0 - Fittings Rev.2 B NUCLEAR COMPONENTS
			- Interest and	or the state of th
RTI Knockout o CRN expires Ju	drum level gauge float cha une 17th, 2031 - DG	amber. 150psi/FV @ -2	0F to 450F. 4"NP	S sch.40. Dwg 526-08-CRN rev.0

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Islan Northwest Territorie	
Manufacturers Nar	THE: KENNEDY FABRICATING	LLC	
Manufacturers Add	dress: 13436 KENNEDY DRIVE	E. SPELDORA, TEXAS, USA, 77372	
Plant Locations: sa			
A Pipe fittings, includin B Flanges: all flanges C Valves: all line valve	ng couplings, tees, elbows, \	tered. Circle one Category 's, plugs, unions, pipe caps, or re	y only Title of the Standard of reducers Construction
E Strainers, filters, sep F Measuring devices, i transmitters G Certified capacity-rat boilers, pressure ves	ed pressure relief devices a sels, piping and fusible plug	evel gauges, sight glasses, level	sure protection on
N Nuclear components	s: Class 1 🗆 Class 2 🗆 C	class 3 🗆 , (Meeting CNSC or AS	ASME requirements)
Show Manufacturer	s Name, Trademark, or	Logo as it will appear on the Company of the Compan	the product Type of Construction Forged Welded Wrought Cast Other Describe other:
List of supporting of	ocumentation and ider	tification of the actual item	ns to be registered:
ny knowledge represe atings, and identificati tings is regulated by erified by ASME U elieving it to be true, i ignature of Declarer:	she quality of the end proceed that the product for which ion markings are in accordanced a Quality Control Program and knowing that it is of the Solendock in The	fluct do solemnly declare that in registration is sought. The clance with the herein named m which extends to each plar s being suitable for that purposhe same force and effect as in	BRENDA VARGAS
ommissioner of Oath	s 40 1 11	1-91-	Comm. Expires 06-06-2022 Notary ID 131595282
Sec	(Affix Official seal to the	ne right)	Number of September of September 1995, and the College of Education and send in september 1995, september 1995, and the septem
		This space for Regulatory Aut	uthority use.
	This registration mu		years from the date of acceptance.
CRN: <u>0H21555.</u>	2		Newfoundland
ID#: 16042			Labrador Service NL
lotes:			Registered_0H21535.20
	gistered in the name of the Man	ufacturer.	Date 2/1/2/03
Each Category shall t	be supported with two Statutory orling documentation.		Engineering and Inspection Services
3. The Declaration shall	be made by the person having	full authority and	Registered by A.
	quality of the end product. ams shall be resubmitted for vali	dation.	UNDER THE AUTHORY OF THE PUBLIC SECTION PRINTS Rev. 2
11/2016			THE BOILER, PRESSURE VESSEL AND

RTI Knockout drum level gauge float chamber. 150psi/FV @ -20F to 450F, 4"NPS sch.40. Dwg.526-08-CRN rev.0 CRN expires June 17th, 2031 - DG

New Brunswick

Nova Scotia

The Declaration shall be made by the person having full authority and

Quality Control programs shall be resubmitted for validation.

responsibility for the quality of the end product.

11/2016

Prince Edward Island

Newfoundland and Labrador

1.0 - Fittings Rev.2

Nunavut Yukon Northwest Territories Manufacturers Name: KENNEDY FABRICATING LLC Manufacturers Address: 13436 KENNEDY DRIVE, SPELDORA, TEXAS, USA, 77372 Plant Locations: SAME AS ABOVE Category of Fittings to be registered. Circle one Category only Title of the Standard of A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Construction B Flanges: all flanges Valves: all line valves Expansion joints, flexible connections, and hose assemblies: all types - ASME Section VIII-1 Strainers, filters, separators, and steam traps Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs (H) Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product Type of Construction Forged Welded # Wrought # Other n Cast n Describe other: FABRICATING List of supporting documentation and identification of the actual items to be registered: LEVEL GAUGE FLOAT CHAMBER SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS Declaration: (see note 3) employed by KENNEDY FABRICATING LLC and being the person having full authority | JEREMY WANT, CEO and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been as being suitable for that purpose and I make this solemn declaration conscientiously verified by ASMEU believing it to be true, and knowing that it is of the same force and effect as if made under oath. Signature of Declarer: Declared before me at BRENDA VARGAS Notery Public, State of Texas Comm. Expires 06-06-2022 Commissioner of Oaths Notary ID 131595282 Or Notary Public: (sign) (Affix Official seal to the right) This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. CRN: 0H21555.2 16042 FID#: Notes: All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms 0H21555.2Y and one copy of supporting documentation.

RTI Knockout drum level gauge float chamber. 150psi/FV @ -20F to 450F. 4"NPS sch.40. Dwg.526-08-CRN rev.0 CRN expires June 17th, 2031 - DG

New Brunswick	Nova Scotia	Prince Edward		Newfoundland and Labrador
Nunavut	Yukon	Northwest Terri	tories	
	MO: KENNEDY FABRICATING	The second secon		
	dress: 13436 KENNEDY DRIVE	SPELDORA, TEXAS, USA, 773	72	
Plant Locations: 5A	THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	torad Chala and Cata		
A Pipe fittings, includir B Flanges, all flanges C Valves: all line valve	95	's, plugs, unions, pipe caps,	or reducers	Title of the Standard of Construction
E Strainers, filters, sep F Measuring devices, transmitters	xible connections, and hose parators, and steam traps including pressure gauges, k	evel gauges, sight glasses, i	57 18	
bollers, pressure ves	led pressure relief devices at sels, piping and fusible plug omponents that do not fall in	6		n on
N Nuclear components	s: Class 1 🗆 Class 2 🗆 C	lass 3 🗆 , (Meeting CNSC o	or ASME require	ments)
Show Manufacture	rs Name, Trademark, or	Logo as it will appear of	n the produc	Forged S Welded B Wrought S Cast O Other o
	(C. 13) -	ICATING		Describe other:
	I-ABI	HUATING		
ny knowledge represe alings, and identifical itlings is regulated by	he quality of the end prod ents the product for which ion markings are in accor a Quality Control Program	uct do solemnly declare registration is sought. T dance with the herein name which extends to each	hat the inform he dimensions ned standards plant where fa	LC and being the person having full authority ation contained in this form is true to the best or materials of construction, pressure temperate. I further declare that the manufacture of the brication occurs in whole or in part and has be
erified by ASMEU elleving it to be true,	and knowing that it is of the	s being suitable for that p ne same force and effect	urpose and I n as if made und	nake this solemn declaration conscientiously der oath.
ignature of Declarer:				
7.1	Splendock in the	State of Texas		BRENDA VARGAS ទីទាំស់សេវៈ ទាមមាស ទីទេស់សិកាមែរ៤ទី ខ្មាំ
commissioner of Oath	12		No.	Comm. Expires 06-06-2022 Notary ID 131595282
r Notary Public: (sign	(Affix Official seal to th	e right)		
************	(Allix Ollicial seal to the	This space for Regulatory	Authoris	
	This registration mu	st be revalidated after ien (1	0) years from the	a da biagranice
CRN: 0H21555.	2		/	Northwest Territories
FID#:16042			1	REGISTERED
Notes: 1. All Filtings shall be re	gistered in the name of the Manu	ufacturer.	UNDE	R THE AUTHORITY OF
2 Each Calegory shall b	se supported with two Statutory E orling documentation		1	OILER AND PRESSURE VESSEL ACT
	be made by the person having for	ull authority and	C.R	NOH21555 2T

RTI Knockout drum level gauge float chamber. 150psi/FV @ -20F to 450F. 4"NPS sch.40. Dwg.526-08-CRN rev.0 CRN expires June 17th, 2031 - DG

4. Quality Control programs shall be resubmitted for validation.

11/2016

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Northwest Terr		Newfoundland and Labrador
Manufacturers Na	ME: KENNEDY FABRICATING	iic ·		
	dress: 13436 KENNEDY DRIVE		372	
Plant Locations: SA	ME AS ABOVE			
A Pipe fittings, includir B Flanges: all flanges C Valves: all line valve	'y of Fittings to be regis ng couplings, tees, elbows, 'y es	s, plugs, unions, pipe caps	gory only , or reducers	Title of the Standard of Construction
Expansion joints, flexible connections, and hose assemblies: all types Strainers, filters, separators, and steam traps Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters			- ASME Section VIII-1	
G Certified capacity-rat boilers, pressure ves	ed pressure relief devices as sels, piping and fusible plug- omponents that do not fall in	S		1
	: Class 1 Class 2 C	177		nte)
Show Manufactures	rs Name, Trademark, or	Logo as it will appear	on the product	Type of Construction
	CEN	MEDY		Forged Welded Wrought Cast a Other a Describe other:
	FABR	RICATING		
List of supporting o	locumentation and iden	tification of the actual	items to be regist	ered:
ny knowledge represe atings, and identificati ittings is regulated by erified by ASMEU	he quality of the end prod ints the product for which on markings are in accord a Quality Control Program as	uct do solemnly declare registration is sought. I dance with the herein ne n which extends to each s being suitable for that i	that the information The dimensions, maked standards. I to plant where fabric oursoes and I make	and being the person having full authority n contained in this form is true to the best of aterials of construction, pressure temperature further declare that the manufacture of these ation occurs in whole or in part and has been a this solemn declaration conscientiously
	and knowing that it is of the	ne same force and effect	as if made under	oath.
ignature of Declarer: Declared before me at this 14 day Commissioner of Oath	s	State of Texas		BRENDA VARGAS ใจใช้เรียงย์เมื่อ รีเลยได้รับเริ่มตั้ง Comm. Expires D6-06-2022
r Notary Public: (sign	(Affix Official seal to th		S S	Notary ID 191595282
CDN: 0121555	This registration must	This space for Regulate at be revalidated after ten (o detector the da	te of ac Prossure Vessels Act
CRN: <u>0H21555.</u> 2			Constitution of the Consti	EGISTERED
FID#: 16042	*	1		21555. 2 N
Notes: 1. All Fittings shall be re	gislered in the name of the Manu	ifacturer.	CRN	The state of the s
	e supported with two Statutory E		Date Dec	03, 2021
responsibility for the q	be made by the person having fu uality of the end product. I'ms shall be resubmitted for valid	100	Signed	Chief Inspector
11/2016	The second of th		Tit-	Sect 1.0 - Fittings Rev.2

RTI Knockout drum level gauge float chamber. 150psi/FV @ -29F to 456F. 4*NPS sch.40. Dwg.526-08-CRN rev.0 CRN expires June 17th, 2031 - DG