



14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

November 06, 2015

United Filtration Systems, Inc.
6558 Diplomat Drive
Sterling Heights, MI 48314
www.unitedfiltration.com

Service Request Type.: BPV-National ACI Central
Service Request No.: 1704220
Your Reference No.:
Registered to.: HEADLINE FILTERS LTD

Please find enclosed the original response from PEI,NS,NFLD,YK,NWT,NU, registered under the CRN No.: 0E17863.5980YTN.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis
Administrative Assistant_ BPV Engineering
Tel. : 416-734-3423
Fax : 416-231-6183
Email : tfrancis@tssa.org

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

X NEW BRUNSWICK X NOVA SCOTIA X PRINCE EDWARD ISLAND X NEWFOUNDLAND AND LABRADOR
X NUNAVUT X YUKON X NORTHWEST TERRITORIES

MANUFACTURERS NAME: Headline Filters Ltd.
MANUFACTURERS ADDRESS: Headline House, Units 1-2 Mill Hill Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ
PLANT LOCATIONS: Headline House, Units 1-2 Mill Hill Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
B Flanges: all flanges
C Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories
N Nuclear components: Class 1 Class 2 Class 3 (Meeting CNSC or ASME requirements)
TITLE OF THE STANDARD OF CONSTRUCTION: ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT
TYPE OF CONSTRUCTION: FORGED WELDED WROUGHT CAST OTHER MACHINED (316L)
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
General Assembly Drawing, Brochure, Pressure Calculations, ISO Certificate of Registration
Item to be registered is Headline Filter 150MHP (150VP)

DECLARATION:

I Scott Hardiman, Works Manager (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
Declared before me at 16 MILL STREET, MALDSTONE, KENT.
This 8th day of JUNE AD 2015
Commissioner of Oaths or Notary Public: [Signature]

Alexander Gwilium Astley
16 Mill Street HIS SPACE
Maldstone Kent ME15 6XT
Tel: 01622 678341
Notary Public



This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of registration.
CRN: OE17863.5
FID#: 2895
AGGENT: PROVINCE OF PRINCE EDWARD ISLAND ENVIRONMENT, LABOUR & JUSTICE
C.R.N. OE17863.59
DATE: Sept 4 2015
[Signature]
INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH
Sect. 1.0 - Fittings Rev. 1 06/2003

- Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

X NEW BRUNSWICK X NOVA SCOTIA X PRINCE EDWARD ISLAND X NEWFOUNDLAND AND LABRADOR
X NUNAVUT X YUKON X NORTHWEST TERRITORIES


MANUFACTURERS NAME: Headline Filters Ltd.
MANUFACTURERS ADDRESS: Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ
PLANT LOCATIONS: Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or raducare
B Flanges: all flanges
C Valves: all line valves
D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
H Pressure retaining components that do not fall into one of the above categories
N Nuclear components: Class 1 Class 2 Class 3. (Meeting CNSC or ASME requirements)
TITLE OF THE STANDARD OF CONSTRUCTION
ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT
TYPE OF CONSTRUCTION
FORGED WELDED WROUGHT
CAST OTHER
DESCRIBE OTHER:
Machined (316L)
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
General Assembly Drawing, Brochure, Pressure Calculations, ISO Certificate of Registration
Item to be registered is Headline Filter 150HHP (150VP)

DECLARATION:

I Scott Hardiman, Works Manager (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
Declared before me at 16 Mill Street, Maidstone, Kent.
This 8th day of June AD 2015
Commissioner of Oaths or Notary Public: [Signature]

Alexander Gwllum Astley
16 Mill Street
Maidstone Kent ME15 6XT
Tel: 01622 678341
Notary Public




This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.
CRN: OE17863.5
FID#: 2895
Notes:
1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.
Date: Sept. 4/15
C.R.N. OE17863.58
Dwg. as described
Signed Yvonne Perry
1 of 1 Part
ACT & REGULATIONS
Sect. 1.0 - Fittings Rev. 1 06/2003

94113

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
 NOVA SCOTIA
 PRINCE EDWARD ISLAND
 NEWFOUNDLAND AND LABRADOR
 NUNAVUT
 YUKON
 NORTHWEST TERRITORIES


MANUFACTURERS NAME: <u>Headline Filters Ltd.</u>	
MANUFACTURERS ADDRESS: <u>Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ</u>	
PLANT LOCATIONS: <u>Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION <u>ASME B31.3</u>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT 	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: <u>Machined (316L)</u>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: <u>General Assembly Drawing, Brochure, Pressure Calculations, ISO Certificate of Registration</u> Item to be registered is <u>Headline Filter 150HHP (150VP)</u>	

DECLARATION:

I, Scott Hardiman, Works Manager (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Scott Hardiman*
 Declared before me at 16 MILL STREET, MAIDSTONE, KENT
 This 8th day of JUNE AD 2015
 Commissioner of Oaths or Notary Public: (sign) *[Signature]*


Alexander Gwilum Astley
 16 Mill Street 15 SPACE
 Maidstone Kent ME15 6XT
 Tel 01622 678341
 Notary Public



This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OE17863.5</u>	Newfoundland Labrador Service NL Registered <u>OE17863.50</u> Date <u>15/09/04</u> Engineering and Inspection Services Registered by <u><i>[Signature]</i></u>
FID#: <u>2895</u>	97115 UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS Sect. 1.0 - Fittings Rev. 1 06/2003
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
 NOVA SCOTIA
 PRINCE EDWARD ISLAND
 NEWFOUNDLAND AND LABRADOR
 NUNAVUT
 YUKON
 NORTHWEST TERRITORIES


MANUFACTURERS NAME: <u>Headline Filters Ltd.</u>	
MANUFACTURERS ADDRESS: <u>Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ</u>	
PLANT LOCATIONS: <u>Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="checkbox"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION <u>ASME B31.3</u>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: <u>Machined (316L)</u>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
General Assembly Drawing, Brochure, Pressure Calculations, ISO Certificate of Registration Item to be registered is <u>Headline Filter 150HHP (150VP)</u>	

DECLARATION:

I Scott Hardiman, Works Manager (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Scott Hardiman*
 Declared before me at 16 MILL STREET, MADSTONE, KENT
 This 8th day of JUNE AD 2015
 Commissioner of Oaths or Notary Public: (sign) *[Signature]*


Alexander Gwilum Astley
 16 Mill Street
 Madstone, Kent ME15 6XJ
 Tel: 01622 678341
 Notary Public



This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0E17863.5
 FID#: 2895


Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



97115

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS


NEW BRUNSWICK
 NOVA SCOTIA
 PRINCE EDWARD ISLAND
 NEWFOUNDLAND AND LABRADOR
 NUNAVUT
 YUKON
 NORTHWEST TERRITORIES


MANUFACTURERS NAME: <u>Headline Filters Ltd.</u>	
MANUFACTURERS ADDRESS: <u>Headline House, Units 1-2 Mill Hill Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ</u>	
PLANT LOCATIONS: <u>Headline House, Units 1-2 Mill Hill Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ</u>	
CATEGORY OF FITTINGS TO BE REGISTERED, CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, end hose assemblies: all types <input checked="" type="checkbox"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT <div align="center">  </div>	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined (316L)
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: General Assembly Drawing, Brochure, Pressure Calculations, ISO Certificate of Registration Item to be registered is Headline Filter 150HHP (150VP)	

DECLARATION:
 I, Scott Herdman, Works Manager (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declaror: *Scott Herdman*
 Declared before me at 16 MILL STREET, MIDDLETOWN, KENT
 This 8th day of JUNE AD 2015
 Commissioner of Oaths or Notary Public: (sign) *[Signature]*


Alexander Gwillum Astley
 16 Mill Street HIS SPACE
 Maidstone Kent ME15 6XT
 Tel: 01622 678341
 Notary Public



This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance CRN: <u>OE17863.5</u> FID#: <u>2895</u> Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	<div align="center">  </div>
--	--

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
 NOVA SCOTIA
 PRINCE EDWARD ISLAND
 NEWFOUNDLAND AND LABRADOR
 NUNAVUT
 YUKON
 NORTHWEST TERRITORIES


MANUFACTURERS NAME: <u>Headline Filters Ltd.</u>	
MANUFACTURERS ADDRESS: <u>Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ</u>	
PLANT LOCATIONS: <u>Headline House, Units 1-2 Mill Hall Business Estate, Aylesford, Kent, United Kingdom, ME20 7JZ</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="checkbox"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION <u>ASME B31.3</u>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: <u>Machined (316L)</u>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: General Assembly Drawing, Brochure, Pressure Calculations, ISO Certificate of Registration Item to be registered is <u>Headline Filter 150HHP (150VP)</u>	

DECLARATION:

I, Scott Hardiman, Works Manager (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by BSI as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Scott Hardiman*
 Declared before me at 16 Mill Street, Maidstone, Kent
 This 8th day of JUNE AD 2015
 Commissioner of Oaths
 or Notary Public: (sign) *[Signature]*

Alexander Gwilum Astley
 16 Mill Street HIS SPACE
 Maidstone, Kent, ME15 6XT
 Tel: 01622 678341
 Notary Public



This space for Regulatory Authority use	
This registration must be revalidated after <u>10</u> years from the date of acceptance.	
CRN: <u>OE17863.5</u>	NUNAVUT Boilers and Pressure Vessels Act REGISTERED CRN <u>OE17863.5N</u> Date <u>Sept 08, 2015</u> Signed <u><i>[Signature]</i></u> Chief Inspector
FID#: <u>2895</u>	
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	
Territorial Registration Fee	

94115