


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center" style="font-size: 2em; font-weight: bold;">  </div>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from Solid Billet</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For 380AHP Filter housings to drawing numbers HF4/3869 and HF4/3553 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate. Drawings, Calculations. Proof Test Certificate</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Scott Hardiman*


Declared before me at 16 MILL STREET, MAIDSTONE, KENT

This 14th day of JUNE AD 2014

Commissioner of Oaths or Notary Public: (sign) *[Signature]*

(Affix Official seal to the right)

Alexander Gwilum Astley
 16 Mill Street
 Maidstone, Kent ME17 6AT
 Tel: 01622 678341
 Notary Public



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

CRN OE04447.27Add4
 EXAMINER: *[Signature]*
 for
 CHIEF BOILER INSPECTOR
 DATE: 9/26/2014
 BLRs PVs
 FITTINGS COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Headline Filters Ltd

MANUFACTURERS ADDRESS: Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ England


PLANT LOCATIONS: As above

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
ASME B31.3

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:
Machined from Solid Billet

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
For 380AHP Filter housings to drawing numbers HF4/3869 and HF4/3553
Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate. Drawings, Calculations.
Proof Test Certificate

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Scott Hardiman


Declared before me at 16 MILL STREET, MAIDSTONE, KENT

This 12th day of JUNE AD 2014.

Commissioner of Oaths or Notary Public: (sign) [Signature]

Alexander Gwiliam Astley

16 Mill Street
Maidstone, Kent ME15 6XT
Tel: 01622 678341
Notary Public



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BOILER & PRESSURE VESSEL
 NOVA SCOTIA
 Date Sept. 26/14
 C.R.N. OE04447.28ADD4
 Dwg. as described
 Signed Yvonne Perry
 L of L
 Part
 ACT & REGULATIONS

94614


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3</p>
<p align="center">SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center" style="font-size: 2em; font-weight: bold;">  </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/></p> <p>DESCRIBE OTHER: Machined from Solid Billet</p>
<p align="center">LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For 380AHP Filter housings to drawing numbers HF4/3869 and HF4/3553 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate. Drawings, Calculations. Proof Test Certificate</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 


Declared before me at 16 MILL STREET, MAIDSTONE, KENT


This 14th day of JUNE AD 2014

Commissioner of Oaths or Notary Public: (sign) 

(Affix Official seal to the right)

Alexander Gwllum Astley
16 Mill Street
Maidstone, Kent ME15 6XT
Tel: 01622 678341
Notary Public



<p>This space for Regulatory Authority use</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p>	
CRN: <u>OE04447.2 ADD4</u>	<p align="center">ACCEPTED</p> <p align="center">PROVINCE OF PRINCE EDWARD ISLAND</p> <p align="center">ENVIRONMENT, LABOUR & JUSTICE</p> <p align="center">C.R.N. <u>OE04447.29 ADD4</u></p> <p align="center">DATE: <u>08 Oct 2014</u></p> <p align="center"></p> <p align="center">INSPECTION SERVICES SECTION</p> <p align="center">BOILER/PRESSURE VESSEL BRANCH</p>
FID#: <u>2895</u>	
<p>Notes:</p> <ol style="list-style-type: none"> All fittings shall be registered in the name of the Manufacturer. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. 	


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/></p> <p>DESCRIBE OTHER: Machined from Solid Billet</p>	
<p align="center">LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For 380AHP Filter housings to drawing numbers HF4/3869 and HF4/3553 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate. Drawings, Calculations. Proof Test Certificate</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Scott Hardiman

Declared before me at 10 NEW STREET, MAIDSTONE, KENT


This 14th day of JUNE AD 2014


Commissioner of Oaths
or Notary Public: (sign) [Signature]

(Affix Official seal to the right)

Alexander Gwilum Astley

16 Mill Street THIS SPACE
Maidstone, Kent ME15 6XT
Tel: 01622 878341 OFFICIAL
Notary Public



This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OE04447.2 ADD4</u>	 <p align="center">Newfoundland Labrador Service NL</p>
FID#: <u>2895</u>	
Notes:	<p>Registered <u>OE04447.20 ADD.4</u></p> <p>Date <u>14/09/2014</u></p> <p>Engineering and Inspection Services</p> <p>Registered by <u>[Signature]</u></p> <p align="center">UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS</p>
<p>1. All fittings shall be registered in the name of the Manufacturer.</p> <p>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</p> <p>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.</p> <p>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center" style="font-size: 2em; font-weight: bold;">  </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/></p> <p>DESCRIBE OTHER: <u>Machined from Solid Billet</u></p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For 380AHP Filter housings to drawing numbers HF4/3869 and HF4/3553 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate. Drawings, Calculations. Proof Test Certificate</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *St Hardiman*


Declared before me at 16 MILL STREET, MAIDSTONE, KENT


This 12th day of JUNE AD 2014

Commissioner of Oaths
or Notary Public: (sign) *[Signature]*

Alexander Gwilum Astley

16 Mill Street E THIS SPACE
Maidstone, Kent ME15 6XT
Tel: 01622 678341 OFFICIAL
Notary Public



<p align="center">This space for Regulatory Authority use This registration must be revalidated every (ten (10)) years from the date of acceptance.</p> <p>CRN: <u>OE04447.2 ADD4</u></p> <p>FID#: <u>2895</u></p> <p>Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<div align="center" style="font-size: 1.5em; font-weight: bold;">  </div> <p align="center">NUNAVUT Boilers and Pressure Vessels Act</p> <p align="center" style="font-size: 1.5em; font-weight: bold;">REGISTERED</p> <p>CRN <u>OE04447.2 NAdd4</u></p> <p>Date <u>SEP 26 2014</u></p> <p>Signed <u><i>[Signature]</i></u> Chief Inspector</p> <p align="center" style="font-size: 1.2em; font-weight: bold;">Territorial Registration Fee</p>
---	---


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B31.3</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p align="center"></p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from Solid Billet</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For 380AHP Filter housings to drawing numbers HF4/3869 and HF4/3553 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate. Drawings, Calculations. Proof Test Certificate</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at 16 NEW STREET, MAIDSTONE, KENT


This 12th day of JUNE AD 2014

Commissioner of Oaths or Notary Public: (sign) 

(Affix Official seal to the right)

Alexander Gwilum Astley

16 Mill Street
 Maidstone, Kent ME15 6XT
 Tel: 01622 678341
 Notary Public




This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.


 GOVERNMENT OF YUKON
 BOILERS BRANCH
 CRN: OE04447.2
 DATE: 9/29/2014
 2y Accy


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hill Business Estate, Aylosford, Kent. ME20 7JZ England</u>	
PLANT LOCATIONS: <u>As above</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION <u>ASME B31.3</u>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: <u>Machined from Solid Billet</u>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<u>For 380AHP Filter housings to drawing numbers HF4/3869 and HF4/3553</u> <u>Existing CRN In Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate. Drawings, Calculations.</u> <u>Proof Test Certificate</u>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Scott Hardiman


Declared before me at 16 NEW STREET, MALDSTONE, KENT

This 12th day of JUNE AD 2014

Commissioner of Oaths
or Notary Public: (sign) [Signature]

(Affix Official seal to the right)

Alexander Gwllum Astley
 16 Mill Street THIS SPACE
 Maldstone, Kent ME15 6XT
 Tel: 01622 673341 OFFICIAL
 Notary Public




This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.


 Northwest Territories
REGISTERED
 UNDER THE AUTHORITY OF
 THE BOILER AND PRESSURE
 VESSEL ACT.
 C.R.N. OE04447.27ADD4
 SIGNED [Signature]
 DATE SEP-26-2014

96614
8158.00


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3</p>
<p align="center">SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center" style="font-size: 2em; font-weight: bold;">  </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from solid billet</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For 385AHP and 385AHPF Filter housings to drawing numbers HF4/3906 and HF4/3946 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations Proof Test Certificate</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Scott Hardiman*

Declared before me at 16 MILL STREET, MAIDSTONE KENT

This 19th day of JUNE AD 2014

Commissioner of Oaths or Notary Public: (sign) *[Signature]*

(Affix Official seal to the right)

Alexander Gwilum Astley

16 Mill Street
 Maidstone, Kent ME15 6XT
 Tel: 01622 678349
 Notary Public

THIS SPACE
 IS RESERVED FOR
 NOTARIAL
 FUNCTIONS
 DEPT OF PUBLIC SAFETY



<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>OE04447.2 ADD4</u></p> <p>FID#: <u>2895</u></p> <p>Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p align="center">PRESSURE VESSEL A REGISTRATION ONLY</p> <p>CRN <u>OE04447.27 ADD4</u></p> <p>EXAMINER: <u><i>[Signature]</i></u> for CHIEF BOILER INSPECTOR</p> <p>DATE: <u>9/26/2014</u></p> <p><input type="checkbox"/> BLRs <input type="checkbox"/> PVs <input type="checkbox"/> FITTINGS <input type="checkbox"/> COMPONENTS</p>
---	---


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ, England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves <input checked="" type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B31.3</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> 	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from solid billet</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For 385AHP and 385AHPF Filter housings to drawing numbers HF4/3906 and HF4/3946 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations Proof Test Certificate</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Scott Hardiman
Declared before me at 16 Mill Street, Maldstone Kent
This 19th day of JUNE AD 2014
Commissioner of Oaths or Notary Public: (sign) [Signature]
(Affix Official seal to the right)

Alexander Gwllum Astley
16 Mill Street
Maldstone, Kent ME15 6XT
Tel: 01622 678349
Notary Public




This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



44114


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center" style="font-size: 2em; font-weight: bold;">  </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from solid billet</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For 385AHP and 385AHPF Filter housings to drawing numbers HF4/3906 and HF4/3946 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations Proof Test Certificate</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Scott Hardiman*


Alexander Gwilum Astley
 16 Mill Street
 Maidstone, Kent ME15 6XT
 Tel: 01622 678349
 Notary Public

Declared before me at 16 MILL STREET, MAIDSTONE KENT

This 19th day of JUNE AD 2014

Commissioner of Oaths or Notary Public: (sign) *[Signature]*

(Affix Official seal to the right)



This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

ACCEPTED
PROVINCE OF PRINCE EDWARD ISLAND
ENVIRONMENT, LABOUR & JUSTICE

C.R.N. OE04447.29 ADD4

DATE: 08 Oct 2014

[Signature]
INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

4414


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent, ME20 7JZ, England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY.</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies. all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from solid billet	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
For 385AHP and 385AHPF Filter housings to drawing numbers HF4/3906 and HF4/3946 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations Proof Test Certificate	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Scott Hardiman

Alexander Gwilum Astley

Declared before me at 16 Mill Street, Maidstone, Kent


16 Mill Street
Maidstone, Kent ME15 6XT

This 19th day of JUNE AD 2014

Tel: 01622 67834P
Notary Public

Commissioner of Oaths
or Notary Public: (sign) [Signature]

(Affix Official seal to the right)




This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.


 Registered OE04447.20 ADD.4
 Date 14/09/16
 Engineering and Inspection Services
 Registered by [Signature]
 UNDER THE AUTHORITY OF THE
 PUBLIC SAFETY ACT AND
 THE BOILER, PRESSURE VESSEL AND
 COMPRESSED GAS REGULATIONS


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center" style="font-size: 2em; font-weight: bold;">  </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from solid billet</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For 385AHP and 385AHPF Filter housings to drawing numbers HF4/3906 and HF4/3946 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations Proof Test Certificate</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Alexander Gwilum Astley

Declared before me at 16 MILL STREET, MAIDSTONE KENT


16 Mill Street
Maidstone, Kent ME15 6XT


This 19th day of JUNE AD 2014

Tel: 01622 67834P
Notary Public

Commissioner of Oaths
or Notary Public: (sign) 

(Affix Official seal to the right)



<p align="center">This space for Regulatory Authority use This registration must be revalidated every (10) years from the date of acceptance.</p> <p>CRN: <u>OE04447.2 ADD4</u></p> <p>FID#: <u>2895</u></p> <p>Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p>NUNAVUT</p> <p>Boilers and Pressure Vessels Act</p> <p align="center">REGISTERED</p> <p>CRN <u>OE04447.2NAdd4</u> Date <u>SEP 26 2014</u> Signed <u></u> Chief Inspector</p> <p align="center">Territorial Registration Fee</p>
---	---

24114


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B31.3</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p align="center"></p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from solid billet</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For 385AHP and 385AHPF Filter housings to drawing numbers HF4/3906 and HF4/3946 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations Proof Test Certificate</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Alexander Gwilium Astley

Declared before me at 16 MILL STREET, MAIDSTONE KENT

16 Mill Street
Maidstone, Kent ME15 6XT


This 19th day of JUNE AD 2014

USE THIS SPACE
OFFICIALS

Commissioner of Oaths
or Notary Public: (sign) 

Tel: 01622 678349
Notary Public

(Affix Official seal to the right)




This space for Regulatory Authority use
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



44614


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hill Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fuel gas plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ASME B31.3</p>
<p>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <p align="center"></p>	<p>TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from solid billet</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For 385AHP and 385AHPF Filter housings to drawing numbers HF4/3906 and HF4/3946 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations Proof Test Certificate</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Alexander Gwllum Astley

Declared before me at 16 Mill Street, Maldstone, Kent


16 Mill Street
Maldstone, Kent ME15 6XT
Tel: 01622 878349

This 19th day of JUNE AD 2014

Commissioner of Oaths
or Notary Public: (sign) 

Notary Public

(Affix Official seal to the right)





This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.


 Northwest Territories
REGISTERED
 UNDER THE AUTHORITY OF
 THE BOILER AND PRESSURE
 VESSEL ACT.
 C.R.N. OE04447.21 ADD4
 SIGNED 
 DATE Sept 26 2014

4414


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from solid billet</p>	
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations. Proof Test Certificate</p>	

DECLARATION:
 I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Scott Hardiman*
 Declared before me at 16 MILL STREET MAIDSTONE, KENT
 This 19th day of JUNE AD 2014
 Commissioner of Oaths or Notary Public: (sign) *[Signature]*
 (Affix Official seal to the right)

Alexander Gwilum Astley
 16 Mill Street
 Maidstone, Kent ME15 6XT
 Tel: 01622 678341
 Notary Public



This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4
 FID#: 2895

REGISTRATION ONLY
 CRN OE04447.27ADD4 9411

EXAMINER: *[Signature]*
 for
 CHIEF BOILER INSPECTOR
 DATE: 9/26/2014

BLRs PVs
 FITTINGS COMPONENTS

- Notes:
1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Headline Filters Ltd

MANUFACTURERS ADDRESS: Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England


PLANT LOCATIONS: As above

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
 B Flanges: all flanges
 C Valves: all line valves
 D Expansion joints, flexible connections, and hose assemblies: all types
 E Strainers, filters, separators, and steam traps
 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
 H Pressure retaining components that do not fall into one of the above categories
 N Nuclear components: Class 1 Class 2 Class 3 . (Meeting AECB or ASME requirements)

TITLE OF THE STANDARD OF CONSTRUCTION
ASME B31.3

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION
 FORGED WELDED WROUGHT
 CAST OTHER
 DESCRIBE OTHER:
Machined from solid billet

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:
For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948
Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations.
Proof Test Certificate

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: Scott Hardiman

Declared before me at 16 Mill Street Maidstone Kent

This 19th day of JUNE AD 2014

Commissioner of Oaths or Notary Public: (sign) [Signature]

Alexander Gwillum Astley
18 Mill Street
Maidstone, Kent ME15 6XT
Tel: 01622 878341
Notary Public



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BOILER & PRESSURE VESSEL
 NOVA SCOTIA
 Date Sept. 26/14
 C.R.N. OE04447.28ADD4
 Dwg. as described
 Signed Yvonne Perry
 1 of 1
 Part
 ACT & REGULATIONS

94-114


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3</p>
<p align="center">SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center" style="font-size: 2em; font-weight: bold;">  </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from solid billet</p>
<p align="center">LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948 Existing CRN In Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations. Proof Test Certificate</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Alexander Gwilum Astley

Declared before me at 16 MILL STREET MAIDSTONE, KENT

16 Mill Street E THIS SPACE


This 19th day of JUNE AD 2014

Maidstone, Kent ME15 6XT OFFICIAL

Commissioner of Oaths or Notary Public: (sign) 

Tel: 01622 678341
Notary Public

(Affix Official seal to the right)



This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

ACCEPTED
PROVINCE OF PRINCE EDWARD ISLAND
ENVIRONMENT, LABOUR & JUSTICE

C.R.N. OE04447.29 ADD4

DATE: 08 Oct 2014



INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL DEPT

42114


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from solid billet
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations. Proof Test Certificate	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: *Scott Hardiman*

Declared before me at 16 MILL STREET MAIDSTONE, KENT
 This 19th day of JUNE AD 2014

Commissioner of Oaths or Notary Public: (sign) *[Signature]*

Alexander Gwillum Astley

16 Mill Street
 Maidstone, Kent ME15 6XT
 Tel 01622 678341
 Notary Public



This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OE04447.2 ADD4</u> FID#: <u>2895</u>	Newfoundland Labrador Service NL Registered <u>OE04447.20 ADD.4</u> Date <u>19/09/26</u> Engineering and Inspection Services Registered by <u><i>[Signature]</i></u> UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS
Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3</p>
<p align="center">SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</p> <div align="center">  </div>	<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from solid billet</p>
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations. Proof Test Certificate</p>	

DECLARATION:


I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Scott Hardiman

Declared before me at 16 MILL STREET MAIDSTONE, KENT
 This 19th day of JUNE AD 2014

Commissioner of Oaths or Notary Public: (sign) [Signature]

Alexander Gwilum Astley
 16 Mill Street
 Maidstone, Kent ME15 6XT
 Tel: 01622 67834
 Notary Public



<p>This registration must be revalidated every 10 years from the date of acceptance.</p> <p>CRN: <u>OE04447.2 ADD4</u></p> <p>FID#: <u>2895</u></p> <p>Notes: 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p>	<p align="center">NUNAVUT</p> <p align="center">Boilers and Pressure Vessels Act</p> <p align="center">REGISTERED</p> <p>CRN <u>OE04447.2 NADD4</u> Date <u>SEP 26, 2014</u> Signed <u>[Signature]</u> Chief Inspector</p> <p align="center">Territorial Registration Fee</p>
--	---


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
<p align="center">CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center">TITLE OF THE STANDARD OF CONSTRUCTION</p> <p align="center">ASME B31.3</p>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
<p align="center">TYPE OF CONSTRUCTION</p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: Machined from solid billet</p>	
<p>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</p> <p>For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948 Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations. Proof Test Certificate</p>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 


Declared before me at 16 MILL STREET MAIDSTONE, KENT

This 19th day of JUNE AD 2014

Commissioner of Oaths or Notary Public: (sign) 

Alexander Gwillum Astley

16 Mill Street
 Maidstone, Kent ME15 6XT
 Tel: 01622 678341
 Notary Public




This space for Regulatory Authority use


This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



BY: 
 CRN: OE04447
 DATE: 9/19/2014
 BOILERS BRANCH

94614


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>Headline Filters Ltd</u>	
MANUFACTURERS ADDRESS: <u>Units 1-2 Mill Hall Business Estate, Aylesford, Kent. ME20 7JZ. England</u>	
PLANT LOCATIONS: <u>As above</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves <input checked="" type="checkbox"/> D Expansion joints, flexible connections, and hose assemblies: all types <input checked="" type="checkbox"/> E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting AECB or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION <u>ASME B31.3</u>
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> DESCRIBE OTHER: <u>Machined from solid billet</u>
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: <u>For the 390AHP and 390AHPF Filter housings to drawing numbers HF4/3907 and HF4/3948</u> <u>Existing CRN in Alberta (OE04447.2) Current ISO9001 Certificate, PED QA Certificate, Drawings, Calculations, Proof Test Certificate</u>	

DECLARATION:

I Scott Hardiman (see note 3) employed by Headline Filters Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by British Standards Institution as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Scott Hardiman


Declared before me at 16 MILL STREET, MALDSTONE, KENT

This 19th day of JUNE AD 2014

Commissioner of Oaths or Notary Public: (sign) [Signature]

(Affix Official seal to the right)

Alexander Gwilum Astley
 16 Mill Street
 Maldstone, Kent ME15 6XT
 Tel: 01622 678341
 Notary Public



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OE04447.2 ADD4

FID#: 2895

Notes:
 1. All fittings shall be registered in the name of the Manufacturer.
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest Territories
REGISTERED
 UNDER THE AUTHORITY OF
 THE BOILER AND PRESSURE
 VESSEL ACT.
 C.R.N. OE04447.21 ADD4
 SIGNED [Signature]
 DATE SEP 26 2014

4464