

345 Carlingview Drive Toronto, Ontario M9W 6N9 Tel.: 416.734.3300 Fax: 416.231.1626 Toll Free: 1.877.682.8772

www.tssa.org

May 19, 2022

ROUND ENGINEERING INC 10 SEGWUN RD WATERDOWN ON L8B 0K6 CANADA

Workorder Type: Registration - Fitting(Conventional)

Workorder No: 8068015 Your Reference No.: R-1524

Registered to: VERYLIKE CO., LTD.

Dear SCOTT ISLIP,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN: 0B23984.5

Main Design No.: Cast Copper Alloy Flanges Model CF-125, CF-150 - Scope of CRN Registration

Expiry Date: Mar 19, 2032

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately (There will be no hard copies for electronic submissions). Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Wendy Du Engineer, BPV

 ω^{12}

Tel.: +1 416-734-3566 Email: Wdu@tssa.org



Technical Standards and Safety Authority 345 Carlingview Drive Toronto, Ontario M9W 6N9 www.tssa.org Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

VERYLIKE

STATUTORY DECLARA	TION						
Registration of Fittings							
I, Robbie Hung, General Manager							
(Name and Position, e.g. President, Plant Manager, Chief Engi	neer)						
of Verylike Co., Ltd.							
(Name of Manufacturer)							
Located at No. 335, Sec. 4, Lu-Ho Rd., Lu-Kang, Changhua, Taiwan (Plant Address) (Te	lephone No.) (Fax No.)						
do solemnly declare that the fittings listed hereunder, which are subject to the <i>Tec</i> and Pressure Vessels Regulation, comply with all of the requirements of MSS SP-106	hnical Standards and Safety Act, Boilers						
(Title of recognized North American Standard) which specifies the dimensions, materials of construction, pressure/temperature ratings, in	dentification marking the fittings and service;						
	tifies the dimensions, material of construction,						
pressure/temperature ratings and the basis for such ratings, the marking of the fittin	g for identification and service.						
I further declare that the manufacture of these fittings is controlled by a quality system mee which has been verified by the following authority, EUROCERT	eting the requirements of ISO 9001:2015						
The items covered by this declaration, for which I seek registration, are category B - FLANGES	type fittings. In support of						
this application, the following information and/or test data are attached as follows: SCOPE OF CRN REGISTRATION, REPORTS, DRAWINGS							
(drawings, calculations, test reports, etc.)							
Declared before me at	ty of Changhus						
the day of AD 20							
Commissioner for Oaths:							
(Printed name) Pull Vy (Signature)							
(Signature)	(Signature of Declarer)						
FOR OFFICE USE ONLY To the best of my knowledge and belief, the application meets the requirements of the Technical Standards and Safety Act, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category	Technical Boilers and Standards Pressure Vessels and Safety Safety Program Authority						
CRN:	REGISTERED						
Registered by:	C.R.N.: 0B23984.5						
Dated:	Signed: WID						
NOTE: This registration expires on: May 19, 2032	Date: May 19, 2022.						

^{*}Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request.

PV 09553 (04/17)

見證書

申請人:全好有限公司,公司統一編號:22213442,公司登記營業地址:彰化縣鹿港鎮頂番里鹿和路四段335號。

法定代理人:洪瑞忠,男,身分證字號:N123727471

見證事項:印鑑章

兹證明全好有限公司法定代理人洪瑞忠於二〇二一年十二月十一日在本見證人面前,於本見證書前附英文文件上親自加蓋全好有限公司及法定代理人之印鑑章。

見 證 人:劉妍孝律師



二〇二一年十二月十一日

Notarial Certificate

Applicant: Verylike CO., Ltd

Government Uniform Invoice number: 22213442

Location: No. 335, Sec. 4, Lu-Ho Rd., Lu-Kang, Changhua, Taiwan

(50543)

Legal representative: Hung Jui Chung, male, ID number: N123727471

Notarization matter: The Seal of the witness

Entrusted agent: Lui Yan Xiao lawyer

This is to certify that the entrusted agent has affixed the seal on the English documents before the notary public on December 11, 2021.

Entrusted agent: Lui Yan Xiao lawyer

December 11, 2021.

VERYLIKE CO., LTD

NO. 335, SEC. 4, LU-HO RD., LU-KANG, CHANGHUA, TAIWAN

VERYLIKE

PAGE 1 OF 2

SCOPE OF CRN REGISTRATION

							Pressure-		
Product	Design	Size	Process			Pressure	Temperature		Design
Description	Code	Range	Connection	Model	Flange Material	Class	Ratings	MDMT	Report
Cast Copper		NPS 1/2" thru	Solder Joint	CF-150	Copper Alloy	Class 150	225 psig at 150°F	0°F	R-1524
Alloy Flanges		NPS 6"	Flanged		ASTM B62 UNS No. C83600,		220 psig at 175°F		R.0
					ASTM B584 UNS No. C83600		210 psig at 200°F		
							205 psig at 225°F		
							195 psig at 250°F		
							190 psig at 275°F		
							180 psig at 300°F		
							165 psig at 350°F		
							150 psig at 406°F		
				CF-125	Copper Alloy	Class 125	105 psig at 150°F		
					ASTM B584 UNS No. C83800,		100 psig at 175°F		
					ASTM B584 UNS No. C84400		95 psig at 200°F		
							90 psig at 225°F		
							90 psig at 250°F		
							85 psig at 275°F		
							85 psig at 300°F		
							75 psig at 350°F		
							70 psig at 406°F		
				CF-150	Copper Alloy	Class 150	210 psig at 150°F		
					ASTM B584 UNS No. C83800,		205 psig at 175°F		
					ASTM B584 UNS No. C84400		195 psig at 200°F		
							190 psig at 225°F		
							180 psig at 250°F		
							175 psig at 275°F		
							170 psig at 300°F		
							150 psig at 350°F		
							140 psig at 406°F		

THIS IS PART OF CRN

0B23984.5

Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

19-Jan-22

NO. 335, SEC. 4, LU-HO RD., LU-KANG, CHANGHUA, TAIWAN



PAGE 2 OF 2

SCOPE OF CRN REGISTRATION CONTINUED

Dunadurat	Danisus	0:	Dunnana			D	Pressure-		Dagina
Product	Design	Size	Process			Pressure	Temperature		Design
Description	Code	Range	Connection	Model	Flange Material	Class	Ratings	MDMT	Report
Cast Copper	MSS SP-106	NPS 1/2" thru	Threaded	CF-150	Copper Alloy	Class 150	225 psig at 150°F	0°F	R-1524
Alloy Flanges		NPS 3"	FNPT		ASTM B62 UNS No. C83600,		220 psig at 175°F		R.0
			Flanged		ASTM B584 UNS No. C83600		210 psig at 200°F		
							205 psig at 225°F		
							195 psig at 250°F		
							190 psig at 275°F		
							180 psig at 300°F		
							165 psig at 350°F		
							150 psig at 406°F		
				CF-150	Copper Alloy	Class 150	210 psig at 150°F		
					ASTM B584 UNS No. C83800,		205 psig at 175°F		
					ASTM B584 UNS No. C84400		195 psig at 200°F		
							190 psig at 225°F		
							180 psig at 250°F		
							175 psig at 275°F		
							170 psig at 300°F		
							150 psig at 350°F		
							140 psig at 406°F		

Note 1: MDMT = Minimum Design Metal Temperature

Note 2: Pressure-temperature ratings are in accordance with MSS SP-106 Table 5 and 6.

Note 3: The ratings given in MSS SP-106 at 0°F to 406°F shall also apply at lower temperatures. Products that are to operate at low temperatures shall conform to the rules of the applicable codes under which they are used.

Note 4: The safe pressure-temperature rating of a solder-joint piping system is dependent, not only on the valve, fitting and tubing strength, but also on the composition of the solder used for the joints. Pressure-temperature limitations for solder joints made with typical commercial solders are given in Table 7 of MSS SP-106. It shall be the responsibility of the user to select a solder composition that is compatible with the service conditions, as well as to assure the adequacy of workmanship employed in making the joints.

THIS IS PART OF CRN
0B23984.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program