New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Isla Northwest Territor	and Newfoundland and Labrador ies		
Manufacturers Nar	ne: DSS VALVES				
Manufacturers Add	ress: 1800 MAYFLOWER ROA	AD, NILES, MJ. 49120, USA			
Plant Locations: SAI	ME AS ABOVE				
B Flanges: all flanges	g couplings, tees, elbows, Y	tered. Circle one Categor's, plugs, unions, plpe caps, or	y only Title of the Standard of Construction		
(C) Valves: all line valves	S		- API 594		
F Measuring devices, in	kible connections, and hose arators, and steam traps arctuding pressure gauges. Is	assemblies: all types evel gauges, sight glasses, leve			
		cceptable as primary over press s to one of the above categories	ure protection on		
N Nuclear components:	Class 1 Class 2 C	ass 3 D (Meeting CNSC or A	CME regularments		
Show Manufacturers	s Name, Trademark, or	Logo as it will appear on	the product Type of Construction		
		DSS'	Forged Welded D Wrought Cast Other D Describe other:		
	1	VALVES			
List of supporting d	ocumentation and ident	tification of the actual item	is to be registered:		
- SEVERE SER	VICE CHECK VAL	VES SCOPE OF CR	N, DRAWINGS, CALCULATIONS,		
ratings, and identification fittings is regulated by a verified by 150 9001: 2015 PE	e quality of the end produ nts the product for which i on markings are in accord Quality Control Program	lance with the herein named which extends to each plath haing switchle for that have	the Information contained in this form is true to the best of dimensions, materials of construction, pressure temperature d standards. I further declare that the manufacture of these at where fabrication occurs in whole or in part and has been		
Signature of Declarer:	- 11 61111	e same force and effect as	if made under oath.		
Declared before me at _	, , , , , , , , , , , , , , , , , , , ,	higan	19		
This aght day of			Use this space for the Official Seal		
Commissioner of Oaths		1	oee the space for the Official osai		
Or Notary Public: (sign)	// - , '	- du			
	(Affix Official seal to the	right)	¥		
	(Allix Official seal to the				
	. This registration must	This space for Regulatory Au be revalidated after ten (10) y	ears from the date of acceptance.		
CRN: 0C22350.2		en Tractar (1916) Som is Tract in 400 det die van kendichen bekomme och die Amerikaansk seiner 🎜 🎏	ACCEPTED		
FID#: 15561	15561				
Notes:		POM	MUNITIES, LAND & ENVIRONMENT		
	stered in the name of the Manuf		5-5-50 P		
2. Each Category shall be	supported with two Statutory De		000000		
and one copy of suppor	ting documentation.	Y'S A TUS	SEPT 13/32		
 The Declaration shall be responsibility for the quality 	e made by the person having full ality of the end product.	l authority and	1-11		
	The state of the s				
Materials	00; Sizes 1" to 48" ran per listed Table 1 - AS	ge. SME B16.34. BO	USPECTION SERVICES SECTIONS (10 - Fittings Rev.2 LER/PRESSURE VESSEL BRANCH		
2032 (DGallar	34 design. CRN expi	ires iviay 19th,			

New Brunswick

Nova Scotia

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Northwest Ten		Newfoundland and Labrador
Manufacturers Nan	ne: DSS VALVES			
Manufacturers Add	TESS: 1800 MAYFLOWER RO	AD, NILES, MI, 49120, USA		
Plant Locations: sal	ME AS ABOVE			
B Flanges: all flanges	y of Fittings to be regis g couplings, tees, elbows, Y	tered. Circle one Cate /s, plugs, unions, pipe caps	gory only s, or reducers	Title of the Standard of Construction
F Measuring devices, in transmitters G Certified capacity-rate boilers, pressure vess	ible connections, and hose arators, and steam traps actuding pressure gauges, lead pressure relief devices actually a property of the pressure relief devices actually a pr	evel gauges, sight glasses, cceptable as primary over p	pressure protection or	- API 594
	imponents that do not fall in			ı
Show Manufacturer	Class 1 Class 2 C C S Name, Trademark, or	lass 3 . (Meeting CNSC	or ASME requiremen	
	Trademata, O	DSS'	on the product	Type of Construction Forged 8 Welded a Wrought 8 Cast 8 Other a Describe other:
List of supporting d	ocumentation and iden	VALVES	Items to be regist	
- SEVERE SER REPORTS	VICE CHECK VAL			NGS, CALCULATIONS,
ratings, and identification fittings is regulated by a verified by 150 5001: 2015 PE	e quality of the end products the product for which on markings are in accord Quality Control Program as and knowing that it is of the Breadly Child	dence with the herein na n which extends to each being suitable for that he same force and effect that he right)	that the information that the dimensions, maned standards. In plant where fabric purpose and I make the sift made under the burners.	and being the person having full authority in contained in this form is true to the best of aterials of construction, pressure temperature further declare that the manufacture of these ation occurs in whole or in part and has beer e this solemn declaration conscientiously oath.
	This registration mus	This space for Regulator	ry Authority use.	
CRN: 0C22350.2	This registration mus	st be revalidated after ten (te of acceptance.
FID#:15561			Otter Se PRE	SOOTIA ES
Notes: 1. All Fittings shall be reg	stered in the name of the Manu		Date_Se	1.9/2a()
	supported with two Statutory D		C.R.N. OC	2350.28
and one copy of suppo-	ting documentation.		Dag as de	scribed
responsibility for the qu	e made by the person having fu allly of the end product.		Signed Yason	re Perry
Scope: Cl. 150 to 250 Materials	ns shall be resubmitted for valid 20; Sizes 1" to 48" rar per listed Table 1 - A .34 design. CRN exp	nge. SME B16.34	1 o Pa	Sect 1.0 - Fittings Rev.2

Prince Edward Island

Newfoundland and Labrador

New Brunswick

Nova Scotia

Nunavut	Yukon	Northwest Terri	tories	New Journal and Labrador	
Manufacturers N			The state of the s		
Manufacturers A	Address: 1800 MAYFLOWER RO	OAD, NILES, MI, 49120, USA			
Plant Locations:					
A Pipe fittings, inclu B Flanges: all flang C Valves: all line va	nory of Fittings to be regingly ding couplings, tees, elbows, es	stered. Circle one Cated Ys, plugs, unions, pipe caps,	or reducers	<u>Title of the Standard of</u> <u>Construction</u>	
D Expansion joints.	flexible connections, and hos	e assemblies: all types		- API 594	
E Strainers, filters,	separators, and steam traps is, including pressure gauges,		levels, or pressure		
boilers, pressure	rated pressure relief devices vessels, piping and fusible plu g components that do not fall	igs			
N Nuclear compone	ents: Class 1 Class 2	Class 3 □ , (Meeting CNSC	or ASME requirements	s)	
Show Manufactu	rers Name, Trademark, o	r Logo as it will appear	on the product	Type of Construction	
	6	DSS	-	Forged Welded Wrought Cast Other Describe other:	8
List of supportin	g documentation and ide	entification of the actual	items to be registe	ered:	
- SEVERE SE REPORTS	ERVICE CHECK VA	LVES SCOPE OF	CRN, DRAWIN	IGS, CALCULATIONS,	
				The state of the s	
Declaration:					
BRAD OKELEY, ENGINEE	RING MANAGER (see note 3	employed by DSS VAL	/ES	and being the person having full author	rity
my knowledge repre	esents the product for which	ch registration is sought.	that the information	n contained in this form is true to the be sterials of construction, pressure tempe	st of
ratings, and identific	cation markings are in acco	ordance with the herein na	med standards. I for	urther declare that the manufacture of	these
verified by ISO 9001: 20	15 PECB MS	as being suitable for that i	nurnose and I make	ation occurs in whole or in part and has this solemn declaration conscientious	been lv
believing it to be tru	e, and knowing that it is of	the same force and effect	t as if made under o	eath.	.,
Signature of Declar	1 100 11				
Declared before me		chigan r			
This agh	day of April	AD 3033	Use this	s space for the Official Seal	
Commissioner of O Or Notary Public: (s	11 - 1	in du	Br	was Nouveau k	
erani eta artia. Este esta eta artia eta	(Affix Official seal to		DEPT OF	JUSTICE PUBLIC SAFETY	
		This space for Regulator	ry Authori DOSEER &	PRESSURE VESSEL ACT	
CRN: 0C2235	This registration m	nust be revalidated after ten		te of acceptance.	
FID#: 15561			CRN	0022350.27	
Notes:			67		
Service State of the Service of the	e registered in the name of the Ma		Na.	an Cus	
and one copy of s	nall be supported with two Statutor supporting documentation.	**************************************	CHIE	F BOILER INSPECTOR	
responsibility for t	thall be made by the person having the quality of the end product.		DATE	1/1/22	
CO. 10 CO	ograms shall be resubmitted for va			Sect 1.0 - Fittings Rev.2	
Mater	2500; Sizes 1" to 48" i ials per listed Table 1 - B16.34 design. CRN e	ASME B16.34.	□BLRs	□ PVs	
2032 (DG	allant)	Apries May 15th,	FITTINGS	NUCLEAR COMPONENTS	

New Brunswick

New Brunswick Nunavut	Nova Scotia Yukon		ward Island t Territories	Newfoundland ar	nd Labrador
Manufacturers Nar	ne: DSS VALVES				
Manufacturers Add	ress: 1800 MAYFLOWER ROA	D, NILES, MI, 49120, U	SA		
Plant Locations: SAI Categor A Pipe fittings, including	ME AS ABOVE y of Fittings to be regist g couplings, tees, elbows, Y	tered. Circle one	Category only	Title o	of the Standard of
B Flanges: all flanges		s, plugs, unions, pip	e caps, or reducers		onstruction
C Valves: all line valve D Expansion joints, fle	s xible connections, and hose	assemblies: all type		- API 594	
E Strainers, filters, sep	parators, and steam traps			P#03-4/27cm	
transmitters	ncluding pressure gauges, le		22 25 26		
G Certified capacity-rat	ed pressure relief devices ac sels, piping and fusible plugs	cceptable as primary	over pressure prol	ection on	
H Pressure retaining c	omponents that do not fall in	to one of the above	categories	, and the second	
	: Class 1 🗆 Class 2 🗆 C			quirements)	
Show Manufacture	rs Name, Trademark, or	Logo as it will ar	pear on the pro	duct Type	of Construction
			Ġ,	Forged # V	Welded D Wrought A
				Describe other	Other .
	(100 W)				
List of supporting		VALVES			
AMERICAN AND THE PARTY OF THE P	documentation and iden		The state of the s		
- SEVERE SEF REPORTS	RVICE CHECK VAL	VES SCOPE	OF CRN, DI	RAWINGS, CALCUL	ATIONS,
Declaration:	G MANAGER (see note 3)	employed by DSS	S VALVES	and being the performation contained in this	son having full authority
my knowledge representings, and identificate fittings is regulated by verified by 150 9001: 2015 1	ents the product for which ion markings are in accor a Quality Control Program	registration is so dance with the he m which extends to s being suitable for	ught. The dimens rein named stand o each plant whe or that purpose ar	sions, materials of construc lards. I further declare that re fabrication occurs in who nd I make this solemn decla	ition, pressure temperature t the manufacture of these ble or in part and has been
Signature of Declarer:	Brown Un Dh. lad				
Declared before me a	1 1 1	higan			
		0 2622		Use this space for the C	Wicial Saal
Commissioner of Oath	and the second s	1		p	
Or Notary Public: (sign	11 1 - 12	adel			
Of Hotaly Fabric, (orgi	(Affix Official seal to the	ne right)			¥
r	(Allix Official scal to ti		egulatory Authority	LICO	
	This registration mu			om the date of acceptance.	
CRN: 0C22350	.2			ton.	
15561			Marefox	Edland	
FID#:			Lah	miciana rador	
Notes:	egistered in the name of the Man	ufacturer	Digital Governme	ent and Service NL	
	be supported with two Statutory		Registered	0C22350.20	
and one copy of sup	porting documentation.			-Sep-2022	
	Il be made by the person having quality of the end product.	full authority and		nspection Services	
	rams shall be resubmitted for val	idation.	Registered by	David Ouder	
Scope; Cl 150 to 2	500; Sizes 1" to 48" ralls per listed Table 1 - /	ange. ASME B16.34.	UNDER THE AU	THORITY OF THE ETY ACT AND	Sect 1.0 - Fittings Rev.2
API 594, ASME B	16.34 design. CRN ex	cpires May 19th	OOMPREGGED G	SSURE VESSEL AND AS RESULATIONS	

New Brunswick

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Nar	DE DES VALVES		
Manufacturers Add	ress: 1800 MAYFLOWER ROA	AD, NILES, MI, 49120, USA	
Plant Locations: SA	ME AS ABOVE		The state of the s
Categor A Pipe fittings, Includin B Flanges: all flanges C Valves: all line valve	g couplings, tees, elbows, Y	tered. Circle one Category only 's, plugs, unions, pipe caps, or reducers	<u>Title of the Standard of</u> <u>Construction</u>
D Expansion joints, flet E Strainers, filters, sep F Measuring devices, i	xible connections, and hose arators, and steam trans	assemblies: all types evel gauges, sight glasses, levels, or pre	- API 594
G Certified capacity-rat boilers, pressure ves	ed pressure relief devices a sels, piping and fusible plug	ccentable as primary over pressure prote	1. ¥
1		lass 3 🗆 , (Meeting CNSC or ASME req	uirements)
Show Manufacture	s Name, Trademark, or	Logo as it will appear on the prod	duct Type of Construction
	(-2)	DSS [*]	Forged # Welded D Wrought # Cast # Other Describe other:
List of supporting o	locumentation and iden	VALVC.S itification of the actual items to be	a vaglatored
- SEVERE SEF REPORTS	RVICE CHECK VAL	VES SCOPE OF CRN, DF	RAWINGS, CALCULATIONS,
my knowledge represe ratings, and identificat fittings is regulated by verified by 150 9001: 2015 F	the quality of the end procents the product for which ion markings are in accordance of the control Program and knowing that it is of the markings and knowing that it is of the markings of t	registration is sought. The dimens dance with the herein named stands m which extends to each plant where is being suitable for that purpose and he same force and effect as if made this game.	and being the person having full authority ormation contained in this form is true to the best of ions, materials of construction, pressure temperature ards. I further declare that the manufacture of these e fabrication occurs in whole or in part and has been d I make this solemn declaration conscientiously under oath. Use this space for the Official Seal
Commissioner of Oath		7	
Or Notary Public: (sign	11 1 - 1	a del	
Or rectary r dollo. (sign	0	an sight)	8
	(Affix Official seal to the	This space for Regulatory Authority ust be revalidated after ten (10) years fro	
CRN: 0C22350.	2	ist be revalidated after terr (10) years in	MI THE date of acceptances
FID#:15561			18/
Notes:			(3) TE
1. All Fittings shall be re	gistered in the name of the Man	ufacturer.	O BY
and one copy of supp	be supported with two Statutory corting documentation.		CRN 6C22350.2Y
responsibility for the	be made by the person having quality of the end product.		DATE 09/09/2022
5 30 8	ams shall be resubmitted for vali		DATE US/US/12022 Sect 1.0 Fittings Rev.2
API 594, ASME B1	500; Sizes 1" to 48" ra s per listed Table 1 - / 6.34 design. CRN ex	ASME B16.34. pires May 19th,	(B)

	Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Nan	ne; DSS VALVES		
	Tess: 1800 MAYFLOWER ROA	AD, NILES, MI, 49120, USA	
A Pipe fittings, Including Flanges: all flanges Valves: all line valves Deparation joints, flee Strainers, filters, sep Measuring devices, is transmitters Certified capacity-rate bollers, pressure ves	v of Fittings to be regist g couplings, tees, elbows, Y s dible connections, and hose arators, and steam traps ncluding pressure gauges, k ed pressure relief devices at sets, piping and fusible plug	evel gauges, sight glasses, lovels, or pressi cceptable as primary over pressure protecti	- 1
Nuclear components	: Class 1 🗆 Class 2 🗆 C	class 3 🗆 , (Meeting CNSC or ASME requir	ements)
Show Manufacture	s Name, Trademark, or	DSS VALVES	Type of Construction Forged 8 Welded a Wrought 8 Cast 8 Other a Describe other:
List of supporting o	locumentation and ider	ntification of the actual Items to be r	enistered:
BRAD OKELEY, ENGINEERING TESPONSIBILITY FOR 1 by knowledge representings, and Identifical strings is regulated by erified by 150 5001: 2015 elleving it to be true, ignature of Declarer.	the quality of the end pro- ents the product for which ition markings are in acco- y a Quality Control Progra PECS MS and knowing that it is of Broadly Chally	h registration is sought. The dimension registration is sought. The dimension manufecture is made and which extends to each plant where as being suitable for that purpose and the same force and effect as if made upon the same force and effe	mation contained in this form is true to the bast one, materials of construction, pressure temperatures. I further declare that the manufacture of these fabrication occurs in whole or in part and has be make this solemn declaration conscientiously
BRAD ORELEY, EMGINEERING THE PROPOSED IN P	the quality of the end process the product for which it in markings are in account a Quality Control Programmers and knowing that it is of the control Programmers and knowing that it is of the control Programmers and knowing that it is of the control Programmers and knowing that it is of the control Programmers and knowing that it is of the control Programmers and	duct do solemnly declare that the infor the registration is sought. The dimension ordance with the herein named standar m which extends to each plant where as being suitable for that purpose and the same force and effect as if made until th	and being the person having full authority mation contained in this form is true to the best one, materials of construction, pressure temperatude, I further declare that the manufacture of these fabrication occurs in whole or in part and has been make this solemn declaration conscientiously under oath,
ny knowledge representance, and identifical ittings is regulated by entitled by isoson: 2212 elleving it to be true, believing it to be true, because of Declarer. Declared before me a	the quality of the end pro- ents the product for which ition markings are in acco- y a Quality Control Progra- pecs we and knowing that it is of the product of the product of the pro- (Affix Official seel to the product of the product of the pro- (Affix Official seel to the product of the product of the pro- (Affix Official seel to the product of th	duct do solemnly declare that the infor the registration is sought. The dimension ordance with the herein named standar m which extends to each plant where as being suitable for that purpose and the same force and effect as if made until th	mation contained in this form is true to the best on ns, materials of construction, pressure temperature, ds. I further declare that the manufacture of these fabrication occurs in whole or in part and has been to make this solemn declaration conscientiously ander oath.

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Isla Northwest Territori		ewfoundland and Labrador
Manufacturers Nar		The state of the s		
Manufacturers Add	fress: 1800 MAYFLOWER ROA	AD, NILES, MI, 49120, USA		
Plant Locations; sa		tered. Circle one Categor	. anh	TW- 44- 04- 1- 1- 4
A Pipe intings, includin	g couplings, tees, elbows, Y	's, plugs, unions, pipe caps, or r	equicas County	Title of the Standard of Construction
B Flanges: all flanges C Valves; all line valve				241
D Expansion joints, flex	tible connections and hose	assemblies: all types		- API 594
F Measuring devices, i	arators, and steam traps noluding pressure gauges, i	evel gauges, sight glasses, leve	ts or messume	
uansmitters				
policis, pressure ves	3613, piping and fusible nive	cceptable as primary over press s	ure protection on	
H Pressure retaining co	omponents that do not fall in	to one of the above categories		
N Nuclear components	: Class 1 Class 2 C	lass 3 🗆 , (Meeting CNSC or A	SME requirements)	
Show Manufacture	s Name, Trademark, or	Logo as it will appear on t	the product	Type of Construction Forged # Welded a Wrought #
		JEE.		Forged II Welded a Wrought III Cast III Other a
	2.1			Describe other:
	·	VALVES		3
List of supporting o	locumentation and Iden	tification of the actual iter	ns to be register	ed:
- SEVERE SER	RVICE CHECK VAL	VES SCOPE OF CR	N. DRAWING	SS, CALCULATIONS,
REPORTS				
my knowledge represe ratings, and identificati fittings is regulated by verified by ISO 5001: 2015 P	ents the product for which ion markings are in accordance a Quality Control Program as and knowing that it is of the Product o	registration is scught. The dance with the herein name m which extends to each pla	t the information of dimensions, mated distandands. I fur int where fabricationse and I make to if made under oat	nd being the person having full authority contained in this form is true to the beat of chals of construction, pressure temperature their declare that the manufacture of these on occurs in whole or in part and has been his solemn declaration conscientiously th.
Commissioner of Oath	s //	. 1		
Or Notary Public: (sign		adul ne right)	5	NUNAVUT
		This space for Regulatory A	tra thy open	Boilers and of accepta Pressure Vessels Act
CRN: 0C22350.	This registration mu	st be revalidated after ten (10)	Can Sun linguate	of accepta Pressure Vessels Act
7/2/22			Liunavae	
FID#: 15561				REGISTERED
Notes;			00	. 22350. 2 N
-	gistered in the name of the Man		E CIVII time and the contract of the contract	and the same of th
	be supported with two Statutory is orting documentation.	Declaration forms	Date See	1 03/3033
	be made by the person having i quality of the and product.	ull authority and	Signed	Alle K.
4. Quality Control progra	nms shall be resubmitted for vali	dation.		Chief Inspector - Fittings Rev.2
Scope; GL 150 to 25	500; Sizes 1" to 48" ra	inge.		Secri,0 - Fittings Rev.2
Materials	6.34 design. CRN ex	ASME 816.34.	Territo	orial Registration Fee
cosz (DGail	ani)		-	