

TECHNICAL STANDARDS & SAFETY AUTHORITY  
345 CARLINGVIEW DRIVE  
TORONTO ON M9W 6N9

**Date:** July 11, 2023  
**Account #:** 35231  
**Journal #:** 82376

**Attn:** TSSA BPV NATIONAL REGISTRATION

**Re: Application for Design Registration**

The design, as detailed in your, 0H24376.5 FONDREMY INC., for a Fitting is accepted for registration as follows:

**Registered To:** FONDREMY INC.                      **CRN:** 0H24376.51

**Drawing #:** Scope of registration

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

**Reviewer's Notes:**

Scope of registration: DESICCANT AIR DRYERS D1, D2, D3 & D4

As required by CSA B51 4.2.1, this registration expires on Jan 12, 2033

. This CRN is valid until the expiry date as long as the Manufacturer maintains a valid quality control program verified by an acceptable third-party agency until that date. Should the certification of the quality control program lapse before the expiry date, this registration shall become void. Any additional conditions of registration stated in TSSA CRN# 0H24376.5 registration shall apply to BC registration.

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

Janina Mihailescu

[janina.mihailescu@technicalsaftybc.ca](mailto:janina.mihailescu@technicalsaftybc.ca)  
Design Administration

**cc:**

**FONDREMY INC.**  
 1465, BOUL INDUSTRIEL,  
 CHAMBLY (QUEBEC)  
 J3L 4C4



07-Oct-22

PAGE 1 OF 1

**SCOPE OF CRN REGISTRATION**

Product Description	Design Code	Material Specification	Housing	Inlet/Outlet	MAWP at 100°F	MDMT	Report Number
Desiccant Air Dryers	ASME B31.1, ASME B31.3	Housing: ASTM B26 UNS A03560 T6, Coupling: 300 Series Stainless Steel	D1	1" FNPT	130 psig	-40°F	Super-Dry Report R-1759 Rev. 0
			D2	1-1/2" FNPT	150 psig		
			D3	2" FNPT	105 psig		
			D4	3" FNPT	70 psig		

**Note 1:** MAWP = Maximum Allowable Working Pressure, MDMT = Minimum Design Metal Temperature.

**Note 2:** For low temperature operation the products shall conform to the rules of the applicable codes under which they are used.

**Note 3:** In accordance with CSA B51 paragraph 4.2.5 Fondremy is taking responsibility for the product covered under this CRN that is manufactured at Clampco Products, Inc., 1743 Wall Road, Wadsworth, OH 44281.



**WORLDWIDE LOCATIONS APPENDIX – PAGE 1 OF 1**

**LOCATIONS & CERTIFYING AUTHORITIES**

---

**(rev. October 7, 2022)**

**FONDREMY INC.**

Siege social: 1465, boul. Industriel, Chambly (Quebec) J3L 4C4

Entrepot: 2582, boul. Industriel, Chambly (Quebec) J3L 4V2

Entrepot: 2584, boul. Industriel, Chambly (Quebec) J3L 4V2

**ISO 9001:2015 Certified by BNQ Bureau de normalisation du Quebec**