

March 20, 2023

TSSA
345 Carlingview Drive
Toronto, ON M9W 6N9

Dear Cecylia Garbacz,

Re: Reciprocal CRN Registration in Manitoba

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, the design reviews conducted and accepted by the Canadian province or territory, or their delegated safety authority, will be mutually recognized in the Province of Manitoba. If a registration is conditionally based on compliance with the notes set by the original issuing Jurisdiction, such compliance shall be applied the same to this Province.

Your submission has been registered, as follows:

File Number: 74-R2997
CRN: 0H24376.54
Scope: DESICCANT AIR DRYERS D1, D2, D3 & D4 – SCOPE OF CRN
REGISTRATION & WORLDWIDE LOCATIONS APPENDIX
Manufacturer: FONDREMY INC.
Expiry Date: 12 January 2033

Along with this letter is the invoice for registration.

In addition, every vessel shall be stamped with the registration number and as required by CSA Code B51, a Manufacturer's Data Report (MDR) must be forwarded to this office immediately at the time a unit is shipped to Manitoba. Send your MDR to gasupport@gov.mb.ca. In your subject line, indicate "*Manufacturer's Data Report-CRN No.*" A fee shall be billed to the Manufacturer to process data reports in accordance with the Steam and Pressure Plants Regulation section 17.1.

Please contact gasupport@gov.mb.ca for any questions or concerns.

Inspection and Technical Services

Labour, Consumer Protection and Government Services
508 – 401 York Avenue, Winnipeg, MB R3C 0P8
T (204) 945-3373 | F (204) 948-2089

FONDREMY INC.
 1465, BOUL INDUSTRIEL,
 CHAMBLY (QUEBEC)
 J3L 4C4



07-Oct-22

PAGE 1 OF 1

SCOPE OF CRN REGISTRATION

Product Description	Design Code	Material Specification	Housing	Inlet/Outlet	MAWP at 100°F	MDMT	Report Number
Desiccant Air Dryers	ASME B31.1, ASME B31.3	Housing: ASTM B26 UNS A03560 T6, Coupling: 300 Series Stainless Steel	D1	1" FNPT	130 psig	-40°F	Super-Dry Report R-1759 Rev. 0
			D2	1-1/2" FNPT	150 psig		
			D3	2" FNPT	105 psig		
			D4	3" FNPT	70 psig		

Note 1: MAWP = Maximum Allowable Working Pressure, MDMT = Minimum Design Metal Temperature.

Note 2: For low temperature operation the products shall conform to the rules of the applicable codes under which they are used.

Note 3: In accordance with CSA B51 paragraph 4.2.5 Fondremy is taking responsibility for the product covered under this CRN that is manufactured at Clampco Products, Inc., 1743 Wall Road, Wadsworth, OH 44281.



WORLDWIDE LOCATIONS APPENDIX – PAGE 1 OF 1

LOCATIONS & CERTIFYING AUTHORITIES

(rev. October 7, 2022)

FONDREMY INC.

Siege social: 1465, boul. Industriel, Chambly (Quebec) J3L 4C4

Entrepot: 2582, boul. Industriel, Chambly (Quebec) J3L 4V2

Entrepot: 2584, boul. Industriel, Chambly (Quebec) J3L 4V2

ISO 9001:2015 Certified by BNQ Bureau de normalisation du Quebec