New Brunswick Nunavut	Nova Scotia Yukon	Prince Edwa Northwest To		Newfoundland and La	brador
Manufacturers Nar	ne: Affex Hose Inc.				
Manufacturers Add	dress: Bradley Business Park, D	yson Wood Way, Bradley, F	uddersfield, HD2 1G	Z, United Kingdom	
Plant Locations: se	e Worldwide Locations Appondix	THE OWNER WAS A STATE OF THE ST			
B Flanges: all flanges C Valves: all line valve	y of Fittings to be regising couplings, tees, elbows, Y	's, plugs, unions, pipe c	tegory only ips, or reducers		Standard of uction
Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses			es, levels, or pres	- ASME B31.3	É
couers, pressure ves	ed pressure relief devices as sels, piping and fusible plug components that do not fall in	S.			
N Nuclear component	s: Class 1 🗆 Class 2 🗆 C	lass 3 🛘 , (Meeting CN	SC or ASME requ	ilrements)	
Show Manufacture	rs Name, Trademark, or	Logo as it will appe	ar on the prod	Forged A Welded Cast D Other I Describe other:	•
	documentation and iden			Non-Meta	Ι .
Declaration: CENG. I. and responsibility for my knowledge repres ratings, and identifical fittings is regulated by verified by iso \$0012015 believing it to be true,	the quality of the end proceeds the product for which tion markings are in accordance a Quality Control Programma and knowing that it is of the control of t	employed by Aflex H duct do solemnly deci in registration is sough rdance with the herein m which extends to e as being suitable for the	are that the info t. The dimension named standa ach plant where nat purpose and	And the second s	s true to the best of ressure temperature nanufacture of these in part and has been conscientiously
Signature of Declarer Declared before me a	1111	Lie		mary manor	1.
. 17 10	yonDecember A	10 2022 Ma	HEBO	EL 01422 844997 FAX: 01422 MAIL! malvomelymenoredict WRAGLEY HOUSE, VALLEY EN BRIDGE, WEST YORKSHI	BAA797 DECELA ROAD RE HX7 7814
	V IIIX OIIIDIAI SCAI IO I	N. 379 N.	latory Authority o	:p	and the second second
CRN: 0D24488	.5 This registration me	This space for Regu ust be revalidated after t	en (10) years from	ie. n the celegraphice. DF FRINCE EDWARD ISLA TES, LAND & ENVIRONME	ND NT
Notes:			CDN O	024488.59	. •
Each Category shall and one copy of sup The Declaration shall	registered in the name of the Mar be supported with two Statutory porting documentation. If be made by the person having quality of the end product,	Declaration forms	DATE:	for 86 ling	13
4. Quality Control prog Scope: Flexible hose a Fabline, SS braid, silic Pressure	rams.shall be resubmitted for valuessemblies. Pharmaline N, one cover, non-lined fitting rating is based on fluid usuations. CRN expires April	Bioflex Ultra, s. Sizes to 3". ed, and end	INSCECT BOILER/P	TIONGERVICES SECTION. RESSURE VESSEL BRANCI	.0- Fittings Rev;2

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Is Northwest Territo		Newfoundland and Labrador
Manufacturers Nam Manufacturers Add	FOSS: Bradley Business Park, D	yson Wood Way, Bredley, Kudder	sfield, HDZ 1GZ, Unitor	i Kinadom
Plant Locations: See	Worldwide Locations Appendix	5.07.		
Category A Pipe fittings, including B Flanges: all flanges C Valves: all line valves	of Fittings to be regist g couplings, tees, elbows, Y	ered. Circle one Catego s, plugs, unions, pipe caps, c	r reducers	Title of the Standard of Construction
Expansion joints, flexible connections, and hose assemblies: all types Strainers, fliters, separators, and steam traps Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters Gertified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible pluge			- ASME B31.3 - ASME BPE - ARPM IP-2	
H Pressure retaining co	emponents that do not fall in	to one of the above categories as 3 \(\simega\), (Meeting CNSC of		6.1
Show Manufacturer	E Nama Tradamark or	Logo as it will appear or	ASME requiremen	
		EX HOSE or "AFLEX		Type of Construction Forged Welded Wrought Cast n Other Describe other: Non-Metal
Liet of cumparting d		tification of the actual it		
- FLEXIBLE HO CALCULATIONS	SE ASSEMBLIES S.	SCOPE OF CRN F	REGISTRATIO	ON, REPORTS, DRAWINGS,
	Mulvaney-Johnson PHD			. 1400 1400
Deciaration: CENG (MIMECHE), Technical Mana	employed by Aflex Hose	1d	
my knowledge represe ratings, and identification fittings is regulated by verified by iso 20012015	ne quality of the end prod nts the product for which on markings are in accor a Quality Control Prograr a:	uct do solemnly declare to registration is sought. The dance with the herein nan n which extends to each p	nat the information te dimensions, mand transcription of the transcription of the information of the transcription of the information of the infor	and being the person having full authority in contained in this form is true to the best of atterials of construction, pressure temperature further declare that the manufacture of these ation occurs in whole or in part and has been e this solemn declaration conscientiously oath.
Signature of Declarer:	L. Mhy 15		r	nary mahon
Declared before me at	Iterau Rac	1 de		SOLICITOR
This 12 day Commissioner of Oath		1 1 1 1	TEL: 0.1 EMAIL: 8 WRA	222 844987 FAX: 01472 844767 MBW GMBYMBHOMBUIGHOOM GLEY HOUSE, VALLEY ROAD IDGE, WEST YORKSHIRE HX7 7BIN
Or Notary Public: (sign) (Affix Official seal to the right)				
			A46	
CRN: 0D24488.	This registration mu	This space for Regulatory est be revalidated after ten (16		DIS
FID#: 16343 Notes:			Date	April 28/23
1	gistored in the name of the Man	utachmer	CRN	OD 244 90 E0
Each Category shall be and one copy of supp	e supported with two Statutory orting documentation.	Declaration forms	Dwg.	s described
responsibility for the q	be made by the person having in quality of the end product, arms shall be resubmitted for valid	daflon.	Signed	
Scope: Flexible hose as Fabline, SS braid, silico Pressure r	semblies. Pharmaline N, in cover, non-lined fittings ating is based on fluid use tions. CRN expires April 3	Bioflex Ultra, s. Sizes to 3". d, and end	E. C.	Part Section Fittings Rev.2

New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador Nunavut Yukon Northwest Territories Manufacturers Name: Aflex Hose Inc. Manufacturers Address: Bradley Business Park, Dyson Wood Way, Bradley, Huddersfield, HD2 1GZ, United Kingdom Plant Locations: See Worldwide Locations Appendix Category of Fittings to be registered. Circle one Category only Title of the Standard of A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Construction B Flanges: all flanges Valves: all line valves Expansion joints, flexible connections, and hose assemblies: all types - ASME B31.3 E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure - ASME BPE transmitters - ARPM IP-2 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product Type of Construction Forged A Welded # Wrought # Cast D Other # Describe other: AFLEX HOSE or "AFLEX" Non-Metal List of supporting documentation and identification of the actual items to be registered: - FLEXIBLE HOSE ASSEMBLIES SCOPE OF CRN REGISTRATION, REPORTS, DRAWINGS, CALCULATIONS. Dr. Leigh Mulvaney-Johnson PHD Declaration: CENG (MIMECHE), Technical Manager (see note 3) employed by Aflex Hose Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. mary manon Signature of Declarer: SOLICITOR Declared before me at TEL: 01422 844997 FAX: 01422 844797 8 WRAGLEY HOUSE, VALLEY ROAD HEBDEN BRIDGE, WEST YORKSHIRE HX7 7BIN Commissioner of Oaths Or Notary Public: (sign) Brunswic (Affix Official seal to the right) This space for Regulatory Authority use, This registration must be revalidated after ten (10) years from the date of acceptance PUBLIC SAFETY 0D24488.5 **BOILER & PRESSURE VESSEL ACT** 16343 FID#: REGISTRATION ONLY Notes: All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation.
 Scope: Flexible hose assemblies. Pharmaline N, Bioflex Ultra, R INSPECTOR 1.0 - Fittings Rev.2 Fabline, SS braid, silicone cover, non-lined fittings. Sizes to 3".

1/2016 Pressure rating is based on fluid used, and end connection. 4 plant locations. CRN expires April 3rd, 2033 (DGallant) BLRs ☐ PVs

MITTINGS INUCLEAR COMPONENTS

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Isla Northwest Territori		wfoundland and Labrador
Manufacturers Na	TIO: Asax Hoss Inc.			
Manufacturers Add	dress; Bradley Business Park, D	lyson Wood Way, Bradley, Hudderslie	ld, HD2 1GZ, United Kir	gdom
Plant Locations: 8e	Worldwide Locations Appendix	land Olada		
A Pipe fittings, includir B Flanges: all flanges C Valves: all line valve	ng couplings, tees, elbows, Y	iered. Circle one Category s, plugs, unions, pipe caps, or r	educers	Title of the Standard of Construction
(D) Expansion joints, lie E Strainers, filters, ser	exible connections, and hose parators, and steam traps	- ASME B31.3		
F Measuring devices.	including pressure gauges, k	avai gauges, sight glasses, leve	s, or pressure	- ASME BPE
transmitters G Contified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollors, pressure vessets, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories				- ARPM IP-2
TO TO THE PROPERTY OF THE PERSON OF THE PERS		lass 3 🗌 . (Meeting CNSC or A	SME requirements)	
Show Manufacture	rs Name, Trademark, or	Logo as it will appear on t	he product	Type of Construction
	AFLI	EX HOSE or "AFLEX"		Forged N Welded N Wrought N Cast o Other N Describe other:
				Non-Metal
List of supporting	documentation and iden	tification of the actual Item	ns to be register	ed:
CALCULATION	IS.		al.	N, REPORTS, DRAWINGS,
Declaration: CENG I and responsibility for my knowledge representatings, and identifications is regulated by verified by 150 1612 to be true. Signature of Declared Declared before me a	the quality of the end pro- cents the product for which alton markings are in acco- y a Quality Control Progra- , and knowing that it is of the control Progra- in the control Progra-	employed by Aflex Hose Liduct do solemnly declare the registration is sought. The redace with the herein name im which extends to each place being suitable for that pur the same force and effect as AD 2027	t the information of dimensions, mated standards. I for any one and I make to if made under on TEL: 6142 EMAIL! In a WRAGHEBDEN BRID	and being the person having full authority contained in this form is true to the best of whale of construction, pressure temperature ther declare that the manufacture of these on occurs in whole or in part and has been his solemn declaration conscientiously th. ATY MAION BOLICITOR 284997-FAX 01427-FA4707 28499-FAX 01427-FA4707 28499-FA
CRN: 0D24488	3.5 This registration m	This space for Regulatory / sust be revalidated after ten (10)	years from the date	Miles Mance.
FID#: 16343			Registered OD	24488.50
Notes:			Date Horil	28 2028
	registered in the name of the Ma It be supported with two Statutory		Engineering and In	Spectro Services
- Charles and Char	pporting documentation.	/ Description for the	Registered by	sin Olimp
	all be made by the person having e quality of the end product.	full suthority and		THORITY OF THE
Scope: Flexible hose Fabline, SS braid, sili 11/2016 Pressure	grams shall be resubmitted for vi- assemblies. Pharmaline N, cone cover, non-lined fitting e rating is based on fluid us cations. CRN expires April	, Bioflex Ultra, gs. Sizes to 3". sed, and end	PUBLIC SAF THE BOILER, PRE	ETY ACT AND SSURE VESSEL AND AS REGULATIONS

New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador Nunavut Yukon Northwest Territories Manufacturers Name: Affex Hose Inc. Manufacturers Address: Bradley Business Park, Dyson Wood Way, Bradley, Huddersfield, HD2 1GZ, United Kingdom Plant Locations: See Worldwide Locations Appendix Category of Fittings to be registered. Circle one Category only Title of the Standard of A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Construction B Flanges: all flanges Valves: all line valves (D) Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps

F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure - ASME B31.3 - ASME BPE transmitters - ARPM IP-2 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessels, piping and fusible plugs

H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as It will appear on the product Type of Construction Forged A Welded # Wrought # Other # Cast p Describe other: AFLEX HOSE or "AFLEX" Non-Metal List of supporting documentation and identification of the actual items to be registered: - FLEXIBLE HOSE ASSEMBLIES SCOPE OF CRN REGISTRATION, REPORTS, DRAWINGS, CALCULATIONS. Dr. Leigh Mulvaney-Johnson PHD Declaration: CENG (MIMECHE), Technical Manager (see note 3) employed by Aflex Hose Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and Identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 8001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath. mary mahon Signature of Declarer: Declared before me at 14 260 TEL: 01422 844997 FAX: 01422 844797 EMAIL: mary@marymanonsolicitor.co.luk 8 WRAGLEY HOUSE, VALLEY ROAD HEBDEN BRIDGE, WEST YORKSHIRE HX7 7819 day of Decema Commissioner of Oaths Or Notary Public: (sign) (Affix Official seal to the right) This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance. 0D24488.5 16343 FID#: Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 0D24488.5Y Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and E_04/28/2023 responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation.
 Scope: Flexible hose assemblies. Pharmaline N, Bioflex Ultra, Futings Rev.2 Fabline, SS braid, silicone cover, non-lined fittings. Sizes to 3".

1/2016 Pressure rating is based on fluid used, and end connection. 4 plant locations. CRN expires April 3rd, 2033 (DGallant)

New Brunswick Nunavut	Nova Scolia Yukon	Prince Edwa Northwest Te		Newfoundland and Labrador
Manufacturers Nar	THO: Abex Hose Inc.			
AND DESCRIPTION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN	Iress: Bradley Business Park,		uddersfield, HD2 1GZ,	United Kingdom
	e Worldwide Lucations Appendix			
Categor A Pipe fittings, Includir B Flanges: all flanges C Valves: all fine valve		stered. Circle one Ca Ys, plugs, unions, pipe ca	tegory only ps, or reducers	Title of the Standard of Construction
D Expansion joints, ile	xible connections, and hose	sasembles: all types		- ASME B31.3
	eretors, and steem traps including pressure gauges,	level gauges, sight glasse	es, levels, or presst	
transmitters				ADDM ID 0
boliers, prassura ves	ad pressure relief devices a sels, piping and fusible plug components that do not fall i	32		on on Frank in the
N Nuclear components	: Class 1 Class 2 C	Class 3 🗆 , (Meeting CNS	SC or ASME require	emonts)
Show Manufacture	rs Name, Trademark, o	r Logo as it will appor	ar on the produc	Forged # Welded # Wrought #
5	A 1991	malloon		Cast n Other # Describe other;
	AFL	EX HOSE or "AF	LEX"	
				Non-Metal
List of supporting	documentation and ide	ntification of the actu	al items to be re	platered:
CALCULATION			â	ATION, REPORTS, DRAWINGS,
ratings, and identificat littings is regulated by verified by 180 000 t.2015	ton markings are in accordance a Quality Control Programme and knowing that it is of	rdance with the herein om which extends to ea as being suitable for th the same force and eff	named standard ach plant where for at purpose and it fact as if made ur	mary mahon
This 125 day	^	AD 2022	IE	- 01422-244PRI - FAX: 01422-24217
Commissioner of Oath Or Notary Public: (sign	200	Ma	HEBDEN	L CLASS 848 PAT FAX: DIAZZ 844 TET XIII: MBN 275 M MENGRED BOOD IN WRAGLEY HOUSE, VALLEY ROAD I BRIDGE, WEST YORKSHIRE HX7 75 N
	(Afflx Official seal to t	the right)		
		This space for Regula		
CRN: 0D24488.	.5 This registration m	ust be revalidated after te	n (10) years from t	he date of acceptance.
FID#: 16343				
Notes:			/	800
	egistered in the name of the Ma		/ No	rithwest
	be supported with two Statutory porting documentation,	/ Decigration forms		Territories
	I be made by the person having	full authority and	F	REGISTERED
	quelity of the end product, rants shall be resubmitted for ve	ildation.	UNDER	THE AUTHORITY OF
Scope: Flexible hose a	rans shall be resubmitted for va ssemblies. Pharmaline N.	Bioflex Ultra,		LER AND PRESSURE. FINE NOV.2
Buene Day Draid, Silico	one cover, non-lined fitting rating is based on fluid us	ed, and end		VESSEL ACT.
connection. 4 plant loca	ations. CRN expires April	3rd, 2033 (DGallant)	CRN	OD24488.5T
			CICATE	2 Tome Boardier
			SIGINE	OD24488.5T DemuBerudiu 4 28/23 / 163.00
			DATE	AN 20165 / 163.00
				/
			100	

New Brunswick Nunavut	Nova Scolia Yukon	Prince Edward Northwest Ten		Newfoundland and Labrador
Manufacturers Nar	THE Affect Hose Inc			
Manufacturers Add	TOSS: Bradley Business Park, D	yson Wood Way, Bradley, Hude	dersfield, HD2 1GZ, Units	ed Kingdom
Plant Locations: se	e Worldwide Locations Appendix			10000
A Pipe littings, includir B Flanges: all flanges C Valves; all line valve	y of Fittings to be regist og couplings, tees, elbows, Y	s, plugs, unions, pipe caps	gory only a, or reducers	Title of the Standard of Construction
F Measuring devices,	oxible connections, and hose parators, and steam traps including pressure gauges, le		, levels, or pressure	- ASME B31.3 - ASME BPE
transmitters G Certified capacity-rated pressure relief devices acceptable as primary over problems, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fell into one of the above categor			pressure protection o	
N Nuclear components	s: Class 1 🗆 Class 2 🗆 C	lass 3 [] , (Meeting CNSC	or ASME requireme	ents)
Show Manufacture	rs Name, Trademark, or	Logo as it will appear	on the product	Type of Construction Forged II Welded II Wrought II
	AFLI	EX HOSE or "AFLE	EX"	Cast a Other R Describe other:
				Non-Metal
List of supporting	documentation and iden	tification of the actual	items to be regis	stered:
- FLEXIBLE HO CALCULATION	DSE ASSEMBLIES IS.	SCOPE OF CRN	REGISTRAT	ION, REPORTS, DRAWINGS,
	h Mulvanay Johnson PHD (MIMECHE), Technical Mana	ager	*	*****
my knowledge repres- ratings, and identificat fittings is regulated by verified by 150 90012815	the quality of the end prod ents the product for which tion markings are in accor a Quality Control Program	registration is sought, dance with the herein n m which extends to eac s being suitable for that	e that the informati The dimensions, r samed standards, h plant where fabri burpose and I ma	and being the person having full authority on contained in this form is true to the best of naterials of construction, pressure temperature I further declare that the manufacture of these ication occurs in whole or in part and has been the this soferm declaration conscientiously roath.
Signature of Declarer:	- L. Mhy Jo	<u></u>		mary mahon
Declared before me a	manufacture and the second displaying	02022	I Elizabeth	1422 BAAPOT FAX: DAAZZ BAATYT
Commissioner of Oatl Or Notary Public: (sign	n) IV Can	Mn	HEBDEN BI	RIDGE, WEST, YORKSHIRE JIX7 75-
	(Affix Official seal to the	This space for Regulate	TASI	Boilers and
CRN: 0D24488	.5 This registration mu	est be revalidated after ten	10 milavitas	date of accellinessure Vessels Act
FID#: 16343				REGISTERED
Notes:		9.	CRN_OD24488.5N	
2. Each Category shall	egistered in the name of the Man be supported with two Statutory		Date April 28, 2023	
3. The Declaration sha	porting documentation, if be made by the person having	full authority and	Signed	Mr. K.
responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Scope: Flexible hose assemblies. Pharmaline N, Bloflex Ultra, Fabline, SS braid, silicone cover, non-lined fittings. Sizes to 3" 11/2016 Pressure rating is based on fluid used, and end			Signed	Chief Inspectors.o- Fishes Nev.2
connection. 4 plant loc	rating is based on fluid use ations. CRN expires April	ed, and end 3rd, 2033 (DGallant)	Territo	orial Registration Fee