### FELKER BROTHERS CORPORATION

22 NORTH CHESTNUT AVENUE MARSHFIELD, WI 54449, USA



PAGE 1 OF 6

# **SCOPE OF CRN REGISTRATION**

Product		Available		Design
Description	Drawing(s)	Design Code	Allowable Materials of Construction	Report
Buttwelding	DS-1367 R.0	ASME B16.9	Material Group No. 2 Austenitic and duplex stainless steel	R-1457
Fittings	DS-1368 R.0		ASTM A403/A403M and ASTM A815/A815	Rev. 0
_	DS-1369 R.0	MSS SP-43	ASTM A403 CR or any other material acceptable under	
			MSS SP-43 para. 6.	

MSS SP-43 fittings have a pressure rating requirement equal to 30% of ASME B16.9 fittings. See Note 1 and 2 below regarding ASME B16.9 and MSS SP-43 pressure-temperature ratings.

## **SCOPE OF SUPPLY**

Code of Constr	uction:	ASME B16.9		Code of Const	Construction: MSS SP-43		
Product Type		90 and 45 Degree		Product Type		90 and 45 Degree	
		LR Elbows				LR Elbows	
Elbow		Wall Thickness	<b>i</b>	Elbow		Wall Thickness	<b>i</b>
Size (in.)	Sch.	Sch.	Sch.	Size (in.)	Sch.	Sch.	Sch.
2	5S	10S	40S	2	5S	10S	40S
2.5	5S	108	40S	2.5	5S	10S	40S
3	5S	10S	40S	3	5S	10S	40S
4	5S	10S	40S	4	5S	10S	40S
5	5S	10S	40S	5	5S	10S	40S
6	5S	10S	40S	6	5S	10S	40S
8	5S	10S	40S	8	5S	10S	40S
10	5S	10S	40S	10	5S	10S	40S
12	5S	10S	40S	12	5S	10S	40S
14	5S	10S	40S	14	5S	10S	40S

16	5S	10S	40S	16	5S	10S	40S
18	5S	10S	40S	18	5S	10S	40S
20	5S	10S	40S	20	5S	10S	40S
24	5S	10S	40S	24	5S	10S	40S
30	5S	10S	40S				

Code of Consti	ruction:	ASME B16.9		Code of Construction:		MSS SP-43		
Product Type		Concentric and I	Eccentric	Product Type		Product Type Concentric and Eccent		Eccentric
		Reducers - Bell	Shaped			Reducers - Bell Shaped		
Reducer		Wall Thickness	-	Reducer		Wall Thickness	-	
Size (in.)	Sch.	Sch.	Sch.	Size (in.)	Sch.	Sch.	Sch.	
3x1.5	5S	10S		3x1.5	5S	10S		
3x2	5S	10S		3x2	5S	10S		
4x2	5S	10S		4x2	5S	10S		
4x2.5		10S		4x2.5		10S		
4x3	5S	10S		4x3	5S	10S		
6x3	5S	10S		6x3	5S	10S		
6x4	5S	10S		6x4	5S	10S		
8x4	5S	10S		8x4	5S	10S		
8x6	5S	10S		8x6	5S	10S		
10x6	5S	10S		10x6	5S	10S		
10x8	5S	10S		10x8	5S	10S		
12x8	5S	10S		12x8	5S	10S		
12x10	5S	10S		12x10	5S	10S		

Code of Constru	uction:	ASME B16.9  Concentric and Eccentric  Reducers - Cone Shaped		Code of Constru	uction:	MSS SP-43 Concentric and Eccentric Reducers - Cone Shaped	
Product Type				Product Type			
Reducer		Wall Thickness		Reducer		Wall Thickness	
Size (in.)	Sch.	Sch.	Sch.	Size (in.)	Sch.	Sch.	Sch.
12x8	5S	10S	40S	12x8	5S	10S	40S
12x10	5S	10S	40S	12x10	5S	10S	40S
14x8			40S	14x8			40S
14x10	5S	10S	40S	14x10	5S	10S	40S
14x12	5S	10S	40S	14x12	5S	10S	40S
16x12	5S	10S	40S	16x12	5S	10S	40S

16x14	5S	10S	40S	16x14	5S	10S	40S
18x14	5S	10S	40S	18x14	5S	10S	40S
18x16	5S	10S	40S	18x16	5S	10S	40S
20x16	5S	10S	40S	20x16	5S	10S	40S
20x18	5S	10S	40S	20x18	5S	10S	40S
24x18	5S	10S	40S	24x18	5S	10S	40S
24x20	5S	10S	40S	24x20	5S	10S	40S
30x20	5S	10S	40S				
30x24	5S	10S	40S				
36x24			40S				
36x30	3/16						
36x30	1/4						
36x30	3/8						
36x30	1/2						
36x30	5/8						

Code of Constru	uction:	ASME B16.9		Code of Construction: Product Type		MSS SP-43		
Product Type		Tees				Tees		
Tee		Wall Thickness		Tee		Wall Thickness		
Size (in.)	Sch.	Sch.	Sch.	Size (in.)	Sch.	Sch.	Sch.	
3x3x3				3x3x3	5S	10S		
3x3x2.5				3x3x2.5	5S	10S		
3x3x2				3x3x2	5S	10S		
4x4x4				4x4x4	5S	10S		
4x4x3				4x4x3	5S	10S		
4x4x2				4x4x2	5S	10S		
6x6x6				6x6x6	5S	10S		
6x6x4				6x6x4	5S	10S		
6x6x3				6x6x3	5S	10S		
8x8x8				8x8x8	5S	10S		
8x8x6				8x8x6	5S	10S		
8x8x4				8x8x4	5S	10S		
10x10x10				10x10x10	5S	10S		
10x10x8				10x10x8	5S	10S		
10x10x6				10x10x6	5S	10S		

12x12x12	12x12x12	5S	10S	
12x12x10	12x12x10	5S	10S	
12x12x8	12x12x8	5S	10S	
14x14x14	14x14x14	5S	10S	
14x14x12	14x14x12	5S	10S	
14x14x10	14x14x10	5S	10S	
16x16x16	16x16x16	5S	10S	
16x16x14	16x16x14	5S	10S	
16x16x12	16x16x12	5S	10S	
18x18x18	18x18x18	5S	10S	
18x18x16	18x18x16	5S	10S	
18x18x14	18x18x14	5S	10S	
20x20x20	20x20x20		10S	
20x20x18	20x20x18		10S	
20x20x16	20x20x16		10S	
24x24x24	24x24x24		10S	
24x24x20	24x24x20		10S	
24x24x18	24x24x18		10S	

Note 1: ASME B16.9 Pressure-temperature ratings are in accordance with ASME B16.9 para. 2.1 which states:

## 2.1 Basis of Ratings

The allowable pressure ratings for fittings designed in accordance with this Standard may be calculated as for straight seamless pipe of equivalent material (as shown by comparison of composition and mechanical properties in the respective material specifications) in accordance with the rules established in the applicable sections of ASME B31, Code for Pressure Piping. For the calculation, applicable data for the pipe size, wall thickness, and material that are equivalent to that of the fitting shall be used. Pipe size, wall thickness (or schedule number), and material identity on the fittings are in lieu of pressure rating markings.

Note 2: MSS SP-43 Pressure-temperature ratings are in accordance with ASME MSS SP-43 para. 3.1 which states:

**3.1** Fittings covered by this Standard Practice are primarily intended for corrosion resistant applications; however, they shall have a pressure rating equal to 30% of the allowable pressure rating for comparable straight seamless pipe of the same wall and grade of material as marked on the fittings, whose ratings are determined by the applicable ASME B31 Code for Pressure Piping.

**Note 3**: Products that are to operate at low temperatures shall conform to the rules of the applicable codes under which they are used.

**Note 4**: See ISO 9001:2015 Certificate attached for list of manufacturing locations covered under this CRN.

# **HSB Registration Services**

# Certificate of Registration

This is to certify that:

Felker Brothers Corporation Corporate 22 North Chestnut Avenue Marshfield, WI 54449

Has established and applied a

Quality Management System

Sales of Welded Stainless Steel Pipe, Fittings, Piping Systems and Custom Fabricated Assemblies

Proof has been furnished that the requirements according to ISO 9001:2015

are fulfilled.

Signed on behalf of HSB Registration Services

595 E. Swedesford Road Wayne, Pennsylvania 19087

HSB.





Certificate Number: Q 22

IAF Code(s): 17

Initial Audit Date: February 2, 1996 Effective Date: September 8, 2021 Expiration Date: September 7, 2024 Revision Date: December 19, 2022 The certified activities are also performed by these sites:

Fabrication & Piping Division 1707 East 4th Street, Marshfield, WI 54449 Manufacture of Welded Stainless Steel Pipe, Fittings, Piping Systems and Custom Fabricated Assemblies

Piping Products Division
125 Beaver Trail, Glasgow, KY 42141
185 Industrial Drive, Glasgow, KY 42141
Manufacture of Welded Stainless Steel Pipe

Fabrication Division
2910 Apache Drive, Plover, WI 54467
Manufacture of Welded Stainless Steel
Custom Fabricated Assemblies







HSB's Accreditation No: MSCB-187

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Nar	Me: Felker Brothers Corporation	***************************************	
Manufacturers Add	ress: 22 North Chestnut Avenu	ie, Marshfield, WI, 54440	
Plant Locations: Ma	rshfield, WI - Glasgow, KY - Plove	er, WI	
A) Pipe littings, including     B Flanges: all line valve     C Valves: all line valve     Expansion joints, flet     Strainers, filters, sep     Measuring devices, i     transmitters     Certified capacity-rate     boilers, pressure ves	ig couplings, tees, elbows, Y s xible connections, and hose arators, and steam traps including pressure gauges, to ed pressure relief devices ac sels, piping and fusible plus sels, piping and fusible plus	evel gauges, sight glasses, levels, or pressu exceptable as primary over pressure protection	
		to one of the above categories	1
N Nuclear components	: Class 1   Class 2   C	lass 3 🗆 , (Meeting CNSC or ASME require	ements)
Snow Manutacturer	s Name, Trademark, or	Logo as it will appear on the produc	Forged Under Welded Wrought B Cast Under Und
List of supporting d	ocumentation and Iden	tification of the actual items to be re	giotorad:
y knowledge representings, and identification tings is regulated by a perified by HSB 150 8001 20	ne quality of the end produ nts the product for which on markings are in accord a Quality Control Program as	uct do solemnly declare that the inform registration is sought. The dimensions dance with the herein named standards n which extends to each plant where fa	and being the person having full authority ation contained in this form is true to the best of materials of construction, pressure temperates. I further declare that the manufacture of these brication occurs in whole or in part and has been ake this solemn declaration conscientiously deroath.
eclared before me at	Marshfield L	Jisconsin Jordan C. F	Peynolds
nis 2 day	A 4		Malef Spissolusites Official See!
ommissioner of Oaths r Notary Public: (sign)	Out D.	faculto—	
	This are detection were	This space for Regulatory Authority use.	- data -dtim
CRN: 0A1017.9	Pov2	st be revalidated after ten (10) years from the	CCEPTED OF
RN: UA 1017.9	Revz	PROVINCE OF	PRINCE EDWARD ISLAND
1D#: 753		COMMUNITIE	s, land & environment
oles:		07N M	910179 CW2
. All Fittings shall be reg	stered in the name of the Manu	facturer. C.R.N.	7
Each Category shall be and one copy of suppo	e supported with two Statutory D	DATE:	nac 31/23
. The Declaration shall be responsibility for the qu	ne made by the person having furality of the end product.		mcCst
. Quality Control program		TATOTOTOTO	THE CEDITICES SECTION \
	ms shall be resubmitted for valid nless steel butt weld p	BOILED (DEE	ON SERVICES SECTION ESSURE VESSEL BRANCEO - Fittings Rev. 2

New Brunswick Nunavut	Nova Scotla Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Na	110: Felker Brothers Corporation		
	ress: 22 North Chastnut Avenu		
	rshtisid, Wi - Glasgow, KY - Plove		
A Pipe fittings, including Flanges: all flanges C Valves: all line velve D Expansion joints, fle E Strainers, filters, set F Measuring devices, transmitters C Certified capacity-rat boilers, pressure ver	ig couplings, tees, elbows, to skible connections, and hose parators, and steam traps including pressure gauges, to ted pressure relief devices a seels, piping and fusible plug	evel gauges, sight glasses, levels, or pre	
		class 3 🗆 . (Meeting CNSC or ASME req	
Show Manufacture	FELKER BROS. COR	Logo as it will appear on the prod	Forged o Welded & Wrought & Cast o Other o Describe other:
List of supporting	locumentation and Idea	ntification of the actual items to be	e registered:
my knowledge representings, and identifications is regulated by yerifled by HSB ISO 0001:	the quality of the end pro- ents the product for which iton markings are in acco a Quality Control Progra sols and knowing that it is of	duct do solemnly declare that the inl h registration is sought. The dimens rdance with the herein named stand im which extends to each plant where	foration and being the person having full authority formation contained in this form is true to the best or slons, materials of construction, pressure temperaturards. I further declare that the manufacture of these re fabrication occurs in whole or in part and has been did I make this solemn declaration conscientlously a under oath.
Declared before me a	/00 -1 C 1 0	Wisconsin Jordan	C. Reynolds
This 2 day	of March	AD 2023 Notary Public,	Statens divissolositas Official Seul
Commissioner of Oati Or Notary Public: (sig	O 1 1	yaldo—	
	And recipions	This space for Regulatory Authority	
Each Category shall and one copy of sup     The Declaration shall	egistered in the name of the Ma be supported with two Statutors porting documentation.  If he made by the person having quality of the end product.	Date Date Determination forms Dwg	March BI/23 A 1017, 98 REV2
4. Quality Control prog	rams shall be resubmitted for ve	alidation.	Part Sect 1.0 - Fittings Rev.2
(include	ainless steel butt weld s L.R. elbows, Reduc be of registration (6pg	d pipe fittings cers, tees). is.)- Feb.28, 2023	Part Sect 1.0 - Fittings Rev.2

Newfoundland and Labrador

Prince Edward Island

New Brunswick

Nova Scotia

Nunavut Yukon Northwest Territories Manufacturers Name: Felker Brothers Corporation Manufacturers Address: 22 North Chestnut Avenue, Marshfield, W., 54449 Plant Locations; Marshfield, WI - Glasgow, KY - Plover, WI Category of Fittings to be registered. Circle one Category only Title of the Standard of A) Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Construction B Flanges: all flanges C Valves: all line valves - ASME B16.9 D Expansion joints, flexible connections, and hose assemblies: all types - MSS SP-43 E Strainers, filters, separators, and steam traps Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ . (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product Type of Construction Welded # Forged Other o Cast n Describe other: List of supporting documentation and identification of the actual items to be registered: BUTTWELDING FITTINGS SCOPE OF CRN REGISTRATION, REPORTS, DRAWINGS. Declaration: (see note 3) employed by Felker Brothers Corporation and being the person having full authority | Josh Bohman, Quality Manager and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been as being suitable for that purpose and I make this solemn declaration conscientiously verified by HSB ISO 9001 2015 believing it to be true, and knowing that it is of the same force and effect as if made under oath. Signature of Declarer: Declared before me at Jordan C. Reynolds Notary Public, Statemar a Wissonsing Official Seg! Commissioner of Oaths Or Notary Public: (sign) Nouveau (Affix Official seal to the right) This space for Regulatory Authority use EPT OF JUSTICE PUBLIC SAFETY
This registration must be revalidated after ten (10) years from the date of acceptance.

BOILER & PRESSURE VESSEL ACT CRN: 0A1017.9 Rev2 REGISTRATION ONLY 753 FID#: Notes: All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. CRN, renewal. Stainless steel butt weld pipe fittings (includes L.R. elbows, Reducers, tees). Sizes to 36". Scope of registration (6pgs.)- Feb.28, 2023 ☐ BLRs PVs (DGallant) □ NUCLEAR COMPONENTS

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Nat	118: Felker Brothers Corporation	1	W
Manufacturers Add	IFBS: 22 North Chestrul Avenu	ue, Marahfield, WI, 54449	
	rshfield, W Glasgow, KY - Playe		
A) Pipe fittings, includir B Flanges; all flanges	y or rittings to be regis	stered. Circle one Category only /s, plugs, unloss, pipe caps, or reducers	Title of the Standard of Construction
E Strainers, filters, sep F Measuring devices, i transmitters G Certified capacity-rat bollers, pressure ves	xible connections, and hose erators, and steem traps including pressure gauges, li ed pressure relief devices at sels, piolno and fusible pluo sels, piolno and fusible pluo	evel gauges, sight glasses, levels, or pres	
Nuclear components	: Class 1 D Class 2 D C	Class 3 🗆 . (Meeting CNSC or ASME requ	Irements)
Show Manufacture	rs Name, Trademark, or	Logo as it will appear on the produ	uct Type of Construction
	FELKER BROS. COR	RE)	Forged D Welded S Wrought M Cast D Other D Describe other:
List of supporting	Incumentation and Idea	ntification of the actual items to be	rania la rade
y knowledge representings, and identificat tings is regulated by adfied by KSBISO 5001 2	the quality of the end process the product for which ion markings are in account a Quality Control Program and knowing that it is of the product of the prod	duct do solemnly declare that the information registration is sought. The dimensional registration is sought. The dimensional registration is sought. The dimensional registration is soleton of the highest soleton in the same force and effect as if made the same force an	Revnolds
nls day	of March A	Notary Public, 8	Halfild Wisconsins Official Sept
ommissioner of Oath r Notary Public: (sign	A (1)	yaslds—	
CRN: 0A1017.9	This registration mu Rev2	This space for Regulatory Authority us ust be revalidated after ten (10) years from	e. Labrador Labrador
FID#: 753	A CONTRACTOR OF THE CONTRACTOR		0910/7.90, Rev 2
Johns.		Registere	15-3023
. All Fittings shall be re	gistered in the name of the Mer	nufacturer. Date_D	Dell strange
	be supported with two Statutory porting documentation.		ng and his pection Savises
	be made by the person having quality of the end product.	MAINE	P THE AUTHORITY OF THE
t. Quality Control progr	ams shall be resubmitted for val	that when the state of the stat	BLIC SAFETY ACT AND LER, PRESSURE VESSEL AND 1.0 - Fillings Rev.2
CRN repewal. Sta (include: Sizes to 36". Scop	inless steel butt weld L.R. elbows, Reduc	DIDE INUITIES	LER, PRESSURE VESSLE Present 1.0 - Finings Rev. 2 RESSED GAS REGULATIONS

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Northwest Terri		wfoundland and Labrador
Manufacturers Na	ne: Felker Brothers Corporation	The second secon		***
	ress: 22 North Chestnut Avenu			Complete and the contract of t
	rshfield, VVI - Glasgow, KY - Plove			
A Pipe fittings, includir B Flanges: all flanges	y of Fittings to be regist ng couplings, tees, elbows, Y	tered. Circle one Cated s, plugs, unions, pipe caps,	or reducers	Title of the Standard of Construction
C Valves: all line valve	s			- ASME B16.9
D Expansion joints, fle	xible connections, and hose	assemblies: all types		- MSS SP-43
F Measuring devices	parators, and steam traps including pressure gauges, le	sesseln their senuen leve	levels or pressure	- 10100 01 -45
transmitters				
G Certified capacity-rat	ed pressure relief devices ac	cceptable as primary over p	ressure protection on	
H Pressure retaining of	omponents that do not fall in	to one of the above categor	ies	
	s: Class 1 🗆 Class 2 🗆 C	The state of the s		
	rs Name, Trademark, or			Type of Construction
		F		Forged  Welded  Wrought
		TITY Y		Cast Dother Describe other:
	BROS. CORF			
List of supporting of	locumentation and iden	tification of the actual	ltems to be registere	<u>d:</u>
ny knowledge represe atings, and identificat ittings is regulated by verified by HEB ISO 0001 2 velieving it to be true, Signature of Declarer: Declared before me a	the quality of the end product for which clon markings are in accordance a Quality Control Program and knowing that it is of the Marshfield, and the Marsh Andrew	duct do solemnly declare registration is sought. I dance with the herein name which extends to each so being suitable for that the same force and effect of the s	that the information of The dimensions, mater amed standards. I furt a plant where fabrication purpose and I make that the as if made under oat	
	(Affix Official seal to II		or Authority use	
	This registration mu	This space for Regulato ust be revalidated after ten (	10) years from the date of	of acceptance.
CRN: 0A1017.9			15	MENT OF
FID#: 753			189	
			13/	15
Notes:	noistared in the name of the Man	ufacturer.	(8) BY.	12
2. Each Category shall	egistered in the name of the Mar be supported with two Statutory		1 1	0A1017.9Y REV2
	porting documentation. If be made by the person having	full authority and	1	1 1
responsibility for the	quality of the end product.		/ DAT	E 31/03/2023
	rams shall be resubmitted for val		1.1	Sect 1.0 - Fittings Rev.2
(include	ainless steel butt weld s L.R. elbows, Reduc	ers. tees).	COL	E STORY
Sizes to 36". Scor (DGallant)	ne of registration (6pgs	s.)- Feb.28, 2023		

New Brunswick Nunavut	Nova Scotla Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador		
Manufacturers Nar	TIO: Falker Brothers Corporation				
Manufacturers Add	iress; 22 North Chestnul Avenu	se, Marshfield, WI, 54449			
	rahfield, Wi - Glesgow, KY - Plove				
A Pipe fittings, including Flanges: all flanges	v of Fittings to be regis ig couplings, lees, albows, Y	tered. Circle one Category only 's, plugs, unions, pipe caps, or reducers	Title of the Standard of Construction		
C Valves; all line valve	В	- ASME B16.9			
D Expansion joints, fle:	xible connections, and hose erators, and steam traps	- MSS SP-43			
F Measuring devices, I	ncluding pressure gauges, is	evel gauges, sight glasses, levels, or pressure			
Iransmitters  G Certified capacity-rate	ad pressure relief doulres as	ceptable as primary over pressure protection	on I		
bollers, pressure ves	sels, piping and fusible plugs				
		to one of the above categories			
N Nuclear components	: Class 1 Class 2 C	lass 3 🗆 . (Meeting CNSC or ASME requirem			
Show Manufacturer	s Name, Trademark, or	Lone as it will appear on the product	Forged C Welded A Wrought a		
		TITA	Cast o Other o		
	TEL MEN	(一) (中)	Describe other:		
	BROS. CORF				
List of supporting d	ocumentation and iden	tification of the actual items to be regi-	stered:		
TO 1 PERSONS A 10TH 1 CO. 13.		PE OF CRN REGISTRATION,	DEDODTO DELLENOS		
ny knowledge represe alings, and identificati tlings is regulated by a erified by HEBISO 8881 20	nts the product for which on markings are in accord a Quality Control Program as and knowing that it is of the Cook Bolice.	registration is sought. The dimensions, a dance with the herein named standards. In which extends to each plant where fabr	on contained in this form is true to the best of materials of construction, pressure temperatur. I further declare that the manufacture of these lostion occurs in whole or in part and has beeke this solemn declaration conscientlously roath.		
his 2 day	of March Al	Disconsin Jordan C. Re	ynolds		
	or 1-100 CM A	Jordan C. Re 2023 Notary Public, State	ynolds hts/d/iaconsitae Official Seal		
Commissioner of Oaths		Jisconsin Jordan C. Re 2023 Notary Public, State	synolds httf:://imacdosith: Official Seal		
Commissioner of Oaths	Opeden Da	Moldo Notary Public, State	cynolds httf:#Wiasciosithe Official Seat		
	Odd D	Moldo Notary Public, State	cynolds httf:://inschsith:		
Commissioner of Oaths	(Affix Official seal to the	Notary Public, State  April 2023   Notary Public, State  oright)  This space for Regulatory Authority use.	ntsfal/iasciositas Official Seat		
Commissioner of Oaths or Notary Public: (sign	(Affix Official seal to the	Notary Public, State	ntsfal/inschosithe Official Seat		
Commissioner of Oaths or Notary Public: (sign	(Affix Official seal to the	Notary Public, State  April 2023   Notary Public, State  oright)  This space for Regulatory Authority use.	ntsfal/inschosithe Official Seat		
Commissioner of Oaths or Notary Public: (sign)	(Affix Official seal to the	Notary Public, State  Application of the space for Regulatory Authority use.  It is space for Regulatory Authority use.  It is revalidated after ten (10) years from the control of the space for Regulatory Authority use.	date of acceptance.		
commissioner of Oaths or Notary Public: (sign) CRN: <u>OA1017.9</u>	(Affix Official seal to the	Notary Public, State  Application of the space for Regulatory Authority use.  It is space for Regulatory Authority use.  It is revalidated after ten (10) years from the control of the space for Regulatory Authority use.	Northwest Territories		
CRN: OA1017.9 FID#: 753	(Affix Official seal to the	Notary Public, State  oright)  This space for Regulatory Authority use, at be revalidated after ten (10) years from the control of the contro	Northwest Territories		
CRN: OA1017.9 FID#: 753 Notes: 1. All Fillings shall be reg.	(Affix Official seal to the This registration must Rev2	Notary Public, Glate  2023 Notary Public, Glate  oright)  This space for Regulatory Authority use, st be revalidated after ten (10) years from the original control of the	Northwest Territories  REGISTERED		
CRN: OA1017.9  FID#: 753  Notes:  1. All Fillings shall be regarded and one copy of support	(Affix Official seal to the This registration must Rev2	o right)  This space for Regulatory Authority use. It be revalidated after ten (10) years from the confacturer. Declaration forms  UNDE	Northwest Territories REGISTERED ER THE AUTHORITY OF BOILER AND PRESSURE		
CRN: OA1017.9  FID#: 753  Notes:  1. All Filtings shall be regarded one copy of supports.  The Declaration shall.	(Affix Official seal to the This registration must Rev2	o right)  This space for Regulatory Authority use. It be revalidated after ten (10) years from the confacturer. Declaration forms  UNDE	Northwest Territories REGISTERED ER THE AUTHORITY OF BOILER AND PRESSURE		
CRN: OA1017.9  CRN: OA1017.9  FID#: 753  Notes:  1. All Fittings shall be regard one copy of supposite for the quality Central program.  4. Quality Central program.	(Affix Official seal to the Carlot of the Manual State of the Manu	niscturer.  Declaration forms  Notary Public, State  Authority use.  Infacturer.  UNDER  THE Bell  Station.  State Public, State  State	Northwest Territories  REGISTERED ER THE AUTHORITY OF SOILER AND PRESSURE VESSEL ACT.		
CRN: OA1017.9  FID#: 753  Notes:  1. All Fittings shall be reg. 2. Each Catagory shall be and one copy of supports. 3. The Declaration shall responsibility for the qu.	(Affix Official seal to the Carlot of the Manual States of the Manual St	Notary Public, State  Application  Tight)  Tight space for Regulatory Authority use.  It be revalidated after ten (10) years from the confecturer.  Declaration forms  UNDER  THE Bottom.  C.P.  Design fittings	Northwest Territories  REGISTERED ER THE AUTHORITY OF BOILER AND PRESSURE VESSEL ACT.  IN OF 1017.97 (Av 2)  Section Resource		
CRN: OA1017.9  FID#: 753  Notes:  1. All Fillings shall be regard one copy of support of	(Affix Official seal to the Carlot of the Manual of the Ma	o right)  This space for Regulatory Authority use. In the revalidated after ten (10) years from the contacturer. Declaration forms  at authority and  tation.  C.F.  pripe fittings  rs. tees).	Northwest Territories REGISTERED ER THE AUTHORITY OF BOILER AND PRESSURE		

New Brunswick Nunavut	Nova Scotia Yukon	, ,,,,,,	lward Island Newfoundland and Labrador t Territories			
Manufacturers Nar	TIO: Felker Brothers Corporation				THE RESERVE OF THE PERSON OF T	
Manufacturers Add	ress: 22 North Chesinut Avenu	e, Marshfield, WI, 54449				
Categor	rahfield, Wi - Glasgow, KY - Plova Y of Fittings to be regis ng couplings, tees, sibows, Y	TH	Title of the Standard of Construction			
C Valves; all line valve D Expansion joints, fie E Strainers, filters, sep F Measuring devices, it transmitters G Certified capacity-rat bollers, pressure ves	s  bible connections, and hose erators, and steam traps including pressure gauges, it ed pressure relief devices at sels, piping and fusible plug- omponents that do not fall in	evel gauges, sight gla cceptable as primary of	sses, levels, or pressu over pressure protecti			
	: Class 1 Class 2 C C					
Show Manufacturers Name, Trademark, or Logo as it will appear on the product  FELKER  BROS. CORP.					Type of Construction Forged D Welded Wrought & Cast D Other D Describe other:	
List of supporting	locumentation and iden	tification of the a	ctual Items to be r	egistered:		
ny knowledge repres- atings, and identifical ittings is regulated by perified by HSBISOSSDI	the quality of the end process the product for which ion markings are in account a Quality Control Programs  and knowing that it is of the control of the co	duct do solemnly de n registration is sou rdance with the her im which extends to as being suitable for	eclare that the infom ght. The dimension ein named standam each plant where that purpose and i	mation contained in t as, materials of consi ds. I further declare fabrication occurs in make this solemn de	person having full authority his form is true to the best o ruction, pressure temperatu that the manufacture of thes whole or in part and has be eclaration conscientiously	
Declared before me at Marshfield Wisconsin			Jordan C. Reynolds			
	or March A	10 2023	Notary Public, St	latened applies clasins	Official Sept	
Commissioner of Oatl Or Notary Public: (sign	(Affix Official seal to t			NUN/ Boller	and	
		This space for Fig	alistory aptionity use	the date of acceptance	essels Act	
CRN: 0A1017.	This registration me 9 Rev2	ust be revalidated after		EGISTERE		
FID#: 753			CRN DA IDI7.9 N Resa			
Ali Fittings shall be a     Each Category shall	registered in the name of the Ma be supported with two Statutory perting documentation.	nufacturer. y Declaration forms	Date Mari	ch 31,200	73	
<ol> <li>The Declaration sha responsibility for the</li> </ol>	Il be made by the person having quality of the and product.	Ton activity and	Signed	Chief rspector		
	rams shall be resubmitted for va ainless steel butt welc		****		Sect 1.0 - Francis No.2	
(include	es L.R. elbows, Reduce oe of registration (6pg	cers, tees).	3 Territor	ial Registra	tion Fee	