


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon


Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Oasis Engineering Ltd</u>	
Manufacturers Address: <u>129 Birch Avenue, Tauranga 3110, New Zealand</u>	
Plant Locations: <u>129 Birch Avenue, Tauranga 3110, New Zealand</u>	
Category of Fittings to be registered. Circle one Category only	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	Title of the Standard of Construction Proprietary standard supported by ASME calculations and/or proof tests
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/> Describe other:
List of supporting documentation and identification of the actual items to be registered: QC Certificate, Proof Test Report, Drawings and Data Sheet	

Declaration:


I Andrew Alexander Cameron (see note 3) employed by Oasis Engineering Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Telarc SA Limited as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Tauranga, New Zealand

This 20th day of December AD 2021


Commissioner of Oaths

Notary Public: (sign) 

Notary Public

Tauranga

(Affix Official seal to the right)



This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C12117.2 Rev1

FID#: 2978

Notes:


- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2016

ACCEPTED
PROVINCE OF PRINCE EDWARD ISLAND
COMMUNITIES, LAND & ENVIRONMENT

CRN: 0C12117.29 Rev1

DATE: Jan 10 2022

Sect 1.0 - Fittings Rev.2

INSPECTION SERVICES SECTION
ROYAL CANADIAN MOUNTED POLICE

CRN renewal. 700 Series Ball Valves. 6000psig @ -40F to 185F. 1/4" to 1-1/2". ASME B31.3 code of constr.
CRN expires Nov.18th, 2031 - DG


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon


Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Oasis Engineering Ltd	
Manufacturers Address: 129 Birch Avenue, Tauranga 3110, New Zealand	
Plant Locations: 129 Birch Avenue, Tauranga 3110, New Zealand	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>Proprietary standard supported by ASME calculations and/or proof tests</p>
<p align="center">Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> 	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other # _____ Describe other: _____</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>QC Certificate, Proof Test Report, Drawings and Data Sheet</p>	

Declaration:

I Andrew Alexander Cameron (see note 3) employed by Oasis Engineering Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Telarc SAI Limited as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 


Declared before me at Tauranga, New Zealand

This 20th day of December, AD, 2020

W.B. Holland Use this space for

Commissioner of Oaths

Notary Public

Or Notary Public: (sign) 

Tauranga

(Affix Official seal to the right)

New Zealand



This space for Regulatory Authority Use.
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C12117.2 Rev1

FID#: 2978

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2016


BOILER & PRESSURE VESSEL
 NOVA SCOTIA
 Date Jan. 7/22
 C.R.N. 0C12117.2BREV1
 Dwg. as described
 Signed Yvonne Perry
1 of 1
 Part

Sect 1.0 - Fittings Rev.2

CRN renewal. 700 Series Ball Valves. 6000psig @ -40F to 185F. 1/4" to 1-1/2". ASME B31.3 code of constr. CRN expires Nov.18th, 2031 - DG


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS


New Brunswick Nova Scotia Prince Edward Island Newfoundland and Labrador
 Nunavut Yukon Northwest Territories

Manufacturers Name: Oasis Engineering Ltd	
Manufacturers Address: 129 Birch Avenue, Tauranga 3110, New Zealand	
Plant Locations: 129 Birch Avenue, Tauranga 3110, New Zealand	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="checkbox"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>Proprietary standard supported by ASME calculations and/or proof tests</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> 	<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>QC Certificate, Proof Test Report, Drawings and Data Sheet</p>	

Declaration:

I Andrew Alexander Cameron (see note 3) employed by Oasis Engineering Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Telarc SAI Limited as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 
 Declared before me at Tauranga, New Zealand
 This 20th day of December AD, 2020

W.B. Holland Notary Public
 Tauranga
 New Zealand
 Commissioner of Oaths
 Notary Public (sign) 
 (Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C12117.2 Rev1
 FID#: 2978

Notes:


- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2016

**DEPT OF JUSTICE PUBLIC SAFETY
 BOILER & PRESSURE VESSEL ACT**

REGISTRATION ONLY

CRN 0C12117.27 Rev1


 CHIEF BOILER INSPECTOR
 Sect 1.0 - Fittings Rev.2

DATE 1/7/22

CRN renewal. 700 Series Ball Valves. 6000psig @ -40F to 185F. 1/4" to 1-1/2". ASME B31.3 code of constr.
 CRN expires Nov.18th, 2031 - DG

- BLRs PVs
 FITTINGS NUCLEAR COMPONENTS


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon


Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Oasis Engineering Ltd	
Manufacturers Address: 129 Birch Avenue, Tauranga 3110, New Zealand	
Plant Locations: 129 Birch Avenue, Tauranga 3110, New Zealand	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, fillers, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>Proprietary standard supported by ASME calculations and/or proof tests</p>
<p align="center">Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center"></p>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/> Describe other:</p>
<p align="center">List of supporting documentation and identification of the actual items to be registered:</p> <p>QC Certificate, Proof Test Report, Drawings and Data Sheet</p>	

Declaration:

I Andrew Alexander Cameron (see note 3) employed by Oasis Engineering Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Telarc SAI Limited as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: 

Declared before me at Tauranga, New Zealand

This 20th day of December AD, 2010.

Commissioner of Oaths

Notary Public (sign)


(Affix Official seal to the right)

Notary Public
Tauranga



This space for Regulatory Authority Use.

This registration must be revalidated after ten (10) years from the date of acceptance.


CRN: 0C12117.2 Rev1

FID#: 2978

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2016

Registered 0C12117.20 Rev.1
 Date 22/01/10
 Engineering and Inspection Services
 Registered by 
 UNDER THE AUTHORITY OF THE
 PUBLIC SAFETY ACT AND
 THE BOILER, PRESSURE VESSEL AND
 COMPRESSED GAS REGULATIONS

CRN renewal. 700 Series Ball Valves. 6000psig @ -40F to 185F. 1/4" to 1-1/2". ASME B31.3 code of constr. CRN expires Nov.18th, 2031 - DG


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon


Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Oasis Engineering Ltd	
Manufacturers Address: 129 Birch Avenue, Tauranga 3110, New Zealand	
Plant Locations: 129 Birch Avenue, Tauranga 3110, New Zealand	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>Proprietary standard supported by ASME calculations and/or proof tests</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> 	<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/> Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>QC Certificate, Proof Test Report, Drawings and Data Sheet</p>	

Declaration:

I Andrew Alexander Cameron (see note 3) employed by Oasis Engineering Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Talaric SAI Limited as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 
 Declared before me at Tauranga, New Zealand
 This 20th day of December AD, 2022 W.B. Holland

Commissioner of Oaths
 Notary Public
 Tauranga
 New Zealand




This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C12117.2 Rev1
 FID#: 2978

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2016



GOVERNMENT OF YUKON
 BY [Signature]
 CRN 0C12117.2Y REV1
 DATE 01/11/2022
 BOILER BRANCH

CRN renewal. 700 Series Ball Valves. 6000psig @ -40F to 185F. 1/4" to 1-1/2". ASME B31.3 code of constr.
 CRN expires Nov.18th, 2031 - DG


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Oasis Engineering Ltd	
Manufacturers Address: 128 Birch Avenue, Tauranga 3110, New Zealand	
Plant Locations: 128 Birch Avenue, Tauranga 3110, New Zealand	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges; all flanges</p> <p><u>C Valves; all line valves</u></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>Proprietary standard supported by ASME calculations and/or proof tests</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> 	<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/></p> <p>Describe other:</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>QC Certificate, Proof Test Report, Drawings and Data Sheet</p>	

Declaration:


I Andrew Alexander Carson (see note 3) employed by Oasis Engineering Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Taurus S&I Limited as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Tauranga, New Zealand

This 20th day of December AD 2021

Commissioner of Oaths

Notary Public: (sign) 

Notary Public
Tauranga
New Zealand

(Affix Official seal to the right)



This registration must be revalidated after (10) years from the date of acceptance.

CRN: 0C12117.2 Rev1

FID#: 2978

Notes:


- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

11/2018

Northwest Territories

REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.

C.R.N. 0C12117.2TR01

SIGNED 

DATE Jan 7 2022

05-00

CRN renewal. 700 Series Ball Valves. 6000psig @ -40F to 185F. 1/4" to 1-1/2". ASME B31.3 code of constr. CRN expires Nov.18th, 2031 - DG


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon


Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Oasis Engineering Ltd	
Manufacturers Address: 129 Birch Avenue, Tauranga 3110, New Zealand	
Plant Locations: 129 Birch Avenue, Tauranga 3110, New Zealand	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><input checked="" type="radio"/> Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>Proprietary standard supported by ASME calculations and/or proof tests</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p>Oasis </p>	
<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/></p> <p>Describe other:</p>	
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>QC Certificate, Proof Test Report, Drawings and Data Sheet</p>	

Declaration:

I Andrew Alexander Cameron (see note 3) employed by Oasis Engineering Ltd and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Tasarc SAI Limited as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Tauranga, New Zealand

This 20th day of December AD 2022

Commissioner of Oaths


Notary Public: (sign) 

Notary Public

Tauranga

(Affix Official seal to the right)



<p>CRN: <u>0C12117.2 Rev1</u></p> <p>FID#: <u>2978</u></p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>11/2016</p>	<p>This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>REGISTERED</p> <p>CRN: <u>0C12117.2 N Rev1</u></p> <p>Date: <u>Jan 07, 2022</u></p> <p>Signed: </p> <p>Chief Inspector</p> <p>Sect 1.0 - Fittings Rev.2</p>
---	--

CRN renewal. 700 Series Ball Valves. 6000psig @ -40F to 185F. ASME B31.3 Code for Constr. CRN expires Nov.18th, 2031 - DG