

9410 - 20 Ave N.W. Edmonton, Alberta, Canada T6N 0A4

Tel: (780) 437-9100 / Fax: (780) 437-7787

July 16, 2024

Attention: Cecylia Garbacz

TECHNICAL STANDARDS & SAFETY AUTHORITY

345 CARLINGVIEW DRIVE TORONTO, ON M9W 6N9

The design submission, Tracking Number 2024-02707, Web Portal Number 2024-S1868, originally received on May 07, 2024 was surveyed and accepted for registration as follows:

CRN: 0C25135.52 **Accepted on:** July 16, 2024

Reg Type: NEW DESIGN Expiry Date: March 27, 2034

Drawing No.: R-1981 Scope of Registration As Noted

Fitting type: Knife Gate Valves

Design registered in the name of : CMO VALVES TECHNOLOGY SL

The registration is conditional on your compliance with the following notes:

Design code in accordance with ASME B31.3 and MSS SP-81

As indicated on AB-41 Statutory Declaration or AB-351 Declaration of Conformity form and submitted documentation, the code of construction are ASME B31.3 and other engineering analysis.

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration or AB-351 Declaration of Conformity as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration or AB-351 Declaration of Conformity form.
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency, and maintains a valid Certification of Authorization Permit if required by the jurisdiction where manufacturing takes place, until that date.
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3362 or fax (780) 437-7787 or e-mail Blair@absa.ca.

Sincerely,

BLAIR, JODY, P. Eng. DOP Cert. No. D00010552

2024-02707 Page 1 of 1





STATUTORY DECLARATION Registration of Fittings Single or Multiple Fitting Designs within one Fitting Category

L Pable	o Gomez		General Manager			manufacture	e, show facsimile of er's logo or trademark ear on the fitting.			
, <u>1 0.01</u>	(name of applicant)	,	(position title) (must b		authority)					
of CMO Valves Technology, S.L.										
(name of manufacturer)										
located	located at Amategi Aldea 142, 20400 Tolosa – Guipuzcoa, Spain									
de color	(plant address)									
do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)										
comply with the requirements of MSS SP-81, ASME B31.3 which specifies the dimensions, (title of recognized North American Standard)										
r	materials of construction, pressure/temperature ratings and identification marking of the fittings, or									
	are not covered by the provisions of a recognized North American standard and are therefore									
r	manufactured to comply withas supported by the									
	(title of code of construction or other applicable document)									
, A 6	attached data which i	dentifies the	dimensions, materia	als of construc	tion, pressure	e/temperat	ure ratings			
á	and the basis for suc	h ratings, and	I the identification m	narking of the f	ittings.					
l further	declare that the mar	aufocture of th	acco fittings is contr	collod by a gua	lity control n	oarom wh	ich haa			
			-							
been verified as described in the below Table as being suitable for the manufacturing of these fittings to the										
stated s	tandard, regulation,	code, guidelir	ne or other applicab	le document.	The fittings co	overed by	the			
declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.										
017	D	1.00	6. ()							
Quality	Program Verification	on and Manu	itacturing Sites							
A copy	of the Quality Certific	ate from eacl	h manufacturing site	e must be inclu	ided					
Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organizati	on Pla	ation(s) nt Name and lress			
1.	Knife Gate Valves	ISO 9001: 2015	Design and Manufacture of Valves	December 30, 2024	Lloyd's Register	Gui	puzcoa, Spain			
2.	2				*					





In support of this application, the following information, calculations and/or test data are attached: SCOPE OF CRN, DRAWINGS, REPORTS of the Declarer) DECLARED before me at _____ in the _____ of (province, territory, or state) (Month) (a Commissioner of Oaths or Notary Public) (a Commissioner of Oaths or Notary Public) (expiry date (mm/dd/yy)) Commissioner of Oaths / Notary Public in and for: ______(province, territory, or state) For ABSA Office Use Only: NOTES: To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category_____ CRN: 2024-02707 **ABSA** SAFETY CODES ACT - PROVINCE OF ALBERTA Registered Date: ACCEPTED: 0C25135, 52 See acceptance letter for March 27 2034 conditions of registration. Expiry Date: 1-Date: 2024-07-16 By: JODY BLAIR, P. Eng This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance (Signature of the Administrator/SCO) with the Electronic Transactions Act The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the

		2024-02707
Tracking	#:_	

Pressure Equipment Discipline

SIGNATURE LEGITIMATION: I, MARIA VALENTINA MONTERO VILAR, Public Notary of the Basque Country Association, with residence in Tolosa, DO HEREBY ATTEST, that the foregoing signature belong to Mr. PABLO GOMEZ UGALDE, who I identify by his National Identity Card Nr 34.107.766-P stamped in the document writen in the english language, language that I, the notary, know enough of, for being placed in my presence I make a note of such testimony in my Indicator Book's second section, with the entry number 8. Tolosa, January the 10th, two thousand and twenty-four.-



CMO VALVES Technology, S.L.

Amategi Aldea142, 20400 Tolosa - Guipuzcoa, Spain



ABSA
SAFETY CODES ACT - PROMINCE OF ALBERTA
ACCEPTED: OC25135. 52
See acceptance letter for
conditions of registration.
Date: 2024-07-16 By:
JODY BLAIR, P. Eng.
DOP: DOM: 0552

PAGE 1 OF 1

January 25, 2024

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions. Act

SCOPE OF CRN REGISTRATION

Product	Model	Design	Material	Size	MAWP at		Report
Description		Code	Specification	Range	MAWT	MDMT	Number
Knife Gate	Series T	MSS SP-81,	ASTM A351-CF8M,	2" thru 24" CL. 150	150 psig at 150°F	32°F	R-1981
Valve		ASME B31.3	ASTM A351-CF8,				
			ASTM A351-CG8M,				
			ASTM A351-CF3,				
			ASTM A351-CF3M,				
			ASTM A240-304,				
			ASTM A240-316,				
			ASTM A240-317,				
			ASTM A240-304L,	30", 36" CL. 150	100 psig at 150°F		
			ASTM A240-316L,				
			ASTM A240-317L				
			ASTM A240-904L,				
			ASTM A240-S31254,				
			ASTM A240-2205				
			ASTM A240-2507				
			ASTM A216-WCB				

Note 1: MAWP = Maximum Allowable Working Pressure, MAWT = Maximum Allowable Working Temperature, MDMT = Minimum Design Metal Temperature.

- Note 2: In all cases the pressure-temperature ratings of the valves may be limited by the seat and seal materials. Consult literature.
- Note 3: Products that are to operate at low temperatures shall conform to the rules of the applicable codes under which they are used.
- Note 4: Valves may be optionally supplied with flushing ports.