UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS Prince Edward Island Newfoundland and Labrador

New Brunswick Nunavut	Nova Scolla Yukon	Prince Edv Northwest	vard Island Territories	Newfoundland and Labrador
Manufacturers Nam	rot Allay Stoke Inc.		<u> </u>	
Manufacturers Add	OSS: Bradley Business Park, D	yean Wood Way, Bradia)	, Huddersfield, HD2 10Z,	Unlid Kingdom
Fit and Landelands ban	Hard Andrea Landing Angenrin		4	
A TALL NO.	I Piddiene de les ranies	ered. Circle one	Category only	Title of the Standard of Construction
A Pipa fillings, including	couplings, tees, elbows, Ye	, plugs, unions, pipe	capa, or reducere	Construction
B Flanges; all flanges				
C Valves; all line valves	lble connections, and hose	assemblies: all types		- ASME B31.3
F Measuring devices, la	icinqlud bresante dandea' le starota' and ereatif traba	vel gauges, sight gli	isses, levels, or press	
transmillers	d pressure relief devices ac	-contable as officiary	over pressure protect	on on ARPM IP-2
hollers, pressure ves: .H Pressure retaining co	sels, piping and rusible plug: Imponents that do not fall in	to one of the above o	ategories	
181		man 2 T /Magina	CNSC or ASME requi	rements) Type of Construction
Show Manufacturer	s Name, Tradomark, or	Logo as it will ap	pear on the produ	Forged & Welded p Wrought &
	.60			Cast □ Other 5
l	(1)	LIGHT SHIFT	i EV ^a	Describe ofher:
	AFLEX	HOSE or "AF	LEA	Non-Metal
	310			
List of supporting o	locumentation and ider	tification of the	ctual Items to be.	realistered: RATION, REPORTS, DRAWINGS,
CALCULATION	S.			
		*		*
and responsibility for my knowledge repres ratings, and identifica fillings is regulated by	ilon markings are in acco a Quality Control Progra	duct do solemnly on the control of t	reciere that the line uglil. The dimensioneln named stenda to each plant where or that number and	and being the person traving the bast major, contained in this form is true to the bast one, majorial religion of construction, pressure temperards. I further decigre that the manufacture of the fabrication occurs in whole or in part and has but make this solemn decignation conscientiously under faith.
belleving it to be true,	and knowing that it is of	the same torce an	O OURCLAS II HISTO	uilder oppur
	1 11. 1	m		tatista hashaga
Signature of Declarer	The state of the s	CAN W		
Declared before me a		7017		lse this space for the Official Seal
This 2 ned do	yor Cocrows	AD ZES	Ì	The state of the s
Commissioner of Oal	hs A A	h	·	• • • • • • • • • • • • • • • • • • •
Or Notary Public: (81)	(n) 1 V CVC	<u>~</u>	-	
	of lass lale) (Affix, Official)			
		This space for f	Regulatory Authority u	of PRINCE FOWARD ISLAND
	This registration n	nust pe revalidated a		OF PRINCE EDWARD ISLAND
CRN: 0D2582	1.5		TROVITOR	0 -2 0 0 1 60
			C.R.N.:	D85881.59
FID#:			DATE:	Ha. 2 2005
Notes:	and the same of the same of the stime of the	aniifacturer		d
1. All Fillings shall be	registered in the name of the M	o Dáclaralion forms		10-01
and one convolution	nuoring documentation.		SIGNED:	June 1995
a Who Declaration at	all be made by the person havir	ig full authority and	INSPEC	CTION SERVICES SECTION
responsibility for th	a quality of the end product. assemblies. Hose types: Fittings: Bloflex Ultra, SS FE lined fittings; Fabline, s FE lined fittings; Corroline FE lined fittings; 3 plant to	Diagna i fitas	0000	
		BIOGEX LINE.	R() FR/	PRESSURE VESSEL BRANCHings Rev.2

	Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Na			
		Dyson Wood Way, Bradley, Huddersfield, KD2 10	Z, United Kingdom
Categor A Pipe fittings, includir B Flanges: all flanges	ig couplings, teas, albaws, \	stered. Circle one Catogary only Ye, pluge, unions, pipe cape, or reducers	Title of the Standard of Construction
E Strainers, filters, sep F Measuring davices, transmitters G Certified capacity-rat bollers, pressure ves	xible connections, and hose erators, and steam traps including pressure gauges, t ed pressure relief devices e isals, picing and fusible citio	level gauges, sight glasses, levels, or pre occeptable as primary over pressure prote	ADDIA ID 2
		Class 3 🔲 , (Meeting CNSC or ASME req	
Show Manufacture		Logo sait will appear on the prod	Forged B Wedded a Wrought B Cast a Other B Describe other: Non-Metal
List of supporting	documentation and idea	ntification of the actual items to be	registered:
nd responsibility for it by knowledge representings, and identifical tings is regulated by	he quality of the end pro- ents the product for which ion markings are in acco-	h registration is sought. The dimensi rdance with the herein named stands	nmation contained in this form is true to the best ons, materials of construction, pressure tempera nots. I further declare that the manufacture of the a tebricetion accurs in whole or in part and has be
nd responsibility for in the control of the control	he quality of the end pro- ports the product for which ion markings are in acco- a Quality Control Progra a nw	duct do solemnly declare that the info h registration is sought. The dimensi redance with the herein named stands	nmation contained in this form is true to the best one, materials of construction, pressure tempora rds. I further declare that the manufacture of the a fabrication occurs in whole or in part and has b It make this solemn declaration conscientiously
and responsibility for in y knowledge represendings, and identifical ditings is regulated by retified by \$50 \$5012016 relieving it to be true, signature of Declarer. Declared before me a	the quality of the end protests the product for which ion markings are in accordant of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing that it is of the control Programme and knowing the control Programme and knowing the control Programme and knowing the control Programme and the control	duct do solemnly declare that the Info h registration is saught. The dimensi redance with the herein named stands un which extends to each plant when as being sullable for that purpose and the same force and effect as if made	nmation contained in this form is true to the best one, materials of construction, pressure tempera rids. I further declare that the manufacture of the afabrication occurs in whole or in part and has best make this solemn declaration conscientiously under oath.
nd responsibility for in the workedge representations, and identifications is regulated by sto sociated by sto be true, signature of Declarer. Declared before me a bio	he quality of the end protests the product for which ion markings are in accordant to the control Program in the c	duct do solemnly declare that the Info h registration is saught. The dimensi redance with the herein named stands un which extends to each plant when as being sullable for that purpose and the same force and effect as if made	under oath.
nd reaponsibility for it y knowledge represalings, and identifications is regulated by so soul2015 elleving it to be true, identified by the first of Declarer: lectared before me a his	the quality of the end property of the end of	duct do solemnly declare that the Info he gistration is sought. The dimensi registration is sought. The dimensi maked stands to each plant when as being sullable for that purpose and the same force and effect as if made	nmation contained in this form is true to the best one, materials of construction, pressure tempera rids. I further declare that the manufacture of the afabrication occurs in whole or in part and has bit make this solemn declaration conscientiously under oath.
nd reaponsibility for it y knowledge represalings, and identifications is regulated by so soul2015 elleving it to be true, identified by the first of Declarer: lectared before me a his	he quality of the end protests the product for which ion markings are in accordant to the control Program in the c	duct do solemnly declare that the Info h registration is sought. The dimensi watance with the herein named stands um which extends to each plant when as being sullable for that purpose and the same force and effect as if made	pmation contained in this form is true to the best one, materials of construction, pressure tempera dis. I further of construction, pressure tempera a fabrication occurs in whole or in part and has bit make this solemn declaration conscientiously under oath. The structure of the Official Seal
nd responsibility for in the control of the control	the quality of the end protests the product for which ion markings are in accordant to the control Program and knowing that it is of the control Program and knowing that it is of the control Program and knowing that it is of the control Program and knowing that it is of the control Program and knowing that it is of the control Program and knowing that it is of the control Program and the	duct do solemnly declare that the Info he gistration is sought. The dimensi registration is sought. The dimensi maked stands to each plant when as being sullable for that purpose and the same force and effect as if made	omation contained in this form is true to the best one, materials of construction, pressure tempera urfs. I further declare that the manufacture of the afabrication occurs in whole or in part and has bit make this solemn declaration conscientiously under oath. Jee this space for the Official Seal
nd responsibility for ny knowledge represaings, and identificatings is regulated by enfield by 150 0012015 effield by 150 0012015 effield by 150 0012015 effield by 150 0012015 efficient before me a his 20 001 day Public: (significant public)))	the quality of the end protests the product for which ion markings are in accordant to the control Program and knowing that it is of the control Program and knowing that it is of the control Program and knowing that it is of the control Program and knowing that it is of the control Program and knowing that it is of the control Program and knowing that it is of the control Program and the	duct do solemnly declare that the Info he registration is sought. The dimensional registration is sought. The dimensional registration is sought. The dimensional registration which extends to each plant when as being sullable for that purpose and they same force and effect as if made they same force and effect as if made and they same force and effect as if made they will be supposed to the same force and effect as if made and they will be supposed to the same force and effect as if made and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force are supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed to the same force and they will be supposed	mation contained in this form is true to the best one, materials of construction, pressure tempera unds. I further declare that the manufacture of the afabrication occurs in whole or in part and has be thanke this solemn declaration conscientiously under oath. Jee this space for the Official Seal seal of the part of
nd responsibility for any knowledge representings, and identifications, and identifications is regulated by so soutered by so soutered before me as the lectured before the lectured b	the quality of the end property the product for which ion markings are in account a quality Control Program and knowing that it is of the product of the pro	duct do solemnly declare that the Info he registration is sought. The dimensi relance with the herein named stande un which extends to each plant when as being sullable for that purpose and the same force and effect as if made the same force and effect as if made and the same force and effect as if made and the same force and effect as if made and the same force and effect as if made and the same force and effect as if made and the same force and effect as if made and the same force and effect as if made and the same force and the same for	mation contained in this form is true to the best one, materials of construction, pressure tempera urfs. I further declare that the manufacture of the afabrication occurs in whole or in part and has bit make this solemn declaration conscientiously under oath. Jee this space for the Official Seal of the Construction of the C
nd responsibility for hy knowledge repressions, and identificatitings, and identificatitings is regulated by enfiled by iso contents eligenture of Declarer: lectared before me a his	the quality of the end property of the end of t	duct do solemnly declare that the Info he registration is sought. The dimensional redance with the herein named stands un which extends to each plant when as being sullable for that purpose and the same force and effect as if made the fight) This space for Regulatory Authority ust be revalidated after ten (10) years from the fight (10) the revalidated after ten (10) years from the fight (10).	mation contained in this form is true to the best one, materials of construction, pressure tempera unds. I further declare that the manufacture of the afabrication occurs in whole or in part and has be that this solemn declaration conscientiously under oath. Jee this space for the Official Seal NOVA SCOTIA NOVA SCOTIA NOVA SCOTIA NOVA SCOTIA
nd reaponsibility for in the control of the control	the quality of the end protests the product for which ion meridings are in accordance a Quality Control Program and knowing that it is of the control Program and knowing that it is of the control Program and knowing that it is of the control Program and knowing that it is of the control Program and knowing that it is of the control Program and knowing that it is of the control Program and the control Program an	duct do solemnly declare that the Info he registration is sought. The dimensi relance with the herein named stande un which extends to each plant when as being sullable for that purpose and they same force and effect as if made they same force and effect as if made and they same force and effect as if made and they same force and effect as if made and they same force and effect as if made and they same force and effect as if made and they same force and effect as if made and they same force and effect as if made and they same force and they	matter contained in this form is true to the best one, materials of construction, pressure tempera unds. I further declare that the manufacture of the efabrication occurs in whole or in part and has be the make this solemn declaration conscientiously under oath. The this space for the Official Seal of the part of the part and has been the part and has been declaration conscientiously under oath. The this space for the Official Seal of the part

Prince Edward Island Newfoundland and Labrador Nova Scotia **New Brunswick** Northwest Territories Nunavut Yukon Manufacturers Name: Aflex Hose Inc. Manufacturers Address: Bradley Business Park, Dyson Wood Way, Bradley, Huddensfield, HD2 1GZ, United Kingdom Plant Locations: See Worldwide Locations Appendix Title of the Standard of Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers Construction B Flanges: all flanges Valves: all line valves D Expansion joints, flexible connections, and hose assembles: all types - ASME B31.3 E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure - ASME BPE transmitters - ARPM IP-2 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product Type of Construction Forged B Weldeu Other B Welded a Describe other: AFLEX HOSE or "AFLEX" Non-Metal List of supporting documentation and identification of the actual items to be registered: - FLEXIBLE HOSE ASSEMBLIES SCOPE OF CRN REGISTRATION, REPORTS, DRAWINGS, CALCULATIONS. Declaration: Dr. Leigh Mulvaney-Johnson PHD CENG (MIMECHE) (see note 3) employed by Aflex Hose Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been as being suitable for that purpose and I make this solemn declaration conscientiously verified by ISO 90012015 bsi, TUV believing it to be true, and knowing that it is of the same force and effect as if made under oath. Signature of Declarer: many mandr Declared before me at 14000 this space for the Official Scal This Zad day of Ocross Commissioner of Oaths Or Notary Public: (sign) Nouveau (Affix Official seal to the right) This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance PUBLIC SAFETY

DEPT OF JUSTIC: PUBLIC SAFETY CRN: <u>0D25821.5</u> **BOILER & PRESSURE VESSEL ACT** FID#: REGISTRATION ONLY Notes: 1. All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. responsionly for the quality of the relationation.

Scope: Flexible hose assemblies. Hose types: Bioflex Ultra, SS braid, PTFE lired fittings; Bioflex Ultra, SS braid, EPDM or silicone cover, PTFE lined fittings; Fabline, SS braid, EPDM or silicone cover, PTFE lined fittings; Corroline+, SS braid, EPDM with or w/o helix, PTFE lined fittings. 3 plant locations. (DGallant) BLRs □ PVs

☐ NUCLEAR COMPONENTS

FITTINGS

Newfoundland and Labrador

Prince Edward Island Northwest Territories

Nova Scotia Yukon

New Brunswick Nunavut

Manufacturers Name: Max Hose Inc.			
Manufacturers Address: Bradley Bushness Park, Dyson Wood Way, Bradley,	Huddomileki, HD2 10Z, United King	dom	
Plant Locations: See Worldwide Locations Appendix			
Category of Fittings to be registered. Circle one C A Pips fittings, including couplings, tees, elbows, Ys, pags, unions, pips i B Flanges: all flanges C Valves: all like valves	Capa, or reducers	Title of the Standard of Genstruction	
(D) Expansion joints, flatible connections, and hose assembles: all types		- ASME B31.3	
E Strainere, faters, separators, and steam traps F Massuring davices, including pressure gauges, level gauges, sight glas	researce in the same same	- ASME BPE	
transmitters		- ARPM IP-2	
G Certified capacity-roled pressure roled dovices acceptable as primary o bolisms, pressure vessels, piping and fusible plugs H Presswe retaining components that do not less into one of the above ca		~2431-M III - 2	
N Nuclear components: Class 1 🗆 Class 2 🗆 Class 3 🔾 , (Maeting C	NSC or ASME requirements)		
Show Manufacturers Name, Trademark, or Logo as it will app AFLEX HOSE or "AFL		Type of Construction Forgad E Welded a Wrought B Cast a Other B Describe other.	
34 554 7700 5		Non-Metal	
List of supporting documentation and identification of the sc	tual Home to he maketami	<u> </u>	
- FLEXIBLE HOSE ASSEMBLIES SCOPE OF C CALCULATIONS.	RN REGISTRATION	, KEPORTS, UKAWINGS,	
PHD CENG (MIMECHE) see role 3) employed by Aflex and responsibility for the quality of the end product do solemnly de my knowledge represents the product for which registration is sour ratings, and identification markings are in accordance with the her's fittings is regulated by a Quality Control Program which extends to verified by its estimated by a Quality Control Program which extends to be stored to the second of the search of	clare that the information co gist. The dimensions, mater sin named standards, I furth each plant where fabricatio that purpose and I make th	her declare that the manufacture of these n occurs in whole or in part and has beer is solemn declaration conscientiously	
Signature of Declarer: L. Muh. M.		1. 11. 11. 1	
		1 z 213 • 1 5	
Declared before me at 1 1 2 2 2 4 Use this space for the Official Seal This 2 A A day of 0 CV 8 4 A D 2 2 2 4 Use this space for the Official Seal			
This Zad day of October AD Zezza	OOU MID I		
Commissioner of Oaths Or Natary Public: (sign)	- .		
(Affix Official seal to the right)	-27,		
This space for Ros This registration must be revalidated afte CRN: 0025821.5	ten (10) yezhellen (10) yezhelle 10) Yezhellen (10) yezhellen (10)	Streeplance.	
FID#:		001 -	
Notes:	Registered DD25	<u>Dairā</u> o	
1. All Finings shall be registered in the name of the Manufacturer.			
	Date May 1	<u> 2022</u>	
2. Each Category shall be supported with two Slatutory Declaration forms	Engineering and Justicell	<u> </u>	
		TTY OF THE Sect 1.0 - Fizings Rev 2 E VESSEL AND	

Prince Edward Island

New Brunswick

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Name	Allan Dana Jan		
Manufacturers Addres	SS; Bradley Business Park, Dyson V	/ood Way, Bradley, Huddorsfield, HD2 1GZ, Uni	ted Kingdom
Plant Locations: See Wo			
		. Circle one Category only is, unions, pipe caps, or reducers	Title of the Standard of Construction
C Valves: all line valves		- h Ú Ú	
E Strainers, filters, separa	e connections, and hose assen tors, and steam traps		- ASME B31,3
F Measuring devices, Incli transmitters	ıding pressure gauges, level ga	auges, sight glasses, levels, or pressure	
G Certified canacity-rated i	pressure relief devices accepta	ble as primary over pressure protection	on - ARPM IP-2
H. Pressure retaining comp	s, piping and fusible plugs conents that do not fall into one		
		, (Meeting CNSC or ASME requirement	ents) Type of Construction
Show Manufacturers P	vame, (rademark, or Logo	as it will appear on the product	Forged & Welded D Wrought & Cast D Other &
	AFLEX HOS	E or "AFLEX"	Describe other:
			Non-Metal
List of supporting doc	umentation and Identifica	tion of the actual items to be regi	stered:
		OPE OF CRN REGISTRAT	TION, REPORTS, DRAWINGS,
CALCULATIONS.			
			•
<u> </u>			
Declaration: Dr. Leigh N	C THILLIAM INTO THE THE TI DINEST	wed by Aflex Hose Ltd.	and being the person having full authority
and responsibility for the	nuality of the end amount d	o solemnly declare that the informat	ion contained in this form is true to the best of
	_ M derek dan sebiah madr	lestion is cought. The dimensions	materials of construction, pressure temperature I further declare that the manufacture of these
fittings is regulated by a (Quality Control Program whi	ich extends to each plant Where (ab)	ucation occurs in whole of ill ball alig has been
varified by 150 90012015 ht TI	N as beir	ng suitable for that purpose and I ma me force and effect as If made unde	ake this solemn deciaration conscientiously
believing it to be true, and	a knowing that it is of the sa	We lote stip effect as it made price	ii Cauli
Signature of Declarer:	L. Munggi		traty nighon
Declared before me at 1		<u>ve</u>	erform to the control of the control
This 2nd day of	OCVOLENAD_	Zezur Usei	his space for the Official Seal
Commissioner of Oaths	$\Lambda \Lambda = 1$	·	
Or Notary Public: (sign)	(Affix Official seal to the righ		Company of the Compan
	76	la cango for Reculatory Authority use	TIMENT OF
#/	This registration must be	revalidated after ten (10) years from the	date of acceptance.
CRN: <u>0D25821.</u>	5	/:	
FID#:		/,0	BY
Notes:		101	4
	tered in the name of the Manufactur supported with two Statutory Doctar		ORN 0D25821.5Y
and one copy of support	ng documentation.	1 1	
The Declaration shall be responsibility for the qual	made by the person having full aut	hority and	DATE 05/06/2025
Scope: Flexible hose ass	emblies. Hose types: Bioflex	Ultra,	Sect 1.0 - Fittings Rev.2
or silicone cover, PTFE line	ned fittings; Fabiline, SS braid	EPDM	Geet Line Clause Lyavis
or silicone cover, PTFE lit with or w/o helix, PTFE lir	lity of the end product. emblies. Hose types: Bioflex gs; Bioflex Ultra, SS braid, E ed fittings; Fabline, SS braid ed fittings; Corroline+, SS braid ed fittings, 3 plant locations,	(DGallant)	(%)
			C FOR DRAN
			The state of the s

Newfoundland and Labrador

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Isla Northwest Territori		wfoundland and Labrador
Manufacturers Nar	ne: Aflex Hose Inc.			
		Dyson Wood Way, Bradley, Huddersfie	ld, HD2 1GZ, United King	gdom
	Worldwide Locations Appendix			
	g couplings, tees, elbows, Y	tered, Circle one Categon s, plugs, unions, pipe caps, or r		<u>Title of the Standard of</u> <u>Construction</u>
(D) Expansion joints, fle	xible connections, and hose arators, and steam traps	assemblies: all types		- ASME B31.3
F Measuring devices, i	ncluding pressure gauges, l	evel gauges, sight glasses, leve	ls, or pressure	- ASME BPE
G Certified capacity-rate boilers, pressure ves	sels, piping and fusible plug	cceptable as primary over press s ito one of the above categories	ure protection on	- ARPM IP-2
		lass 3 □ , (Meeting CNSC or A	SMF requirements)	
		Logo as it will appear on t		Type of Construction
				Forged Melded Wrought Cast Other Describe other:
	AFLEX	HOSE or "AFLEX"		Non-Metal
List of aumoration of	Janumaniation and Idar	tification of the actual iter	ne to he registere	
	SE ASSEMBLIES			I, REPORTS, DRAWINGS,
and responsibility for t my knowledge represe ratings, and identificat fittings is regulated by verified by ISO 90012015 b	he quality of the end procents the product for which ion markings are in accord a Quality Control Prograe, tw	n registration is sought. The rdance with the herein name m which extends to each pla	t the information co dimensions, mater d standards. I furth int where fabrication pose and I make thi	d being the person having full authority ontained in this form is true to the best of ials of construction, pressure temperature ner declare that the manufacture of these n occurs in whole or in part and has been is solemn declaration conscientiously n.
Signature of Declarer:	L. Muha	n		than the form
Declared before me at	Heron 131	rake		The state of the s
This 200 day	of Ocrober	10 Zozer	Use this s	pace for the Official Seal
Commissioner of Oath Or Notary Public: (sign		m		
	(Affix Official seal to the	he right)		
·	This registration mu	he right) This space for Regulatory A ust be revalidated after ten (10)		f acceptance.
crn: <u>0D2582</u>				
FID#:				
Notes:		au factures.	W	70 and
	egistered in the name of the Mar be supported with two Statutory	<i>I</i>	Northw	est ritories
and one copy of supp	porting documentation.	<i>[</i>		1
 The Declaration shall responsibility for the 	I be made by the person having quality of the end product.	Iuli authority and		ISTERED E AUTHORITY OF
ISS braid PTFF lined f	issemblies. Hose types: E ittings; Bioflex Ultra, SS br	aid FPDM		AND PRESSURE Fittings Rev.2
or silicone cover, PTFI	E lined fittings; Fabline, SS E lined fittings; Corroline+, E lined fittings, 3 plant loca	S braid, EPDM		
with or w/o helix, PTFE	Elined fittings, 3 plant loca	tions. (DGallant)	<u> </u>	\$25821.5T
		/	SIGNED 4	notthiad Mailman
		•	DATE 5/	0/05

Newfoundland and Labrador

New Brunswick Nunevut	Nova Scotia Yukon	Prince Edwar Northwest Te		Newfoundland and Labrador
Manufacturers Nar				
	(CSS: Bredley Bushness Park, D	yean Wood Way, Bradley, Hu	ddarsfield, HD2 10Z, Unit	ad Kingdom
Categor A Pipe fittings, including B Flanges: all flanges	Worldwide Localiens Appendix y of Fittings to be realst ig couplings, tees, elbows, Yi	ered. Circle one Cat a, plugs, unions, pipe caj	ectory enly is, or reducers	Title of the Standard of Construction
E Strainers, filters, sep F Measuring devices, i transmitters G Certified capacity-rat bollers, pressure year	s dible connections, and hose : arators, and steam traps ncluding pressure gauges, le ed pressure relief devices ac sels, piping and fusible plugs omponents that do not fall int	vel gauges, alght glasse captable sa primary over	pressure protection o	- ASME B31.3 - ASME BPE - ARPM IP-2
N Nuclear components	Class 1 Class 2 C	ass 3 🗆 , (Meeting CNS	C or ASME requireme	
		HOSE or AFLE	X"	Type of Construction Forged B Welded a Wrought B Cast a Other B Describe other: Non-Metal
				ION, REPORTS, DRAWINGS,
and responsibility to a my knowledge represerratings, and identificat fittings is regulated by verified by 150 00012015 believing it to be true, Signature of Deckarer: Deckared before me as	ents the product for which too markings are in accome a Quality Control Program two and knowing that it is of it when the control Program is the control Program in the control Program	registration is sought, dance with the herein in which extends to ea s being suitable for the	The dimensions, on named standards, ch plant where febr at purpose and I ma ect as if made unde	and the
This ZACA day	rof October A	0 2020	Use t	his space for the Official Seal
Commissioner of Oeth Or Notary Public: (sign			BA	NUNAVUT Boilers and
crn: <u>0D2582</u>	This registration mu	This space for Regulate to the revalidated after to		date of accompagescure Vessels Act
FID#:				REGISTERED 05821.5 N
Each Category shall and one copy of sup-	egiztered in the name of the Man be supported with two Slatutory porting documentation.	Declaration forms	CRN 000	102/2025
responsibility for the Scope: Flexible hose a SS braid, PTFE lined: or silicone cover, PTF or silicone cover, PTF	I be made by the person texting I quality of the end product. assemblies. Hose types: B fittings; Bloflex Ultra, SS bri E lined fittings; Corroline+, E lined fittings; Corroline+, E lined fittings. 3 plant locat	ioflex Ultra, aid, EPDM braid, EPDM SS braid, EPDM	Signed	Sect 1.0 - Httings Rev.2 Chief in spector
			Territ	orial Registration Fee