

August 15, 2025

Attention: Scott Islip
ROUND ENGINEERING INC
10 SEGWUN ROAD
WATERDOWN, ON L8B 0K6

The design submission, Tracking Number 2025-04993, Web Portal Number 2025-S4087, originally received on July 30, 2025 was surveyed and accepted for registration as follows:

CRN : 0E07663.2 **Accepted on:** August 15, 2025

Reg Type: RENEWAL **Expiry Date:** August 15, 2035

Drawing No. : R-2199 Scope of Registration Dated: 04-Jul-25

Fitting type: Filter, Probe, Separator, Vaporizer, Regulator

Design registered in the name of : A+ CORPORATION LLC/A+ MANUFACTURING LLC

The registration is conditional on your compliance with the following notes:

As indicated on AB-41 Statutory Declaration or AB-351 Declaration of Conformity form and submitted documentation, the code of construction is ASME B31.3.

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration or AB-351 Declaration of Conformity as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.*
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration or AB-351 Declaration of Conformity form.*
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency, and maintains a valid Certification of Authorization Permit if required by the jurisdiction where manufacturing takes place, until that date.*
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (587) 943-8743 or fax (403) 291-4545 or e-mail Rokanuzzaman@absa.ca.

Sincerely,



ROKANUZZAMAN, MOHAMMAD, P. Eng.
DOP Cert. No. D00010592

STATUTORY DECLARATION
Registration of Fittings
Single or Multiple Fitting Designs within one Fitting Category

I, Justin Harvey, CEO
(name of applicant) (position title) (must be in a position of authority)
of KDS Holding, LLC dba A+ Corporation
(name of manufacturer)
located at 41041 Black Bayou Road, Gonzales, LA, 70737, United States
(plant address)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

- ☐ comply with the requirements of _____ which specifies the dimensions,
(title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- ☒ are not covered by the provisions of a recognized North American standard and are therefore
manufactured to comply with ASME B31.3 as supported by the
(title of code of construction or other applicable document)
attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

Quality Program Verification and Manufacturing Sites

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	See Scope of CRN Registration	ISO 9001: 2015	Design, Manufacture, Service, Sales	2026-02-07	Intertek	Louisiana, USA
2.						

In support of this application, the following information, calculations and/or test data are attached:

Scope of CRN Registration, Catalogs, Reports

[Signature] (Signature of the Declarer) 7/11/2025 (Date)

DECLARED before me at Greismar (city) in the state of Louisiana, USA (province, territory, or state)
this 11 day of July (Month), 2025 (Year)

(print) Brianna Devaux
(a Commissioner of Oaths or Notary Public)

(sign) [Signature]
(a Commissioner of Oaths or Notary Public)

BRIANNA DEVAUX
NOTARY ID # 205970
COMMISSION IS FOR LIFE

At death
(expiry date (mm/dd/yy))

Commissioner of Oaths / Notary Public in and for: Greismar, Louisiana, USA (province, territory, or state)

For ABSA Office Use Only:

NOTES: _____

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category _____.

CRN: _____

Registered Date: _____

Expiry Date: 2035-AUG-15

Signature: _____
(Signature of the Administrator/SCO)

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

2025-04993

ABSA

SAFETY CODES ACT - PROVINCE OF ALBERTA

ACCEPTED: 0E07663.2

See acceptance letter for conditions of registration.

Date: 2025-08-15

By: [Signature]

IOHAMMAD ROKANUZZAMAN, P. Eng.
DOP: D00010592

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.



A+ CORPORATION
 41041 BLACK BAYOU ROAD
 GONZALES, LOUISIANA
 70737

04-Jul-25

PAGE 1 OF 2

SCOPE OF CRN REGISTRATION

Product Description	Model Number	Literature	Process Connection(s)	Design Code	Material Specification	MAWP at MAWT (psig)	MDMT	Report Number
Filter	GSID	SCC-GSID-PS	3/4" FNPT, 3/8" FNPT	ASME B31.3	Stainless Steel ASTM A276-316/316L, A479-316/316L	3000 psig at 225°F / 206.8 barg at 107°C	-35°F/ -37°C	R-2199 Rev. 0
Probe	GPHV	SCC-GPHV-PS	1/2" MNPT, 1/4" FNPT	ASME B31.3	Stainless Steel ASTM A276-316/316L, A479-316/316L	4500 psig at 300°F / 310.3 barg at 149°C	-40°F/ -40°C	R-2199 Rev. 0
Filter	33, 33M	SCC-Avenger33-PS, SCC-Avenger33M-PS	1/2" FNPT, 1/4" FNPT	ASME B31.3	Stainless Steel ASTM A276-316/316L, A479-316/316L	1000 psig at 300°F / 68.9 barg at 149°C	-40°F/ -40°C	R-2199 Rev. 0
Filter	38, 38M	SCC-Avenger38-PS, SCC-Avenger38M-PS	1/4" FNPT	ASME B31.3	Stainless Steel ASTM A276-316/316L, A479-316/316L	2000 psig at 300°F / 137.9 barg at 149°C	-40°F/ -40°C	R-2199 Rev. 0
Membrane Separator	120	SCC-120-PS	1/8" FNPT	ASME B31.3	Stainless Steel ASTM A276-316/316L, A479-316/316L	2000 psig at 300°F / 137.9 barg at 149°C	-40°F/ -40°C	R-2199 Rev. 0
Membrane Separator	123	SCC-Supreme123-PS	1/4" FNPT	ASME B31.3	Stainless Steel ASTM A276-316/316L, A479-316/316L	2000 psig at 300°F / 137.9 barg at 149°C	-40°F/ -40°C	R-2199 Rev. 0
Membrane Separator	123-1	N/A	1/4" FNPT	ASME B31.3	Stainless Steel ASTM A276-316/316L, A479-316/316L	6000 psig at 300°F / 413.7 barg at 149°C	-40°F/ -40°C	R-2199 Rev. 0

**A+ CORPORATION**

41041 BLACK BAYOU ROAD
GONZALES, LOUISIANA
70737

04-Jul-25

PAGE 2 OF 2

SCOPE OF CRN REGISTRATION

Product Description	Model Number	Literature	Process Connection(s)	Design Code	Material Specification	MAWP at MAWT (psig)	MDMT	Report Number
Membrane Separator	133	SCC-Supreme133-PS	1/4" FNPT	ASME B31.3	Stainless Steel ASTM A276-316/316L, A479-316/316L	3000 psig at 300°F / 206.8 barg at 149°C	-15°F/ -26°C	R-2199 Rev. 0
Membrane Separator	225	SCC-Supreme225-PS	1/4" FNPT	ASME B31.3	Stainless Steel ASTM A276-316/316L, A479-316/316L	2000 psig at 300°F / 137.9 barg at 149°C	-40°F/ -40°C	R-2199 Rev. 0
Genie Vaporizer	GV4	Part of SCC-Liquid Sampling Vaporization -SB	1" FNPT, 1/8" FNPT	ASME B31.3	Stainless Steel ASTM A276-316/316L, A479-316/316L	3750 psig at 300°F / 258.6 barg at 149°C	-40°F/ -40°C	R-2199 Rev. 0
Regulator	GR, GHR	SCC-GR-PS, SCC-GHR-PS	1/4" FNPT	ASME B31.3	Stainless Steel ASTM A276-316/316L, A479-316/316L	6000 psig at 300°F / 413.7 barg at 149°C	-40°F/ -40°C	R-2199 Rev. 0
Regulator	JTR, JTR-H	SCC-JTR-PS, SCC-JTR-H-PS	1/4" FNPT	ASME B31.3	Stainless Steel ASTM A276-316/316L, A479-316/316L	6000 psig at 300°F / 413.7 barg at 149°C	-40°F/ -40°C	R-2199 Rev. 0

Note 1: MAWP = Maximum Allowable Working Pressure, MAWT = Maximum Allowable Working Temperature, MDMT = Minimum Design Metal Temperature.

Note 2: In all cases the maximum allowable working pressure and maximum/minimum temperature may be limited by seal materials or other considerations. Consult A+ literature.

Note 3: For low temperature operation the products shall conform to the rules of the applicable codes under which they are used.