

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Manitoba

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturer's Name: **QINGDAO DIXON VALVE & FITTING CO., LTD.**

Manufacturer's Address: **No. 787, Guangda Road, Huangdao District, Qingdao, China.**

Plant Location: **SAME AS ABOVE**

Category of Fittings to be registered. Circle one Category only

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges; all flanges
- C Valves; all valves
- D Expansion joints, flexible connections, and hose assemblies; all types
- E Sockets, flares, nipples, and steam traps
- F Bleeding devices, including pressure gauges, level gauges, sight glasses, jets, or pressure
- G Casted capacity-rated pressure relief devices acceptable as primary over pressure protection on
- H Boilers, pressure vessels, piping and fusible plugs
- I Pressure retaining components that do not fall into one of the above categories.
- J Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

- MSS SP-72
- ASME B16.1

Show Manufacturer's Name, Trademark, or Logo as it will appear on the product



Type of Construction
Forged ☐ Welded ☐ Wrought ☐
Cast ☐ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

- BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS

Declaration:

I, Qingdao (see note 1) employed by Qingdao Dixon Valve & Fitting Co., Ltd. and being the person having full authority, and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure, temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2008 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarant: Qingdao

Declared before me at Qingdao

This 5th day of June AD: 2015

Commissioner of Oaths

Or Notary Public (sign)

(Affix Official seal to the right)

Use this space for the Official Seal

CRN: QC26205.5

FID: _____

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality Control programs shall be submitted for validation.
- Scope of registration Sept. 12, 2025; Design Report R-2171 Rev.0, MQ41F-125, OBB31, IVC31 Ball valves.. 2025psig @ 150F; 164psig @ 302F. Sizes to 10". (3 Gallons)

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

ACCEPTED

PROVINCE OF PRINCE EDWARD ISLAND

CRN: QC26205.59

DATE: November 28 2015

SIGNED McCabe

INSPECTION SERVICES SECTION

BOILER/PRESSURE VESSEL BRANCH

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Manitoba

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: QINGDAO DIXON VALVE & FITTING CO., LTD. Manufacturers Address: No. 787, Guangdao Road, Huangdao District, Qingdao, China Plant Location: SAME AS ABOVE	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valve: all the valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Accessing devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories I Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction - MSS SP-72 - ASME B16.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product   	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other:
List of supporting documentation and identification of the actual items to be registered: - BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS	

Declaration:
 I, QINGDAO DIXON VALVE & FITTING CO., LTD. (see note 3) employed by Qingdao DIXON Valve Fitting Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Qingdao
 This 5th day of June AD 2025
 Commissioner of Oaths
 Or Notary Public (sign)

Use this space for the Official Seal

CRN: <u>QC26205.5</u> FDS: _____ Note: 1. Affidavits shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Scope of registration Sept. 12, 2025; Design Report R-2171 Rev.0, MQ41F-125, OSB31, IVC31 Ball valves, 200psig @ 150F; 184psig @ 302F. Sizes to 10". (DGallant)	This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of registration.  Date <u>Nov. 28/25</u> C.R.N. <u>QC26205.58</u> Dwg. <u>as described</u> Signed <u>[Signature]</u> 1 of 1 Part 
---	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: QINGDAO DIXON VALVE & FITTING CO., LTD.

Manufacturers Address: No. 757, Guangda Road, Huangdao District, Qingdao, China

Plant Locations: SAME AS ABOVE

Category of Fittings to be registered. Circle one Category only

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories

N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Show Manufacturers Name, Trademark, or Logo as it will appear on the product



Title of the Standard of Construction

- MSS SP-72
- ASME B16.1

Type of Construction

Forged ☐ Welded ☐ Wrought ☐
Cast ☐ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

- BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS



Declaration:

I, LIAN CHANGQING, CHIEF ENGINEER (see note 3) employed by Qingdao Dixon Valve Fitting Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 CCC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at: Qingdao

This 5th day of June AD 2025

Commissioner of Oaths

Or Notary Public: (sign)

(Affix Official seal to the right)

Use this space for the Official Seal

CRN: QC26205.5

FID#:

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

Scope of registration Sept. 12, 2025; Design Report R-2171 Rev.0, MQ41F-125, OSB31, IVC31 Ball valves. 200psig @ 150F; 164psig @ 302F. Sizes to 10". (DGallant)

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from

New Brunswick
Nouveau Brunswick

DEPT OF JUSTICE PUBLIC SAFETY
BOILER & PRESSURE VESSEL ACT

REGISTRATION ONLY

CRN QC26205.57 Sect 1.0 - Fittings Rev.2

[Signature]
CHIEF BOILER INSPECTOR

DATE 11/28/25

☐ BLRs

☐ PVs

☒ FITTINGS

☐ NUCLEAR COMPONENTS

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nova Scotia
Yukon

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturer Name: QINGDAO OSE VALVE & FITTING CO., LTD. Manufacturer Address: No. 707, Qiangda Road, Huangdao District, Qingdao, China Plant Location: SAME AS ABOVE	
Category of Fitting to be registered. Circle one Category only. A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges of all types C Valves of all types D Expansion joints, flexible connections, and hose assemblies of all types E Orifices, nozzles, nozzles, and steam traps F Welding devices, including pressure gauges, level gauges, sight glasses, level, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and flexible plugs H Pressure retaining components that do not fall into one of the above categories I Other components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Use only CRN or ASME requirements)	Title of the Standard of Registration - MSS SP-72 - ASME B16.1
Enter Manufacturer Name, Trademark, or Logo as it will appear on the product   	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast A ☐ Other ☐ Describe other:
List of supporting documentation and identification of the actual items to be registered: - BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS	

Declaration:
 I, Qingdao Ose Valve & Fitting Co., Ltd. (see note 3) employed by Qingdao Ose Valve & Fitting Co., Ltd. and being the person having full authority and responsibility for the quality of the and product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these designs is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been certified by ASME as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Qingdao
 This Fifth day of June AD 2025
 Commissioner of Oaths
 Or Notary Public (sign)

Use this space for the Official Seal

CRN: 0C26205.5 FID: Notes: 1. All items shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be maintained for validation. Scope of registration: Sept. 12, 2025: Design Report R-2171 Rev 0, MD41F-125, OSB31, IVC31 Ball valves 150F, 164psig @ 302F Sizes to 10" (DG standard)	This registration must be invalidated after ten (10) years from the date of acceptance. Registered <u>0C26205.50</u> Date <u>Nov 28 2025</u> Engineering and Inspection Services Registered by <u>[Signature]</u> UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS
---	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nova Scotia
Yukon
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: QINGDAO DIXON VALVE & FITTING CO., LTD. Manufacturers Address: No. 767, Guangda Road, Huangdao District, Qingdao, China Plant Locations: SAME AS ABOVE	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories I Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction - MSS SP-72 - ASME B16.1
Show Manufacturers Name, Trademark, or Logo as it will appear on the product   	
Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other:	
List of supporting documentation and identification of the actual items to be registered: - BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS	

Declaration:
 I, SAW CHANGSING, CHIEF ENGINEER (see note 3) employed by Qingdao Dixon Valve & Fitting Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure, temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Qingdao
 This 5th day of June AD 2025
 Commissioner of Oaths
 Or Notary Public: (sign) _____

Use this space for the Official Seal

CRN: <u>OC26205.5</u> FID#: _____ Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be re-certified for validation. Scope of registration Sept. 12, 2025; Design Report R-2171 Rev.0, MQ41F-125, OSB31, IVC31 Ball valves, 200psig @ 150F; 164psig @ 302F. Sizes to 10". (DGallant)	This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of completion. GOVERNMENT OF YUKON BY <u>[Signature]</u> CRN <u>OC26205.5Y</u> DATE <u>2025/12/01</u> Sec 1.0 - FID # 11.0.2 BOILER BRANCH
--	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: QINGDAO DIXON VALVE & FITTING CO., LTD.

Manufacturers Address: No. 757, Guangda Road, Huangdao District, Qingdao, China

Plant Locations: SAME AS ABOVE

Category of Fittings to be registered. Circle one Category only

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- I Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Title of the Standard of Construction

- MSS SP-72
- ASME B16.1

Show Manufacturers Name, Trademark, or Logo as it will appear on the product



Type of Construction
Forged ☐ Welded ☐ Wrought ☐
Cast ☐ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

- BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS



Declaration:

I, LIAN CHANGONG, CHIEF ENGINEER (see note 3) employed by Qingdao Dixon Valve & Fitting Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 CCC as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Qingdao

This 5th day of June AD 2025

Commissioner of Oaths

Or Notary Public: (sign) _____

(Affix Official seal to the right)


Use this space for the Official Seal

CRN: QC26205.5

FID#: _____

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality Control programs shall be resubmitted for validation.
- Scope of registration Sept. 12, 2025; Design Report R-2171 Rev.0. MQ41F-125, OSB31, IVC31 Ball valves. 200psig @ 150F; 164psig @ 302F. Sizes to 10". (DGallant)



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Manitoba

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: QINGDAO DIXON VALVE & FITTING CO., LTD.

Manufacturers Address: No. 757, Guangda Road, Huangdao District, Qingdao, China

Plant Locations: SAME AS ABOVE

Category of Fittings to be registered. Circle one Category only

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all types
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Separators, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, level, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories

Title of the Standard of Construction

- MSS SP-72
- ASME B16.1

Number components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)

Show Manufacturers Name, Trademark, or Logo as it will appear on the product



Type of Construction

Forged ☐ Welded ☐ Wrought ☐
Cast ☐ Other ☐
Describe other:

List of supporting documentation and identification of the actual items to be registered:

- BALL VALVES SCOPE OF CRN, DRAWINGS, CALCULATIONS, REPORTS



Declaration:

I, WANG CHANGQING, CHIEF ENGINEER (see note 3) employed by Qingdao Dixon Valve & Fitting Co., Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:

Declared before me at Qingdao

This 5th day of June AD 2025

Commissioner of Oaths

Or Notary Public: (sign)

Use this space for the Official Seal

(Affix Official seal to the right)

This space for Regulatory Authority use.

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC26205.5

FDR:

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality Control programs shall be resubmitted for validation.
- Scope of registration Sept. 12, 2025; Design Report R-2171 Rev.0. MQ41F-125, OSB31, IVC31 Ball valves. 200psig @ 150F; 164psig @ 302F. Sizes to 10". (DGallant)



NUNAVUT

Boilers and
Pressure Vessels Act

REGISTERED

CRN

OC26205.5N

Date

12/05/2025

Signed

Chief Inspector

Territorial Registration Fee