


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Acme Cryogenics dba Cryogenic Experts</u>	
Manufacturers Address: <u>631 Sandy Circle, Oxnard, CA 93036</u>	
Plant Locations: <u>SINGLE LOCATION</u>	
<p align="center">Category of Fittings to be registered. Circle one Category only.</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over-pressure protection on boilers, pressure vessels, piping and fusible plugs <input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p align="center">- ASME B31.3</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  </div>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: BENT TUBING</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>DRAWINGS, CALCULATIONS, SCOPE OF CRN DOCUMENT</p>	

Declaration:

I, Joseph Jung (Engineering Supervisor) (see note 3) employed by CRYOGENIC EXPERTS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME B31.3 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Joseph Jung

Declared before me at CAMARILLO, CALIFORNIA

This 2ND day of JANUARY AD 2026

Use this space for the Official Seal

Commissioner of Oaths

Or Notary Public: (sign) [Signature]
 (Affix Official seal to the right)

<p align="center">This space for Regulatory Authority use.</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p>	
<p>CRN: <u>0H25832.2</u></p> <p>FID#: _____</p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>Scope of registration Dec.16, 2025; DWG.1005011A.316 Rev.B; Design Report R-2263 Rev.0 Mini Tube Coil Assembly. 3000psig @ 100F; 0F MDMT (DGallant)</p>	<p align="center">ACCEPTED</p> <p align="center">PROVINCE OF PRINCE EDWARD ISLAND</p> <p>C.R.N.: <u>0H25832.29</u></p> <p>DATE: <u>March 20 2026</u></p> <p>SIGNED: <u>[Signature]</u> INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH</p> <p align="right">Sect 1.0 - Fittings Rev.2</p>

Notary Documents
Attached


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Acme Cryogenics dba Cryogenic Experts	
Manufacturers Address: 531 Sandy Circle, Oxnard, CA 93039	
Plant Locations: SINGLE LOCATION	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input checked="" type="checkbox"/> H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	Title of the Standard of Construction - ASME B31.3
Show Manufacturers Name, Trademark, or Logo as it will appear on the product: <div style="text-align: center;">  </div>	Type of Construction Forged <input checked="" type="checkbox"/> Welded <input checked="" type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: BENT TUBING
List of supporting documentation and identification of the actual items to be registered: DRAWINGS, CALCULATIONS, SCOPE OF CRN DOCUMENT	

Declaration:

I, Joseph Jung (Engineering Supervisor) (see note 3) employed by CRYOGENIC EXPERTS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME B31.3 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Joseph Jung

Declared before me at CAMARILLO, CALIFORNIA


This 2ND day of JANUARY AD 2026

Commissioner of Oaths

Or Notary Public: (sign) [Signature]

(Affix Official seal to the right)

Use this space for the Official Seal

CRN: <u>OH25832.2</u> FID#: _____ Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Scope of registration Dec.16, 2025; Dwg.1005011A.316 Rev.B; Design Report R-2263 Rev.D. Mini Tube Coil Assembly. 3000psig @ 100F; OF MDMT (DGallant)	<p style="text-align: center;">This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.</p> <div style="text-align: center;">  </div> <p style="text-align: right; font-size: small;">Page 1.0 - Fittings Rev.2</p>
---	---

Notary Documents
Attached


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Acme Cryogenics dba Cryogenic Experts		
Manufacturers Address: 531 Sandy Circle, Oxnard, CA 93036		
Plant Locations: SINGLE LOCATION		
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p align="center">- ASME B31.3</p>	
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div style="text-align: center;">  </div>		<p align="center">Type of Construction</p> <p>Forged <input checked="" type="checkbox"/> Welded <input checked="" type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/> Describe other: <p align="center">BENT TUBING</p> </p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>DRAWINGS, CALCULATIONS, SCOPE OF CRN DOCUMENT</p>		

Declaration:

I Joseph Jung (Engineering Supervisor) (see note 3) employed by CRYOGENIC EXPERTS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME B31.3 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: *Joseph Jung*

Declared before me at CAMARILLO, CALIFORNIA

This 2ND day of JANUARY AD 2026


Commissioner of Oaths

Or Notary Public: (sign) *[Signature]*
 (Affix Official seal to the right)


DEPT OF JUSTICE PUBLIC SAFETY
BOILER & PRESSURE VESSEL ACT

REGISTRATION ONLY

CRN: 0H25832.27


CHIEF BOILER INSPECTOR
 DATE 3/20/26

BLRs PVs
 FITTINGS NUCLEAR COMPONENTS

Sect 1.0 - Fittings Rev.2

This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0H25832.2

FID#: _____

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

Scope of registration Dec.16, 2025; Dwg.1005011A.316 Rev.B; Design Report R-2263 Rev.0. Mini Tube Coil Assembly. 3000psig @ 100F; 0F MDMT (DGallant)

Notary Documents
Attached


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Acme Cryogenics dba Cryogenic Experts</u>	
Manufacturers Address: <u>531 Sandy Circle, Oxnard, CA 93038</u>	
Plant Locations: <u>SINGLE LOCATION</u>	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p align="center">- ASME B31.3</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product:</p> 	<p align="center">Type of Construction</p> <p>Forged <input checked="" type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: <p align="center">BENT TUBING</p> </p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p align="center">DRAWINGS, CALCULATIONS, SCOPE OF CRN DOCUMENT</p>	

Declaration:

I, Joseph Jung (Engineering Supervisor) (see note 3) employed by CRYOGENIC EXPERTS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME B31.3 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Joseph Jung*
 Declared before me at CAMARILLO, CALIFORNIA
 This 2ND day of JANUARY AD 2026

Commissioner of Oaths
 Or Notary Public: (sign) *Charles Clark*
 (Add Official seal to the right)

<p>CRN: <u>0H25832.2</u></p> <p>FID#: _____</p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>Scope of registration Dec. 16, 2025; Dwg. 1005011A.316 Rev.B; Design Report R-2263 Rev.0. Mini Tube Coil Assembly. 3000psig @ 100F; OF MDMT (DGailant)</p>	<p align="center">This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p align="center">Newfoundland and Labrador</p> <p>Registered <u>0H25832.20</u> Date <u>March 25, 2026</u> Engineering and Inspection Services Registered by <u><i>Joseph Jung</i></u> UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS</p>
---	--

Sect 1.0 - Fittings Rev.2

Notary Documents
Attached


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon


Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Acme Cryogenics dba Cryogenic Experts</u>	
Manufacturers Address: <u>531 Sandy Circle, Oxnard, GA 93036</u>	
Plant Locations: <u>SINGLE LOCATION</u>	
Category of Fittings to be registered. Circle one Category only	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	Title of the Standard of Construction - ASME B31.3
Show Manufacturers Name, Trademark, or Logo as it will appear on the product <div style="text-align: center;">  </div>	
Type of Construction Forged <input checked="" type="checkbox"/> Welded <input checked="" type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: BENT TUBING	
List of supporting documentation and identification of the actual items to be registered: DRAWINGS, CALCULATIONS, SCOPE OF CRN DOCUMENT	

Declaration:

I Joseph Jung (Engineering Supervisor) (see note 3) employed by CRYOGENIC EXPERTS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME B31.3 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 


Declared before me at CAMARILLO, CALIFORNIA

This 2ND day of JANUARY AD 2026

Use this space for the Official Seal

Commissioner of Oaths

Or Notary Public: (sign) 
 (Affix Official seal to the right)

CRN: <u>0H25832.2</u> FID#: _____ Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation.	This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.
Scope of registration Dec.16, 2025; Dwg.1005011A.316 Rev.B; Design Report R-2263 Rev.0. Mini Tube Coil Assembly. 3000psig @ 100F; OF MDMT (DGallant)	 ', 'CRN 0H25832.2Y', 'DATE 2026/03/23', and 'Sect 1.0 - Fittings Rev 2'." data-bbox="665 720 940 910"/>

Notary Documents
Attached


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon


Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Acme Cryogenics dba Cryogenic Experts	
Manufacturers Address: 531 Sandy Circle, Oxnard, CA 93036	
Plant Locations: SINGLE LOCATION	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p align="center">- ASME B31.3</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  </div>	<p align="center">Type of Construction</p> <p>Forged <input checked="" type="checkbox"/> Welded <input checked="" type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input checked="" type="checkbox"/> Describe other: <p align="center">BENT TUBING</p> </p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p align="center">DRAWINGS, CALCULATIONS, SCOPE OF CRN DOCUMENT</p>	

Declaration:

I Joseph Jung (Engineering Supervisor) (see note 3) employed by CRYOGENIC EXPERTS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME B31.3 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at CAMARILLO, CALIFORNIA



This 2ND day of JANUARY AD 2026

Commissioner of Oaths

Or Notary Public: (sign) 

(Affix Official seal to the right)

Use this space for the Official Seal

<p>CRN: <u>0H25832.2</u></p> <p>FID#: _____</p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>Scope of registration Dec.16, 2025; Dwg.1005011A.316 Rev.B; Design Report R-2263 Rev.0. Mini Tube Coil Assembly. 3000psig @ 100F; 0F MDMT (DGallant)</p>	<p align="center">This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of issuance.</p> <div align="center">  </div> <p align="center">REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.</p> <p align="center">C.R.N. <u>0H25832.2T</u> SIGNED <u></u> DATE <u>3/30/26</u></p> <p align="right">Seal 1.0 - Fittings Rev.2</p>
---	---

Notary Documents
Attached


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: <u>Acme Cryogenics dba Cryogenic Experts</u>	
Manufacturers Address: <u>631 Sandy Circle, Oxnard, CA 93036</u>	
Plant Locations: <u>SINGLE LOCATION</u>	
Category of Fittings to be registered. Circle one Category only	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs <input checked="" type="radio"/> H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting CNSC or ASME requirements)	Title of the Standard of Construction - ASME B31.3
Show Manufacturers Name, Trademark, or Logo as it will appear on the product <div style="text-align: center;">  </div>	
Type of Construction Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: BENT TUBING	
List of supporting documentation and identification of the actual items to be registered: DRAWINGS, CALCULATIONS, SCOPE OF CRN DOCUMENT	

Declaration:

I Joseph Jung (Engineering Supervisor) (see note 3) employed by CRYOGENIC EXPERTS and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASME B31.3 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *Joseph Jung*

Declared before me at CAMARILLO, CALIFORNIA

This 2ND day of JANUARY AD 2026

Commissioner of Oaths

Or Notary Public: (sign) *James Clark*
 (Affix Official seal to the right)

This space for Regulatory Authority use.
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OH25832.2

FID#: _____

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

Scope of registration Dec.16, 2025; Dwg.1005011A.316 Rev.B;
 Design Report R-2263 Rev.0. Mini Tube Coil Assembly.
 3000psig @ 100F; 0F MDMT (DGallant)

NUNAVUT
Boilers and
Pressure Vessels Act

REGISTERED

CRN OH25832.2 N

Date 03/20/2026

Signed *James Clark*
 Chief Inspector

Sec 1.0 - Fittings Rev.2

Territorial Registration Fee

Notary Documents
Attached