

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: PARKER HANNIFIN CORPORATION SPORLAN DIVISION	
Manufacturers Address: 206 LANGE DRIVE, WASHINGTON, MO, 63090, USA	
Plant Locations: VARIOUS - SEE WORLDWIDE LOCATIONS APPENDIX	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>- ASME B31.5 - CSA B52</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  </div>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: Glass</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- SCOPE OF CRN, REPORTS</p>	

Declaration:

I, John Wilhouse Sr. Principal Engineer (see note 3) employed by Parker Hannifin Corporation Sporlan Division and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 cert as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *John Wilhouse Sr.*


Declared before me at Washington, MO

This 21st day of NOVEMBER AD 2025

Commissioner of Oaths
Or Notary Public: (sign) *[Signature]*

(Affix Official seal to the right)

Use this space for the Official Seal



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC26330.5

FID#: _____

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation. Scope of registration Nov. 3, 2025; Design Report R-2226A, -B, -C, -D, -E Rev.0. EBV(T)-PR valves; SER-HP series valves; Models SPW-0 thru -7 Valves; GC Family & FGB Family valves; GCM valves. 6 plant locations. CRN expires Dec.19th, 2035 (DGallant)

ACCEPTED

PROVINCE OF PRINCE EDWARD ISLAND

C.R.N.: OC26330.59

DATE: January 23/26

SIGNED: *[Signature]*

INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

Sect 1.0 - Fittings Rev.2

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: PARKER HANNIFIN CORPORATION SPORLAN DIVISION	
Manufacturers Address: 300 LANGE DRIVE WASHINGTON, MO. 63080, USA	
Plant Locations: VARIOUS - SEE WORLDWIDE LOCATIONS APPENDIX	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>- ASME B31.5 - CSA B52</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center">  </p>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: <p align="center">Glass</p> </p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- SCOPE OF CRN, REPORTS</p>	

Declaration:

I, John Wilhouse Sr. Principal Engineer (see note 3) employed by Parker Hannifin Corporation Sporlan Division and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 Ed as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *John Wilhouse Sr.*


Declared before me at Washington, MO


This 21st day of November AD 2025

Commissioner of Oaths
Or Notary Public: *Paula Pruessner*

(Affix Official seal to the right)

Use this space for the Official Seal



<p>CRN: <u>OC26330.5</u></p> <p>FID#: _____</p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. Scope of registration Nov.3, 2025; Design Report R-2228A, -B, -C, -D, -E Rev.0, EBV(T)-PR valves; SER-HP series valves; Models SPW-0 thru -7 Valves; GC Family & FGB Family valves; GCM valves. 6 plant locations. CRN expires Dec.19th, 2035 (DGallant) 	<p align="center">This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of issuance.</p> <p align="center">  </p> <p>Date <u>Jan. 23/26</u></p> <p>C.R.N. <u>OC26330.58</u></p> <p>Dwg. <u>as described</u></p> <p>Signed <u><i>[Signature]</i></u></p> <p align="center">1 of 1 Part</p> <p align="right">Sheet 1.0 - Fittings Rev.2</p>
---	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: PARKER HANNIFIN CORPORATION SPORLAN DIVISION	
Manufacturers Address: 206 LANGE DRIVE, WASHINGTON, MO, 63090, USA	
Plant Locations: VARIOUS - SEE WORLDWIDE LOCATIONS APPENDIX	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>- ASME B31.5 - CSA B52</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  </div>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: Glass</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- SCOPE OF CRN, REPORTS</p>	

Declaration:

I John Withouse Sr. Principal Engineer (see note 3) employed by Parker Hannifin Corporation Sporlan Division and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 bsl as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: John Withouse

Declared before me at Washington, MO

This 21st day of November AD 2025

Commissioner of Oaths

Or Notary Public; (sign) [Signature]

(Affix Official seal to the right)

Use this space for the Official Seal

New BRUNSWICK
 PAUL PRESSLER
 GOVERNOR
 STATE OF MISSOURI
 MY COMMISSION EXPIRES JULY 6, 2029
 DEPT OF JUSTICE
 BOILER & PRESSURE VESSEL ACT
 COMMISSIONER #2633760

REGISTRATION ONLY
 CRN OC26330.57
[Signature]
 CHIEF BOILER INSPECTOR
 DATE 1/23/26

Sect 1.0 - Fittings Rev.2

BLRs PVs
 FITTINGS NUCLEAR COMPONENTS

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC26330.5

FID#: _____

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

Scope of registration Nov.3, 2025; Design Report R-2226A, -B, -C, -D, -E Rev.0. EBV(T)-PR valves; SER-HP series valves; Models SPW-0 thru -7 Valves; GC Family & FGB Family valves; GCM valves. 6 plant locations. CRN expires Dec.19th, 2035 (DGallant)

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: PARKER HANNIFIN CORPORATION SPORLAN DIVISION Manufacturers Address: 208 LANGE DRIVE, WASHINGTON, MO, 63090, USA Plant Locations: VARIOUS - SEE WORLDWIDE LOCATIONS APPENDIX	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>- ASME B31.5 - CSA B52</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  </div>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: Glass</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- SCOPE OF CRN, REPORTS</p>	

Declaration:

I, John Withouse II, Principal Engineer (see note 3) employed by Parker Hannifin Corporation Sporlan Division and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *John Withouse*


Declared before me at Washington, MO

This 21st day of NOVEMBER AD 2025

Commissioner of Oaths
 Or Notary Public: (sign) *Paula Pruessner*

(Affix Official seal to the right)

Use this space for the Official Seal



<p>GRN: <u>OC26330.5</u></p> <p>FID#: _____</p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>Scope of registration Nov 3, 2025; Design Report R-2226A, -B, -C, -D, -E Rev.0 EBV(T)-PR valves; SER-HP series valves; Models SPVW-0 thru -7 Valves; GC Family & FGB Family valves; GCM valves. 6 plant locations. CRN expires Dec.19th, 2035 (DGallant)</p>	<p align="center">This space for Regulatory Authority use. This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p align="center">Newfoundland Labrador</p> <p>Registered <u>OC26330.50</u> Date <u>Jan 23, 2026</u> Engineering and Inspection Services Registered by <u><i>Eric Jung</i></u></p> <p align="center">UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS</p> <p align="right">Sect 1.0 - Fittings Rev 2</p>
--	--

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: PARKER HANNIFIN CORPORATION SPORLAN DIVISION	
Manufacturers Address: 206 LANGE DRIVE, WASHINGTON, MO, 63090, USA	
Plant Locations: VARIOUS - SEE WORLDWIDE LOCATIONS APPENDIX	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>- ASME B31.5 - CSA B52</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  </div>	
<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: Glass</p>	
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- SCOPE OF CRN, REPORTS</p>	

Declaration:

I John Withouse Sr. Principal Engineer (see note 3) employed by Parker Hannifin Corporation Sporlan Division and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: *John Withouse Sr.*


Declared before me at Washington, MO

This 21st day of November AD 2025

Commissioner of Oaths
Or Notary Public: (sign) *Paula Pruessner*

(Affix Official seal to the right)

Use this space for the Official Seal



<p align="center">This space for Regulatory Authority use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0C26330.5</u></p> <p>FID#: _____</p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p><small>Scope of registration Nov.3, 2025; Design Report R-2226A, -B, -C, -D, -E Rev.0. EBV(T)-PR valves; SER-HP series valves; Models SPW-0 thru -7 Valves; GC Family & FGB Family valves; GCM valves. 6 plant locations. CRN expires Dec.19th, 2035 (DGallant)</small></p>	<div align="center">  <p>GOVERNMENT OF YUKON BY <u><i>[Signature]</i></u> CRN <u>0C26330.5Y</u> DATE <u>2026/01/23</u> Sect 1.0 - Fittings Rev.2</p> </div>
--	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: PARKER HANNIFIN CORPORATION SPORLAN DIVISION	
Manufacturers Address: 206 LANGE DRIVE, WASHINGTON, MO, 63090, USA	
Plant Locations: VARIOUS - SEE WORLDWIDE LOCATIONS APPENDIX	
<p align="center">Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)</p>	<p align="center">Title of the Standard of Construction</p> <p>- ASME B31.5 - CSA B52</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <div align="center">  </div>	<p align="center">Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input type="checkbox"/> Other <input type="checkbox"/> Describe other: Glass</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- SCOPE OF CRN, REPORTS</p>	

Declaration:

I John Withouse Sr. Principal Engineer (see note 3) employed by Parker Hannifin Corporation Sporlan Division and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: *John Withouse*

Declared before me at Washington, MO

This 21st day of November AD 2025

Commissioner of Oaths
 Or Notary Public; (sign) *Paula Pruessner*
 (Affix Official seal to the right)

Use this space for the Official Seal



<p align="center">This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.</p> <p>CRN: <u>0C26330.5</u></p> <p>FID#: _____</p> <p>Notes:</p> <ol style="list-style-type: none"> All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Quality Control programs shall be resubmitted for validation. <p>Scope of registration Nov.3, 2025; Design Report R-2226A, -B, -C, -D, -E Rev.0. EBV(T)-PR valves; SER-HP series valves; Models SPW-0 thru -7 Valves; GC Family & FGB Family valves; GCM valves. 6 plant locations. CRN expires Dec.19th, 2035 (DGallant)</p>	<div align="center">  <p>Northwest Territories</p> <p>REGISTERED UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT. C.R.N. <u>DC 26330.5T</u> SIGNED <u><i>Matthew Maitland</i></u> Sect 1.0 - Fittings Rev.2 DATE <u>1/23/26</u></p> </div>
--	--

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: PARKER HANNIFIN CORPORATION SPORLAN DIVISION	
Manufacturers Address: 206 LANGE DRIVE, WASHINGTON, MO, 63090, USA	
Plant Locations: VARIOUS - SEE WORLDWIDE LOCATIONS APPENDIX	
<p>Category of Fittings to be registered. Circle one Category only</p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)</p>	<p>Title of the Standard of Construction</p> <p>- ASME B31.5</p> <p>- CSA B52</p>
<p>Show Manufacturers Name, Trademark, or Logo as it will appear on the product</p> <p align="center">  </p>	<p>Type of Construction</p> <p>Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/></p> <p>Cast <input type="checkbox"/> Other <input type="checkbox"/></p> <p>Describe other:</p> <p>Glass</p>
<p>List of supporting documentation and identification of the actual items to be registered:</p> <p>- SCOPE OF CRN, REPORTS</p>	

Declaration:

I, Jahn Witheuse Sr. Principal Engineer (see note 3) employed by Parker Hannifin Corporation Sporlan Division and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ISO 9001:2015 as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Jahn Witheuse

Declared before me at Washington, MO


This 21st day of November AD 2025

Commissioner of Oaths

Or Notary Public: (sign) A.O. Messner

(Affix Official seal to the right)

Use this space for the Official Seal



This registration must be revalidated after 10 years from the date of registration.

CRN: OC26330.5

FID#: _____

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
- Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality Control programs shall be resubmitted for validation.

Scope of registration Nov.3, 2025; Design Report R-2226A, -B, -C, -D, -E Rev.0. EBV(T)-PR valves; SER-HP series valves; Models SPV-0 thru -7 Valves; GC Family & FGB Family valves; GCM valves. 6 plant locations. CRN expires Dec.19th, 2035 (DGallant)

REGISTERED
 CRN OC26330.5N
 Date 01/23/2026
 Signed _____
 Chief Inspector

Scat 1-0 - Fittings-Rev.2

Territorial Registration Fee