

June 23, 2026

Attention: Scott Islip
ROUND ENGINEERING INC
10 SEGWUN ROAD
WATERDOWN, ON L8B 0K6

The design submission, Tracking Number 2026-02404, Web Portal Number 2026-S1970, originally received on April 21, 2026 was surveyed and accepted for registration as follows:

CRN : 0E07663.2 **Accepted on:** June 23, 2026
Reg Type: ADDITION TO ACC. FITTING **Expiry Date:** August 15, 2035
Document No. SCOPE OF CRN REGISTRATION (dated May 22, 2026)
Fitting type: Regulators

Design registered in the name of : KDS HOLDING LLC DBA A+ CORPORATION

The registration is conditional on your compliance with the following notes:

The scope of this registration also includes a company name change

As indicated on AB-41 Statutory Declaration or AB-351 Declaration of Conformity form and submitted documentation, the code of construction is ASME B31.3.

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration or AB-351 Declaration of Conformity as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.*
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration or AB-351 Declaration of Conformity form.*
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency, and maintains a valid Certification of Authorization Permit if required by the jurisdiction where manufacturing takes place, until that date.*
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any questions don't hesitate to contact me by phone at (587) 686-9372 or fax (780) 437-7787 or e-mail Bohuch@absa.ca.

Sincerely,



BOHUCH, DAN, P. Eng.
DOP Cert. No. D00010785

Figure D.6

Declaration of Conformity form for application for registration of fittings in Canada (See Clauses 5.4.2 and D.1.)



DECLARATION OF CONFORMITY REGISTRATION OF FITTINGS DÉCLARATION DE CONFORMITÉ ENREGISTREMENT D'ACCESSOIRES

Declaration No: Unique Identifier assigned by manufacturer	R-2329	Revision:	0
--	---------------	-----------	----------

Manufacturer	(Name and Address) KDS Holding, LLC dba A+ Corporation, 41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States
--------------	---

***Table 1 Scope of Fitting Designs** IN ADDITION SEE ATTACHED SCOPE OF CRN REGISTRATION

Item No.	Type / Model / Size	Product Description	Material of Construction	MDMT	Rated Pressure			References: Catalog (pages) or Drawing(s) (revision level included)
					At Ambient Temperature	At Maximum Temperature		
1.	GVR	Regulator	ASTM A276	-40F	3750 psig	3750 psig	at 300F	Report R-2329A R.0
2	GVR Multistage	Regulator	TP316/316L	-40F	3750 psig	3750 psig	at 300F	Report R-2329B R.0
3	GR Multistage	Regulator	ASTM A479	-40F	3750 psig	3750 psig	at 300F	Report R-2329C R.0
			TP316/316L				at	
							at	

****Table 2 Codes, Standards, Guidelines, and Other Applicable Documents**

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.3	2024	4		
2			5		
3			6		

*****Table 3 Quality Program Verification and Manufacturing Sites**

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1,2,3	41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States	0103869	07 February 2029	Intertek Testing Services NA
A copy of the Quality Certificate from each manufacturing site must be included.				

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3***.

I certify that the fittings (s) listed in Table 1* conform to: the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered; CSA B51; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

Signed for and on behalf of **KDS Holding, LLC dba A+ Corporation** **Gonzales** **Louisiana**
 (Manufacturer) (City) (State / Province / Country)
Justin Harvey **CEO** **4/8/24**
 (Name, please print) (Function or Title) (Signature of Declarer) (Date)

**A+ CORPORATION**

41041 BLACK BAYOU ROAD
GONZALES, LOUISIANA
70737

May 22, 2026

PAGE 1 OF 1


SCOPE OF CRN REGISTRATION

Product Description	Model Number	Literature	Process Connection(s)	Design Code	Material Specification	MAWP at MAWT (psig)	MDMT	Report Number
Vaporizer Regulator	GVR	GVR-PS_022726	3/4" FNPT	ASME B31.3 2024	Stainless Steel ASTM A276-316/316L, A479-316/316L	3750 psig at 300°F / 258.6 barg at 149°C	-40°F/ -40°C	R-2329A Rev. 0
Vaporizer Regulator Multistage	GVR Multistage	GVR-PS_022726	3/4" FNPT	ASME B31.3 2024	Stainless Steel ASTM A276-316/316L, A479-316/316L	3750 psig at 300°F / 258.6 barg at 149°C	-40°F/ -40°C	R-2329B Rev. 0
Multistage Regulator	GR Multistage	GR-PS_022726	1/4" FNPT	ASME B31.3 2024	Stainless Steel ASTM A276-316/316L, A479-316/316L	3750 psig at 300°F / 258.6 barg at 149°C	-40°F/ -40°C	R-2329C Rev. 0

Note 1: MAWP = Maximum Allowable Working Pressure, MAWT = Maximum Allowable Working Temperature, MDMT = Minimum Design Metal Temperature.

Note 2: In all cases the maximum allowable working pressure and maximum/minimum temperature may be limited by seal materials or other considerations. Consult A+ literature.

Note 3: For low temperature operation the products shall conform to the rules of the applicable codes under which they are used.



This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.