

CRN: 0E07663.2 Add.12

Declaration of Conformity form



Corporation

ACCEPTED

PROVINCE OF PRINCE EDWARD ISLAND

C.R.N.: 0E07663.29 A0012

DATE: JUL 17/26

SIGNED: [Signature]
INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

Declaration No: Unique Identifier assigned by manufacturer	R-2329	Revision:	0
--	--------	-----------	---

Manufacturer	(Name and Address) KDS Holding, LLC dba A+ Corporation, 41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States
--------------	---

Table 1 Scope of Fitting Designs IN ADDITION SEE ATTACHED SCOPE OF CRN REGISTRATION

Data Tables of Design Ratings IN ADDITION SEE ATTACHED SHEET OF CRITICAL RATIONS								
Item No.	Type / Model / Size	Product Description	Material of Construction	MDMT	Rated Pressure			References: Catalog (pages) or Drawing(s) (revision level included)
					At Ambient Temperature	At Maximum Temperature		
1	GVR	Regulator	ASTM A278	-40F	3750 psig	3750 psig	at 300F	Report R-2329A R.0
2	GVR Multistage	Regulator	TP316/316L	-40F	3750 psig	3750 psig	at 300F	Report R-2329B R.0
3	GR Multistage	Regulator	ASTM A479	-40F	3750 psig	3750 psig	at 300F	Report R-2329C R.0
			TP316/316L				at	

Table 2 Codes, Standards, Guidelines, and Other Applicable Documents

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.3	2024	4		
2			5		
3			6		

Table 3 Quality Program Verification and Manufacturing Sites

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1,2,3	41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States	0103889	07 February 2029	Intertek Testing Services NA

A copy of the Quality Certificate from each manufacturing site must be included.

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.


I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3**.

I certify that the fittings (s) listed in Table 1* conform to: the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered; CSA B51; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

KDS Holding, LLC dba
A+ Corporation
Gonzales Louisiana
Signed for and on behalf of
Justin Harvey (Name, please print)
CEO (Function or Title)
[Signature] (Signature of Declarant)
4/8/26 (Date)

CRN: 0E07663.2 Add.12

Declaration of Conformity form**Corporation**

Declaration No: Unique Identifier assigned by manufacturer	R-2329	Revision:	0
--	--------	-----------	---

Manufacturer	(Name and Address) KDS Holding, LLC dba A+ Corporation, 41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States
--------------	---

***Table 1 Scope of Fitting Designs IN ADDITION SEE ATTACHED SCOPE OF CRN REGISTRATION**

Item No.	Type / Model / Size	Product Description	Material of Construction	MDMT	Rated Pressure			Reference: Catalog (pages) or Drawing(s) (revision level included)
					At Ambient Temperature	At Maximum Temperature		
1	GVR	Regulator	ASTM A278	-40F	3750 psig	3750 psig	at 300F	Report R-2328A R.0
2	GVR Multistage	Regulator	TP316/316L	-40F	3750 psig	3750 psig	at 300F	Report R-2328B R.0
3	GVR Multistage	Regulator	ASTM A479	-40F	3750 psig	3750 psig	at 300F	Report R-2328C R.0
			TP316/316L				at	

****Table 2 Codes, Standards, Guidelines, and Other Applicable Documents**

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.3	2024	4		
2			5		
3			6		

*****Table 3 Quality Program Verification and Manufacturing Sites**

Item No.	Location(s) Plant Name and Address / State	Quality Program Certificate Number	Expiry Date	Verifying Organization
1,2,3	41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States	0103688	07 February 2029	Intertek Testing Services NA

A copy of the Quality Certificate from each manufacturing site must be included.

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3**.

I certify that the fittings (s) listed in Table 1* conform to: the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered; CSA B51; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

Signed for and on behalf of KDS Holding, LLC dba A+ Corporation Gonzales Louisiana
 (Manufacturer) (City) (State / Province / Country)
Justin Harvey CEO 4/8/26
 (Name, please print) (Function or Title) (Signature of Declarer) (Date)

CRN: 0E07663.2 Add.12

Declaration of Conformity form



New Nouveau
Brunswick

DEPT OF JUSTICE PUBLIC SAFETY
BOILER & PRESSURE VESSEL ACT

REGISTRATION ONLY

CRN

0E07663.27 Add.12

Ram Arnes
CHIEF BOILER INSPECTOR

DATE 7/17/26

☐ SLTs☐ PVs

Declaration No:
Unique Identifier assigned
by manufacturer

R-2329

☒ FITTINGS

Revision:

☐ NUCLEAR

COMPONENTS

Manufacturer

(Name and Address)

KDS Holding, LLC dba A+ Corporation, 41041 Black Bayou Road, Gonzales,
Louisiana, 70737, United States

*Table 1 Scope of Fitting Designs IN ADDITION SEE ATTACHED SCOPE OF CRN REGISTRATION

Table 1: Scope of Rating Assignments (IN ADDITION SEE ATTACHED SCOPE OF QUALIFICATION)								
Item No.	Type / Model / Size	Product Description	Material of Construction	MDMT	Rated Pressure			References: Catalog (pages) or Drawing(s) (revision level included)
					At Ambient Temperature	At Maximum Temperature		
1.	GVR	Regulator	ASTM A276	-40F	3750 psig	3750 psig	at 300F	Report R-2329A R.0
2	GVR Multistage	Regulator	TP316/316L	-40F	3750 psig	3750 psig	at 300F	Report R-2329B R.0
3	GR Multistage	Regulator	ASTM A479	-40F	3750 psig	3750 psig	at 300F	Report R-2329C R.0
			TP316/316L				at	

**Table 2 Codes, Standards, Guidelines, and Other Applicable Documents

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.3	2024	4		
2			5		
3			6		

***Table 3 Quality Program Verification and Manufacturing Sites

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1,2,3	41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States	0103869	07 February 2029	Intertek Testing Services NA

A copy of the Quality Certificate from each manufacturing site must be included.

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3***.

I certify that the fittings (s) listed in Table 1* conform to: the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered: CSA B51; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

KDS Holding, LLC dba

A+ Corporation

Gonzales

Louisiana

Signed for and on behalf of

Justin Harvey

(Name, please print)

(Manufacturer)

CEO

(Function or Title)

(City)

(State / Province / Country)

(Signature of Declarer)

(Date)

4/8/26

CRN: 0E07663.2 Add.12

Declaration of Conformity form

Newfoundland
Laborator

Registered 0E07663.20 Add.12
 Date July 21, 2026
 Engineering and Inspection Services
 Registered by [Signature]

UNDER THE AUTHORITY OF THE
 PUBLIC SAFETY ACT AND
 THE BOILER, PRESSURE VESSEL AND
 COMPRESSED GAS REGULATIONS

Declaration No: Unique Identifier assigned by manufacturer	R-2329	Revision:	0
--	--------	-----------	---

Manufacturer	(Name and Address) KDS Holding, LLC dba A+ Corporation, 41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States
--------------	---

*Table 1 Scope of Fitting Designs IN ADDITION SEE ATTACHED SCOPE OF CRN REGISTRATION

Item No.	Type / Model / Size	Product Description	Material of Construction	NDMT	Rated Pressure			References: Catalog (pages) or Drawing(s) (revision level included)
					At Ambient Temperature	At Maximum Temperature		
1	GVR	Regulator	ASTM A276	-40F	3750 psig	3750 psig	at 300F	Report R-2329A R.0
2	GVR Multistage	Regulator	TP316/316L	-40F	3750 psig	3750 psig	at 300F	Report R-2329B R.0
3	GR Multistage	Regulator	ASTM A479	-40F	3750 psig	3750 psig	at 300E	Report R-2329C R.0
			TP316/316L				at	

**Table 2 Codes, Standards, Guidelines, and Other Applicable Documents

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.3	2024	4		
2			5		
3			6		

***Table 3 Quality Program Verification and Manufacturing Sites

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1,2,3	41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States	0103589	07 February 2029	Intertek Testing Services NA

A copy of the Quality Certificate from each manufacturing site must be included.

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3***.

I certify that the fittings (s) listed in Table 1* conform to the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered: CSA B51: and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

KDS Holding, LLC dba
 A+ Corporation
 Signed for and on behalf of Gonzales Louisiana
 Justin Harvey (Name, please print) CEO (Function or Title) [Signature] (Date / Province / Country) 4/3/24 (Date)

CRN: 0E07663.2 Add.12

Declaration of Conformity form



Declaration No: Unique Identifier assigned by manufacturer	R-2329	Revision:	0
--	--------	-----------	---

Manufacturer	(Name and Address) KDS Holding, LLC dba A+ Corporation, 41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States
--------------	---

*Table 1 Scope of Fitting Designs IN ADDITION SEE ATTACHED SCOPE OF CRN REGISTRATION

Item No.	Type / Model / Size	Product Description	Material of Construction	MDMT	Rated Pressure		References: Catalog (pages) or Drawing(s) (revision level included)
					At Ambient Temperature	At Maximum Temperature	
1.	GVR	Regulator	ASTM A276	-40F	3750 psig	3750 psig at 300F	Report R-2329A R.0
2.	GVR Multistage	Regulator	TP316/316L	-40F	3750 psig	3750 psig at 300F	Report R-2329B R.0
3.	GR Multistage	Regulator	ASTM A479	-40F	3750 psig	3750 psig at 300F	Report R-2329C R.0
			TP316/316L				

**Table 2 Codes, Standards, Guidelines, and Other Applicable Documents

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.3	2024	4		
2			5		
3			6		

***Table 3 Quality Program Verification and Manufacturing Sites

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1,2,3	41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States	0103869	07 February 2029	Intertek Testing Services NA

A copy of the Quality Certificate from each manufacturing site must be included.

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3***.

I certify that the fittings (s) listed in Table 1* conform to: the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered; CSA B51; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

**KDS Holding, LLC dba
A+ Corporation** **Gonzales** **Louisiana**


Signed for and on behalf of (Manufacturer) (City) (State / Province / Country)

Justin Harvey **CEO** [Signature] **4/8/24**

(Name, please print) (Function or Title) (Signature of Declarer) (Date)

CRN: 0E07663.2 Add.12

Declaration of Conformity form



Declaration No: Unique Identifier assigned by manufacturer	R-2329	Revision:	0
--	--------	-----------	---

Manufacturer	(Name and Address) KDS Holding, LLC dba A+ Corporation, 41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States
--------------	---

*Table 1 Scope of Fitting Designs IN ADDITION SEE ATTACHED SCOPE OF CRN REGISTRATION

Item No.	Type / Model / Size	Product Description	Material of Construction	MDMT	Rated Pressure				References: Catalog (pages) or Drawing(s) (revision level included)
					At Ambient Temperature		At Maximum Temperature		
1.	GVR	Regulator	ASTM A276	-40F	3750 psig	3750 psig	at	300F	Report R-2329A R.0
2.	GVR Multistage	Regulator	TP316/316L	-40F	3750 psig	3750 psig	at	300F	Report R-2329B R.0
3.	GR Multistage	Regulator	ASTM A479	-40F	3750 psig	3750 psig	at	300F	Report R-2329C R.0
			TP316/316L				at		

**Table 2 Codes, Standards, Guidelines, and Other Applicable Documents

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.3	2024	4		
2			5		
3			6		

***Table 3 Quality Program Verification and Manufacturing Sites

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1,2,3	41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States	0103869	07 February 2029	Intertek Testing Services NA

A copy of the Quality Certificate from each manufacturing site must be included.

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3***.

I certify that the fittings (s) listed in Table 1* conform to: the provisions of the acts and regulations of the provinces and territories where the fitting(s) are registered: CSA B51; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

KDS Holding, LLC dba
A+ Corporation
Signed for and on behalf of Justin Harvey (Name, please print) CEO (Function or Title) Gonzales (City) Louisiana (State / Province / Country) 4/8/24 (Date)
(Signature of Declarer)

CRN: 0E07663.2 Add.12

Declaration of Conformity form**Corporation**
NUNAVUT
 Boilers and
 Pressure Vessels Act

 REGISTERED
 CRN **0E07663.2N Add.12**
 Date **07/17/2026**
 Signed
 Chief Inspector

Territorial Registration Fee

Declaration No:
Unique Identifier assigned
by manufacturer**R-2329**Revision **0**

Manufacturer

(Name and Address)

**KDS Holding, LLC dba A+ Corporation, 41041 Black Bayou Road, Gonzales,
 Louisiana, 70737, United States**
***Table 1 Scope of Fitting Designs IN ADDITION SEE ATTACHED SCOPE OF CRN REGISTRATION**

Item No.	Type / Model / Size	Product Description	Material of Construction	MOMT	Rated Pressure			References: Catalog (pages) or Drawing(s) (revision level included)
					At Ambient Temperature	At Maximum Temperature		
1.	GVR	Regulator	ASTM A278	-40F	3750 psig	3750 psig at 300F		Report R-2329A R.0
2	GVR Multistage	Regulator	TP316/316L	-40F	3750 psig	3750 psig at 300F		Report R-2329B R.0
3	GR Multistage	Regulator	ASTM A479	-40F	3750 psig	3750 psig at 300F		Report R-2329C R.0
			TP219/219L					

****Table 2 Codes, Standards, Guidelines, and Other Applicable Documents**

Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision	Item No.	Title of Code(s), Standard(s), Guideline(s), or Other Applicable Document(s)	Edition / Revision
1	ASME B31.3	2024	4		
2			5		
3			6		

*****Table 3 Quality Program Verification and Manufacturing Sites**

Item No.	Location(s) Plant Name and Address / Site(s)	Quality Program Certificate Number	Expiry Date	Verifying Organization
1,2,3	41041 Black Bayou Road, Gonzales, Louisiana, 70737, United States	0103869	07 February 2029	Intertek Testing Services NA

A copy of the Quality Certificate from each manufacturing site must be included.

As an official of the manufacturer with authority, and having responsibility for the conformity and regulatory compliance of the fittings, I hereby declare that the information and statements made in this declaration of conformity are true and accurate.

I declare, under our sole responsibility, that the design, construction, certification, and marking of the fitting(s) listed in Table 1*, are subject to a conformity assessment process and quality program that has been verified, as described in Table 3***.

I certify that the fittings (s) listed in Table 1* conform to the provisions of the acts and regulations of the provinces and territories where the fittings(s) are registered: CSA B51; and the codes, standards, guidelines, or other applicable documents listed in Table 2**.

I further declare that there is a process in place for the retention of this declaration of conformity for not less than 10 years from the issuance of the Canadian Registration Number (CRN).

KDS Holding, LLC dba**A+ Corporation****Gonzales****Louisiana**

Signed for and on behalf of

Justin Harvey

(Manufacturer)

CEO

(City)

(State / Province / Country)

(Name, please print)

(Position or Title)

(Signature of Declarer)

(Date)

4/2/20