



345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
Tel.: 416.734.3300  
Fax: 416.231.1626  
Toll Free: 1.877.682.8772

[www.tssa.org](http://www.tssa.org)

June 26, 2017

SCOTT ISLIP  
ROUND ENGINEERING INC  
10 SEGWUN RD  
WATERDOWN ON L8B 0K6  
CA

**Service Request Type:** BPV-Fitting Registration

**Service Request No.:** 2097654

**Your Reference No.:** FEDORKI R-0767

**Registered to:** FEDORKI PERFORMANCE SYSTEMS LTD

Dear SCOTT ISLIP,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

**CRN No.:** 0H19481.5

Main Design No.: Dwg. No. R-0767 Rev. 0, Jacket Fitting Assembly.

Expiry Date: 26-Jun-2027

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The stamped copy of the approved registration and the invoice are mailed separately. Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above

Yours truly,



Mark Valcic P. Eng.  
Engineer Specialist BPV  
Tel.: 416-734-3494  
Fax: 416-231-1626  
Email: [mvalcic@tssa.org](mailto:mvalcic@tssa.org)



# FEDORKI PERFORMANCE SYSTEMS LTD.

4509 ROWSOME ROAD EAST  
ELIZABETHTOWN, ONTARIO  
K6T 1A9



09-Jun-17

PAGE 1 OF 1

## SCOPE OF CRN REGISTRATION

Product Description	Drawing No.	Design Code	Material Specification	MAWP	MAEWP	MDMT
Jacket Fitting Assembly	R-0767, FPS-07421, FPS-07428	ASME B31.3	Carbon Steel ASTM A36 ASTM A105	150 psig at 450F	150 psig at 450F	- 20F

**Note 1:** MAWP = Maximum Allowable Working Pressure, MAEWP = Maximum Allowable External Working Pressure, MDMT = Minimum Design Metal Temperature.

**Note 2:** Alternative materials may be used that have a ASME B31.3 Table A-1 allowable stress equal to or greater than 19,300 psi at 450F.

**THIS IS PART OF**  
**CRN 0419481.5**  
Technical Standards & Safety Authority  
Boilers & Pressure Vessels  
Safety Program  
*Wali*  
Jun 26/17