

New Brunswick	Nova Scotia	Prince Edward Island	Newfoundland and Labrador
Nunavut	Yukon	Northwest Territories	

Declaration:
I, Kevin Flint, Managing Director (see note 3) employed by Oasis Engineering Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TELARC LIMITED as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Official Seal of the American Society of Mechanical Engineers (ASME). The seal is circular with a scalloped outer edge. Inside the circle, the words "AMERICAN SOCIETY OF MECHANICAL ENGINEERS" are written around the perimeter. In the center, there is a smaller circle containing the letters "ASME". Below the seal, the word "ACCEPTED" is printed in a bold, sans-serif font.

(A) If the Certificate is the subject of a public hearing, the Certificate shall be marked "Public Hearing" and the Certificate shall be marked "Public Hearing".
 This registration is valid for a period of 10 years from the date of issue.
 This registration is valid for a period of 10 years from the date of issue.
 GRN: 0A1257.9 Rev.1 New Zealand
 FID#: _____
 Notes:
 1. All Filings shall be registered in the name of the Manufacturer.
 2. Each Category shall be supplied with two Statutory Declaration forms and one copy of supporting documentation.
 3. The Declaration shall be made by the person having full authority and responsibility for the product.
 Scope: GRN renewal, 1" - HC308 SS quick coupler, 5000psi; 40" to 185", addition of a SAE thread to the design. Code: ISO 7241 supp. by ASME VIII-1, UG-101(m). No changes to the design that would alter the pressure boundary. (DGallant)
 ACCEPTED
 PROVINCE OF PRINCE EDWARD ISLAND
 C.R.N.: 0A1257.9 Rev.1
 DATE: March 28 2025
 SIGNED: [Signature] McCabe
 INSPECTION SERVICES SECTION
 BOILER/PRESSURE VESSEL BRANCH
 Reg. 1.0 Filings Rev.2

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon


Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Oasis Engineering Limited	
Manufacturers Address: 120 Birch Ave, Tauranga, New Zealand	
Plant Locations: 129 Birch Ave, Tauranga, New Zealand	
Category of Fittings to be registered. Circle one Category only ☒ A) Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers ☐ B) Flanges: all flanges ☐ C) Valves: all line valves ☐ D) Expansion joints, flexible connections, and hose assemblies: all types ☐ E) Strainers, filters, separators, and steam traps ☐ F) Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters ☐ G) Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs ☐ H) Pressure retaining components that do not fall into one of the above categories ☐ I) Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction Proprietary standard supported by ASME calculations and/or proof tests.
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other: Machined Fitting
List of supporting documentation and identification of the actual items to be registered: ASME B31.3 calculations, data sheet and drawings.	

Declaration:


I, Kevin Flint, Managing Director (see note 3) employed by Oasis Engineering Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TELARC LIMITED as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 

Declared before me at Tauranga, New Zealand

This 03 day of March AD 2025

Commissioner-of-Oaths

Or Notary Public: (sign) 

(Affix Official Seal to the Notary Public)


This space for Regulatory Authority Use
This registration will be invalidated after ten (10) years

CRN: 0A1257.9 Rev.1

FID#: _____

Notes:

- All Fittings shall be registered in the name of the Manufacturer.
 - Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 - The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Scope: CRN renewal. 1" - HC308 SS quick coupler. 5000psig. -40F to 185F. addition of a SAE thread to the design. Code: ISO 7241 supp. by ASME VIII-1, UG-101(m). No changes to the design that would alter the pressure boundary. (DGallant)



UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador


Manufacturers Name: Oasis Engineering Limited	
Manufacturers Address: 129 Birch Ave, Tauranga, New Zealand	
Plant Locations: 129 Birch Ave, Tauranga, New Zealand	
Category of Fittings to be registered. Circle one Category only ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers ☐ B Flanges: all flanges ☐ C Valves: all line valves ☐ D Expansion joints, flexible connections, and hose assemblies: all types ☐ E Strainers, filters, separators, and steam traps ☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters ☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs ☐ H Pressure retaining components that do not fall into one of the above categories ☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction Proprietary standard supported by ASME calculations and/or proof tests.
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other: Machined Fitting
List of supporting documentation and identification of the actual items to be registered: ASME B31.3 calculations, data sheet and drawings.	

Declaration:

I Kevin Flint, Managing Director (see note 3) employed by Oasis Engineering Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TELARC LIMITED as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Tauranga, New Zealand
 This 03 day of March AD 2025
 Commissioner of Oaths [Signature]
 Or Notary Public: (sign) [Signature]

(Affix Official Seal to the Right)

CRN: <u>0A1257.9 Rev.1</u> FID#: _____ Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Scope: CRN renewal. 1" - HC308 SS quick coupler 5000psig; -40F to 185F. addition of a SAE thread to the design. Code: ISO 7241 supp. by ASME VIII-1, UG-101(m). No changes to the design that would alter the pressure boundary. (DGallant)	 New Brunswick DEPT OF JUSTICE-PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT REGISTRATION ONLY CRN <u>0A1257.97 Rev1</u> <u>[Signature]</u> Sect 1.0 - Fittings Rev.2 CHIEF BOILER INSPECTOR DATE <u>3/28/25</u> ☐ BLRs ☐ PVs ☒ FITTINGS ☐ NUCLEAR COMPONENTS
---	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Oasis Engineering Limited	
Manufacturers Address: 129 Birch Ave, Tauranga, New Zealand	
Plant Locations: 129 Birch Ave, Tauranga, New Zealand	
Category of Fittings to be registered. Circle one Category only ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers ☐ B Flanges: all flanges ☐ C Valves: all line valves ☐ D Expansion joints, flexible connections, and hose assemblies: all types ☐ E Strainers, filters, separators, and steam traps ☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters ☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs ☐ H Pressure retaining components that do not fall into one of the above categories ☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Title of the Standard of Construction Proprietary standard supported by ASME calculations and/or proof tests.
	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other: Machined Fitting
List of supporting documentation and identification of the actual items to be registered: ASME B31.3 calculations, data sheet and drawings.	

Declaration:

I, Kevin Flint, Managing Director (see note 3) employed by Oasis Engineering Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TELARC LIMITED as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 


Declared before me at Tauranga, New Zealand


This 03 day of March AD 2025

Commissioner of Oaths

Or Notary Public: (sign) 

(Affix Official Seal to the (2nd) page)



CRN: <u>DA1257.9 Rev.1</u> FID#: _____ Notes: - All Fittings shall be registered in the name of the Manufacturer. - Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. - The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Scope: CRN renewal. 1" - HC308 SS quick coupler, 5000psig, -40F to 185F, addition of a SAE thread to the design. Code: ISO 7241 supp. by ASME VIII-1, UG-101(m). No changes to the design that would alter the pressure boundary. (DGallant)	This space for Regulatory Authority Use This registration is validated after Jan (10) 2026 New Zealand Registrar of Fittings Newfoundland and Labrador Registered <u>DA1257.90 Row 1</u> Date <u>March 28 2025</u> Engineering and Inspection Services Registered by  UNDER THE AUTHORITY OF THE PUBLIC SAFETY ACT AND THE BOILER, PRESSURE VESSEL AND COMPRESSED GAS REGULATIONS Page 1.0 - Fittings Rev.2
---	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon


Prince Edward Island
Northwest Territories

Newfoundland and Labrador



Manufacturers Name: Oasis Engineering Limited	
Manufacturers Address: 129 Birch Ave, Tauranga, New Zealand	
Plant Locations: 129 Birch Ave, Tauranga, New Zealand	
Category of Fittings to be registered. Circle one Category only ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers ☐ B Flanges: all flanges ☐ C Valves: all line valves ☐ D Expansion joints, flexible connections, and hose assemblies: all types ☐ E Strainers, filters, separators, and steam traps ☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters ☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs ☐ H Pressure retaining components that do not fall into one of the above categories ☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements)	Title of the Standard of Construction Proprietary standard supported by ASME calculations and/or proof tests.
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other: Machined Fitting
List of supporting documentation and identification of the actual items to be registered: ASME B31.3 calculations, data sheet and drawings.	

Declaration:

I, Kevin Flint, Managing Director (see note 3) employed by Oasis Engineering Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TELARC LIMITED as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 
 Declared before me at Tauranga, New Zealand
 This 03 day of March AD 2025
 Commissioner of Oaths
 Or Notary Public: (sign) 

(Affix Official Seal to the Notary Public)

CRN: <u>0A1257.9 Rev.1</u> FID#: _____ Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Scope: CRN renewal. 1" - HC308 SS quick coupler. 5000psig; -40F to 185F; addition of a SAE thread to the design. Code: ISO 7241 supp. by ASME VIII-1, UG-101(m). No changes to the design that would alter the pressure boundary. (DGallant)	This space for Regulatory Authority This registration is invalidated after ten (10) years   Sheet 1 of 1 - Fittings Rev.2
--	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador

Manufacturers Name: Oasis Engineering Limited	
Manufacturers Address: 129 Birch Ave, Tauranga, New Zealand	
Plant Locations: 129 Birch Ave, Tauranga, New Zealand	
Category of Fittings to be registered. Circle one Category only ☒ A) Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers ☐ B) Flanges: all flanges ☐ C) Valves: all line valves ☐ D) Expansion joints, flexible connections, and hose assemblies: all types ☐ E) Strainers, filters, separators, and steam traps ☐ F) Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters ☐ G) Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs ☐ H) Pressure retaining components that do not fall into one of the above categories ☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ , (Meeting CNSC or ASME requirements)	Title of the Standard of Construction Proprietary standard supported by ASME calculations and/or proof tests.
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other: Machined Fitting
List of supporting documentation and identification of the actual items to be registered: ASME B31.3 calculations, data sheet and drawings.	

Declaration:

I, Kevin Flint, Managing Director (see note 3) employed by Oasis Engineering Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TELARC LIMITED as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]


Declared before me at Tauranga, New Zealand


This 03 day of March AD 2025

Commissioner of Oaths

Or Notary Public: (sign) [Signature]

(Affix Official seal to the right)



CRN: <u>0A1257.9 Rev.1</u> FID#: _____ Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Scope: CRN renewal. 1" - HC308 SS quick coupler. 5000psig; -40F to 185F. addition of a SAE thread to the design. Code: ISO 7241 supp. by ASME VIII-1, UG-101(m). No changes to the design that would alter the pressure boundary. (DGallant)	This space for Regulatory This registration shall be invalidated after ten (10) years. 
--	---

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories

Newfoundland and Labrador


Manufacturers Name: Oasis Engineering Limited	
Manufacturers Address: 129 Birch Ave, Tauranga, New Zealand	
Plant Locations: 129 Birch Ave, Tauranga, New Zealand	
Category of Fittings to be registered. Circle one Category only ☒ A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers ☐ B Flanges: all flanges ☐ C Valves: all line valves ☐ D Expansion joints, flexible connections, and hose assemblies; all types ☐ E Strainers, filters, separators, and steam traps ☐ F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters ☐ G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs ☐ H Pressure retaining components that do not fall into one of the above categories ☐ N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐ (Meeting CNSC or ASME requirements) Show Manufacturers Name, Trademark, or Logo as it will appear on the product: 	Title of the Standard of Construction Proprietary standard supported by ASME calculations and/or proof tests.
Type of Construction Forged ☐ Welded ☐ Wrought ☐ Cast ☐ Other ☐ Describe other: Machined Fitting	
List of supporting documentation and identification of the actual items to be registered: ASME B31.3 calculations, data sheet and drawings.	

Declaration:

I, Keyin Flint, Managing Director (see note 3) employed by Oasis Engineering Ltd. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TELARC LIMITED as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: 
 Declared before me at Tauranga, New Zealand
 This 03 day of March AD 2015
 Commissioner of Oaths 
 Or Notary Public: (sign) 

(Affix Official Seal to the Public Notary Public)



CRN: <u>0A1257.9 Rev.1</u> New Zealand FID#: _____ Notes: - All Fittings shall be registered in the name of the Manufacturer. - Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. - The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. Scope: CRN renewal. 1" - HC308 SS quick coupler. 5000psig; -40F to 185F; addition of a SAE thread to the design. Code: ISO 7241 supp. by ASME VIII-1, UG-101(m). No changes to the design that would alter the pressure boundary. (DGallant)	 NUNAVUT Boilers and Pressure Vessels Act REGISTERED CRN <u>0A1257.9 Rev.1</u> Date <u>03/28/2015</u> Signed  Chief Inspector Territorial Registration Fee
--	---